

Publications for Paulo Ferreira

2019

Siqueira, F., Ferreira, P., Borges Dario, A., Harmer, A., Oliveira, V., Leite, H. (2019). Are perinatal factors associated with musculoskeletal pain across the lifespan? A systematic review with meta-analysis. *Musculoskeletal Science and Practice*, 39, 170-177. [More Information]

Leite, H., Borges Dario, A., Harmer, A., Oliveira, V., Ferreira, M., Ferreira, L., Ferreira, P. (2019). Contributions of birthweight, annualised weight gain and BMI to back pain in adults: a population based co-twin control study of 2754 Australian twins. *European Spine Journal*, 28(2), 224-233. [More Information]

Zadro, J., Shirley, D., Duncan, G., Ferreira, P. (2019). Familial factors predicting recovery and maintenance of physical activity in people with low back pain: Insights from a population-based twin study. *European Journal of Pain*, 23(2), 367-377. [More Information]

Wong, A., Lauridsen, H., Samartzis, D., Macedo, L., Ferreira, M., Ferreira, P. (2019). Global Consensus From Clinicians Regarding Low Back Pain Outcome Indicators for Older Adults: Pairwise Wiki Survey Using Crowdsourcing. *JMIR Rehabilitation and Assistive Technologies*, 6(1), e11127. [More Information]

Amorim, A., Pappas, E., Simic, M., Ferreira, M., Jennings, M., Tiedemann, A., Moura Campos Carvalho Silva, A., Caputo, E., Kongsted, A., Ferreira, P. (2019). Integrating Mobile-health, health coaching, and physical activity to reduce the burden of chronic low back pain trial (IMPACT): a pilot randomised controlled trial. *BMC Musculoskeletal Disorders*, 20(1), 1-14. [More Information]

Amorim, A., Pappas, E., Simic, M., Ferreira, M., Jennings, M., Tiedemann, A., Moura Campos Carvalho Silva, A., Caputo, E., Kongsted, A., Ferreira, P. (2019). Integrating Mobile-health, health coaching, and physical activity to reduce the burden of chronic low back pain trial (IMPACT): a pilot randomised controlled trial. *BMC Musculoskeletal Disorders*, 20(1). [More Information]

Barros Carlos De Amorim, A., Simic, M., Pappas, E., Zadro, J., Carrillo, E., Ordonana, J., Ferreira, P. (2019). Is occupational or leisure physical activity associated with low back pain? Insights from a cross-sectional study of 1059 participants. *Brazilian Journal of Physical Therapy*, 23(3), 257-265. [More Information]

Pozzobon, D., Ferreira, P., Borges Dario, A., Almeida, L., Vesentini, G., Harmer, A., Ferreira, M. (2019). Is there an association between diabetes and neck and back pain? A systematic review with meta-analyses. *PloS One*, 14(2). [More Information]

Oliveira Leopoldino, A., De Carvalho Machado, G., Ferreira, P., De Barros Pinheiro, M., Day, R., McLachlan, A., Hunter,

D., Ferreira, M. (2019). Paracetamol versus placebo for knee and hip osteoarthritis. *Cochrane Database of Systematic Reviews*, 2, 1-45. [More Information]

Pozzobon, D., Nogueira, L., Ferreira, P., Steffens, D., Beckenkamp, P., Blyth, F., Ferreira, M. (2019). Return to self-reported physical activity level after an event of acute low back pain. *PloS One*, 14(7), 1-12. [More Information]

Ho, K., Ferreira, P., De Barros Pinheiro, M., Silva, D., Miller, C., Grunstein, R., Simic, M. (2019). Sleep interventions for osteoarthritis and spinal pain: a systematic review and meta-analysis of randomized controlled trials. *Osteoarthritis and Cartilage*, 27(2), 196-218. [More Information]

Halliday, M., Garcia, A., Amorim, A., De Carvalho Machado, G., Hayden, J., Pappas, E., Ferreira, P., Hancock, M. (2019). Treatment Effect Sizes of Mechanical Diagnosis and Therapy for Pain and Disability in Patients With Low Back Pain. *Journal of Orthopaedic and Sports Physical Therapy*, 49(4), 212-287. [More Information]

Zadro, J., Shirley, D., Simic, M., Mousavi, S., Cernjia, D., Maka, K., Sung, J., Ferreira, P. (2019). Video Game-Based Exercises for Older People With Chronic Low Back Pain: A Randomized Controlled Trial (GAMEBACK). *Physical Therapy*, 99(1), 14-27. [More Information]

2018

Zunzarren Megale, R., Ferreira, M., Ferreira, P., Naganathan, V., Cumming, R., Hirani, V., Waite, L., Seibel, M., Le Couteur, D., Handelsman, D., Blyth, F. (2018). Association between pain and the frailty phenotype in older men: Longitudinal results from the Concord Health and Ageing in Men Project (CHAMP). *Age and Ageing*, 47(3), 381-387. [More Information]

Pozzobon, D., Ferreira, P., Blyth, F., De Carvalho Machado, G., Ferreira, M. (2018). Can obesity and physical activity predict outcomes of elective knee or hip surgery due to osteoarthritis? A meta-analysis of cohort studies. *BMJ Open*, 8(2), e017689. [More Information]

Machado, L., Viana, J., da Silva, S., Couto, F., Mendes, L., Ferreira, P., Ferreira, M., Dias, J., Dias, R. (2018). Correlates of a Recent History of Disabling Low Back Pain in Community-Dwelling Older Persons: The Pain in the Elderly (PAINEL) Study. *Clinical Journal of Pain*, 34(6), 515-524. [More Information]

Magalhaes, M., Comachio, J., Ferreira, P., Pappas, E., Marques, A. (2018). Effectiveness of graded activity versus physiotherapy in patients with chronic nonspecific low back

pain: midterm follow up results of a randomized controlled trial. *Brazilian Journal of Physical Therapy*, 22(1), 82-91. [More Information]

Zunzarren Megale, R., Deveza, L., Blyth, F., Naganathan, V., Ferreira, P., McLachlan, A., Ferreira, M. (2018). Efficacy and Safety of Oral and Transdermal Opioid Analgesics for Musculoskeletal Pain in Older Adults: A Systematic Review of Randomized, Placebo-Controlled Trials. *The Journal of Pain*, 19(5), 475.e1-475.e24. [More Information]

De Barros Pinheiro, M., Morosoli, J., Ferreira, M., Madrid-Valero, J., Refshauge, K., Ferreira, P., Ordonana, J. (2018). Genetic and Environmental Contributions to Sleep Quality and Low Back Pain: A Population-Based Twin Study. *Psychosomatic Medicine*, 80, 263-270. [More Information]

De Barros Pinheiro, M., Morosoli, J., Colodro-Conde, L., Ferreira, P., Ordonana, J. (2018). Genetic and environmental influences to low back pain and symptoms of depression and anxiety: A population-based twin study. *Journal of Psychosomatic Research*, 105, 92-98. [More Information]

Amorim, A., Ferreira, P., Ferreira, M., Lier, R., Simic, M., Pappas, E., Zadro, J., Mork, P., Nilsen, T. (2018). Influence of family history on prognosis of spinal pain and the role of leisure time physical activity and body mass index: a prospective study using family-linkage data from the Norwegian HUNT study. *BMJ Open*, 8(10), 1-8. [More Information]

Zadro, J., Shirley, D., Ferreira, M., Moura Campos Carvalho Silva, A., Lamb, S., Cooper, C., Ferreira, P. (2018). Is Vitamin D Supplementation Effective for Low Back Pain? A Systematic Review and Meta-Analysis. *Pain Physician*, 21(2), 121-145.

Fernandes, I., Pinto, R., Ferreira, P., Lira, F. (2018). Low back pain, obesity, and inflammatory markers: Exercise as potential treatment. *Journal of Exercise Rehabilitation*, 14(2), 168-174. [More Information]

Azevedo, D., Ferreira, P., Santos, H., Oliveira, D., de Souza, J., Costa, L. (2018). Movement system impairment-based classification treatment versus general exercises for chronic low back pain: Randomized controlled trial. *Physical Therapy*, 98(1), 28-39. [More Information]

Zadro, J., Nilsen, T., Shirley, D., Barros Carlos De Amorim, A., Ferreira, P., Mork, P. (2018). Parental chronic widespread pain and the association with chronic widespread pain in adult offspring: Family-linkage data from the Norwegian HUNT Study. *European Journal of Pain*, 22(8), 1485-1493. [More Information]

Morelhaio, P., Franco, M., Oliveira, C., Hisamatsu, T., Ferreira, P., Costa, L., Maher, C., Pinto, R. (2018). Physical activity and disability measures in chronic non-specific low back pain: a study of responsiveness. *Clinical Rehabilitation*, 32(12), 1684-1695. [More Information]

Oliveira, C., Franco, M., Maher, C., Ferreira, P., Morelhaio, P.,

Damato, T., Gobbi, C., Pinto, R. (2018). Physical activity-based interventions using electronic feedback may be ineffective for reducing pain and disability in patients with chronic musculoskeletal pain: a systematic review with meta-analysis. *Archives of Physical Medicine and Rehabilitation*, 99(9), 1900-1912. [More Information]

Foster, N., Anema, J., Cherkin, D., Chou, R., Cohen, S., Gross, D., Ferreira, P., Fritz, J., Koes, B., Peul, W., Maher, C., et al (2018). Prevention and treatment of low back pain: evidence, challenges, and promising directions. *The Lancet*, 391(10137), 2368-2383. [More Information]

De Jesus-Moraleida, F., Ferreira, P., Ferreira, M., Da Silva, J., Assis, M., Pereira, L. (2018). The Brazilian Back Complaints in the Elders (Brazilian BACE) study: characteristics of Brazilian older adults with a new episode of low back pain. *Brazilian Journal of Physical Therapy*, 22(1), 55-63. [More Information]

Calais-Ferreira, L., Oliveira, V., Craig, J., Flander, L., Hopper, J., Teixeira-Salmela, L., Ferreira, P. (2018). Twin studies for the prognosis, prevention and treatment of musculoskeletal conditions. *BRAZILIAN JOURNAL OF PHYSICAL THERAPY Revista Brasileira de Fisioterapia*, 22(3), 184-189. [More Information]

Sumathipala, A., Yelland, L., Green, D., Shepherd, T., Jayaweera, K., Ferreira, P., Craig, J. (2018). Twins as Participants in Randomized Controlled Trials: A Review of Published Literature. *Twin Research and Human Genetics*, 21(1), 51-56. [More Information]

Karel, Y., Thoomes-De Graaf, M., Scholten-Peeters, G., Ferreira, P., Rizopoulos, D., Koes, B., Verhagen, A. (2018). Validity of the Flemish working alliance inventory in a Dutch physiotherapy setting in patients with shoulder pain. *Physiotherapy Theory and Practice*, 34(5), 384-392. [More Information]

2017

Fernandez, M., Ferreira, P. (2017). Acupuncture for sciatica and a comparison with Western Medicine (PEDro synthesis). *British Journal of Sports Medicine*, 51(6), 539-540. [More Information]

Zadro, J., Shirley, D., Amorim, A., Perez-Riquelme, F., Ordonana, J., Ferreira, P. (2017). Are people with chronic low back pain meeting the physical activity guidelines? A co-twin control study. *Spine Journal*, 17(6), 845-854. [More Information]

Jesus-Moraleida, F., Ferreira, P., Ferreira, M., Silva, J., Maher, C., Enthoven, W., Bierma-Zeinstra, S., Koes, B., Luijsterburg, P., Pereira, L. (2017). Back complaints in the elders in Brazil and the Netherlands: A cross-sectional comparison. *Age and Ageing*, 46(3), 476-481. [More Information]

De Carvalho Machado, G., Maher, C., Ferreira, P., Latimer, J., Koes, B., Steffens, D., Ferreira, M. (2017). Can recurrence after an acute episode of low back pain be predicted? *Physical Therapy*, 97(9), 889-895. [More Information]

<http://dx.doi.org/10.1093/ptj/pzx067>>[More Information]

Fernandez, M., Colodro-Conde, L., Hartvigsen, J., Ferreira, M., Refshauge, K., De Barros Pinheiro, M., Ordonana, J., Ferreira, P. (2017). Chronic low back pain and the risk of depression or anxiety symptoms: insights from a longitudinal twin study. *Spine Journal*, 17(7), 905-912. [More Information]

Mackey, M., Leaver, A., Ferreira, P., Jones, M., Rubinstein, S. (2017). Does an online psychological intervention improve self-efficacy and disability in people also receiving Multimodal Manual Therapy for chronic low back pain compared to Multimodal Manual Therapy alone? A randomized controlled trial. *The Modern Practice - How to make it happen*, Melbourne, Australia.

Mackey, M., Leaver, A., Ferreira, P., Jones, M., Rubinstein, S. (2017). Does an online psychological intervention improve self-efficacy and disability in people also receiving Multimodal Manual Therapy for chronic low back pain compared to Multimodal Manual Therapy alone? A randomized controlled trial. *CAA Annual Conference 2017 (Chiropractors' Association of Australia)*, Canberra, Australia: Chiropractors' Association of Australia.

Zadro, J., Shirley, D., De Barros Pinheiro, M., Sanchez-Romera, J., Perez-Riquelme, F., Ordonana, J., Ferreira, P. (2017). Does educational attainment increase the risk of low back pain when genetics is considered? A population-based study of Spanish twins. *Spine Journal*, 17(4), 518-530. [More Information]

Zadro, J., Shirley, D., Sanchez-Romera, J., Ordonana, J., Ferreira, P. (2017). Does familial aggregation of chronic low back pain affect recovery? A population-based twin study. *Spine*, 42(17), 1295-1301. [More Information]

Barros Carlos De Amorim, A., Levy, G., Perez-Riquelme, F., Simic, M., Pappas, E., Borges Dario, A., Ferreira, M., Carrillo, E., Luque-Suarez, A., Ordonana, J., Ferreira, P. (2017). Does sedentary behavior increase the risk of low back pain? A population-based co-twin study of Spanish twins. *Spine Journal*, 17(7), 933-942. [More Information]

Borges Dario, A., Moreti Cabral, A., Almeida, L., Ferreira, M., Refshauge, K., Simic, M., Pappas, E., Ferreira, P. (2017). Effectiveness of telehealth-based interventions in the management of non-specific low back pain: a systematic review with meta-analysis. *Spine Journal*, 17(9), 1342-1351. [More Information]

Magnusson, K., Scurrah, K., Ystrom, E., Orstavik, R., Nilsen, T., Steingrimsdottir, O., Ferreira, P., Fenstad, A., Furnes, O., Hagen, K. (2017). Genetic factors contribute more to hip than knee surgery due to osteoarthritis - a population-based twin registry study of joint arthroplasty. *Osteoarthritis and Cartilage*, 25(6), 878-884. [More Information]

Dias, J., Cisneros, L., Dias, R., Fritsch, C., Gomes, W., Pereira, L., Santos, M., Ferreira, P. (2017). Hydrotherapy improves pain and function in older women with knee osteoarthritis: a randomized controlled trial. *Brazilian Journal of Physical Therapy*, 21(6), 449-456. [More

Information]

Tong, M., Mousavi, S., Kiers, H., Ferreira, P., Refshauge, K., van Dieen, J. (2017). Is there a relationship between lumbar proprioception and low back pain? A systematic review with meta-analysis. *Archives of Physical Medicine and Rehabilitation*, 98(1), 120-136. [More Information]

Fernandez, M., Boyle, E., Hartvigsen, J., Ferreira, M., Refshauge, K., Maher, C., Christensen, K., Hopper, J., Ferreira, P. (2017). Is this back pain killing me? All-cause and cardiovascular-specific mortality in older Danish twins with spinal pain. *European Journal of Pain*, 21(5), 938-948. [More Information]

Borges Dario, A., Ferreira, M., Refshauge, K., Harmer, A., Sanchez-Romera, J., Perez-Riquelme, F., Cisneros, L., Ordonana, J., Ferreira, P. (2017). Mapping the association between back pain and type 2 diabetes: A cross-sectional and longitudinal study of adult Spanish twins. *PLoS One*, 12(4), 1-15. [More Information]

Zadro, J., Shirley, D., Ferreira, M., Moura Campos Carvalho Silva, A., Lamb, S., Cooper, C., Ferreira, P. (2017). Mapping the association between vitamin D and low back pain: A systematic review and meta-analysis of observational studies. *Pain Physician*, 20(7), 611-640.

Araujo, A., Negrao Filho, R., Oliveira, C., Ferreira, P., Pinto, R. (2017). Measurement properties of the Brazilian version of the Working Alliance Inventory (patient and therapist short-forms) and Session Rating Scale for low back pain. *Journal of Back and Musculoskeletal Rehabilitation*, 30(4), 879-887. [More Information]

Zadro, J., Shirley, D., De Barros Pinheiro, M., Bauman, A., Duncan, G., Ferreira, P. (2017). Neighborhood walkability moderates the association between low back pain and physical activity: A co-twin control study. *Preventive Medicine*, 99(2017), 257-263. [More Information]

De Carvalho Machado, G., Maher, C., Ferreira, P., Day, R., De Barros Pinheiro, M., Ferreira, M. (2017). Non-steroidal anti-inflammatory drugs for spinal pain: A systematic review and meta-analysis. *Annals of the Rheumatic Diseases*, 76(7), 1269-1278. [More Information]

McKay, M., Baldwin, J., Ferreira, P., Simic, M., Vanicek, N., Burns, J. (2017). Normative reference values for strength and flexibility of 1,000 children and adults. *Neurology*, 88(1), 36-43. [More Information]

Borges Dario, A., Ferreira, M., Refshauge, K., Luque-Suarez, A., Ordonana, J., Ferreira, P. (2017). Obesity does not increase the risk of chronic low back pain when genetics are considered. A prospective study of Spanish adult twins. *Spine Journal*, 17(2), 282-290. [More Information]

McKay, M., Baldwin, J., Ferreira, P., Simic, M., Vanicek, N., Burns, J. (2017). Reference values for developing responsive functional outcome measures across the lifespan. *Neurology*, 88(16), 1512-1519. <a

<http://dx.doi.org/10.1212/WNL.0000000000003847>>[More Information]

McKay, M., Baldwin, J., Ferreira, P., Simic, M., Vanicek, N., Wojciechowski, E., Mudge, A., Burns, J. (2017). Spatiotemporal and plantar pressure patterns of 1000 healthy individuals aged 3-101 years. *Gait and Posture*, 58, 78-87. [More Information]

De Barros Pinheiro, M., Ferreira, M., Refshauge, K., Colodro-Conde, L., Gonzalez-Javier, F., Hopper, J., Ordonana, J., Ferreira, P. (2017). Symptoms of Depression and Risk of Low Back Pain: A Prospective Co-twin Study. *Clinical Journal of Pain*, 33(9), 777-785. [More Information]

Zadro, J., Shirley, D., Andrade, T., Scurrah, K., Bauman, A., Ferreira, P. (2017). The beneficial effects of physical activity: is it down to your genes? A systematic review and meta-analysis of twin and family studies. *Sports Medicine - Open*, 3, 1-19. [More Information]

Fritsch, C., Ferreira, M., Maher, C., Herbert, R., Pinto, R., Koes, B., Ferreira, P. (2017). The clinical course of pain and disability following surgery for spinal stenosis: a systematic review and meta-analysis of cohort studies. *European Spine Journal*, 26(2), 324-335. [More Information]

De Carvalho Machado, G., Maher, C., Ferreira, P., Harris, I., Deyo, R., McKay, D., Li, Q., Ferreira, M. (2017). Trends, complications, and costs for hospital admission and surgery for lumbar spinal stenosis. *Spine*, 42(22), 1737-1743. [More Information]

Zadro, J., Shirley, D., Simic, M., Mousavi, S., Cernja, D., Maka, K., Ferreira, P. (2017). Video-game based exercises for older people with chronic low back pain: A protocol for a feasibility randomised controlled trial (the GAMEBACK trial). *Physiotherapy*, 103(2), 146-153. [More Information]

2016

McKay, M., Baldwin, J., Ferreira, P., Simic, M., Vanicek, N., Hiller, C., Nightingale, E., Moloney, N., Quinlan, K., Pourkazemi, F., Sman, A., Nicholson, L., Mousavi, S., Raymond, J., Mackey, M., Chard, A., Huebscher, M., Wegener, C., Fong Yan, A., Refshauge, K., Burns, J., et al (2016). 1000 Norms Project: Protocol of a cross-sectional study cataloging human variation. *Physiotherapy*, 102(1), 50-56. [More Information]

Halliday, M., Pappas, E., Hancock, M., Clare, H., Pinto, R., Robertson, G., Ferreira, P. (2016). A randomized controlled trial comparing the McKenzie method to motor control exercises in people with chronic low back pain and a directional preference. *Journal of Orthopaedic and Sports Physical Therapy*, 46(7), 514-522. [More Information]

Borges Dario, A., Ferreira, M., Refshauge, K., Sanchez-Romera, J., Luque-Suarez, A., Hopper, J., Ordonana, J., Ferreira, P. (2016). Are obesity and body fat distribution associated with low back pain in women? A population-based study of 1128 Spanish twins. *European Spine Journal*, 25(4), 1188-1195. [More Information]

4055-2">[More Information]

Machado, A., Ferreira, P., Micheletti, J., De Almeida, A., Lemes, I., Vanderlei, F., Netto Junior, J., Pastre, C. (2016). Can Water Temperature and Immersion Time Influence the Effect of Cold Water Immersion on Muscle Soreness? A Systematic Review and Meta-Analysis. *Sports Medicine*, 46(4), 503-514. [More Information]

Huebscher, M., Hartvigsen, J., Fernandez, M., Christensen, K., Ferreira, P. (2016). Does physical activity moderate the relationship between depression symptomatology and low back pain? Cohort and co-twin control analyses nested in the longitudinal study of aging Danish twins (LSADT). *European Spine Journal*, 25(4), 1226-1233. [More Information]

De Barros Pinheiro, M., Ho, K., Ferreira, M., Refshauge, K., Grunstein, R., Hopper, J., Maher, C., Koes, B., Ordonana, J., Ferreira, P. (2016). Efficacy of a Sleep Quality Intervention in People with Low Back Pain: Protocol for a Feasibility Randomized Co-Twin Controlled Trial. *Twin Research and Human Genetics*, 19(5), 492-501. [More Information]

Barros Carlos De Amorim, A., Pappas, E., Simic, M., Ferreira, M., Tiedemann, A., Jennings, M., Ferreira, P. (2016). Integrating Mobile health and Physical Activity to reduce the burden of Chronic low back pain Trial (IMPACT): A pilot trial protocol. *BMC Musculoskeletal Disorders*, 17(1), 1-8. [More Information]

Fernandez, M., Ordonana, J., Hartvigsen, J., Ferreira, M., Refshauge, K., Sanchez-Romera, J., De Barros Pinheiro, M., Simpson, S., Hopper, J., Ferreira, P. (2016). Is chronic low back pain associated with the prevalence of coronary heart disease when genetic susceptibility is considered? A co-twin control study of Spanish twins. *PloS One*, 11(5), 1-15. [More Information]

De Carvalho Machado, G., Witzleb, A., Fritsch, C., Maher, C., Ferreira, P., Ferreira, M. (2016). Patients with sciatica still experience pain and disability 5 years after surgery: A systematic review with meta-analysis of cohort studies. *European Journal of Pain*, 20(10), 1700-1709. [More Information]

De Barros Pinheiro, M., Ferreira, M., Refshauge, K., Hopper, J., Maher, C., Hartvigsen, J., Koes, B., Huebscher, M., Ferreira, P. (2016). Protective and harmful effects of physical activity for low back pain: A protocol for the AUstralian Twin BACK Pain (AUTBACK) feasibility study. *Twin Research and Human Genetics*, 19(5), 502-509. [More Information]

Lemes, I., Ferreira, P., Linares, S., Machado, A., Pastre, C., Netto Junior, J. (2016). Resistance training reduces systolic blood pressure in metabolic syndrome: A systematic review and meta-analysis of randomised controlled trials. *British Journal of Sports Medicine*, 50(23), 1438-1442. [More Information]

Franco, M., Howard, K., Sherrington, C., Rose, J., Ferreira, P., Ferreira, M. (2016). Smallest worthwhile effect of exercise programs to prevent falls among older people: estimates from benefit-harm trade-off and discrete choice methods. *Age and Ageing*, 45(6), 806-812. [More Information]

<http://dx.doi.org/10.1093/ageing/afw110>>[More Information]

Fernandez, M., Ferreira, M., Refshauge, K., Hartvigsen, J., Silva, I., Maher, C., Koes, B., Ferreira, P. (2016). Surgery or physical activity in the management of sciatica: a systematic review and meta-analysis. *European Spine Journal*, 25(11), 3495-3512. [More Information]

De Carvalho Machado, G., Ferreira, P., Yoo, R., Harris, I., De Barros Pinheiro, M., Koes, B., van Tulder, M., Rzewuska, M., Maher, C., Ferreira, M. (2016). Surgical options for lumbar spinal stenosis. *Cochrane Database of Systematic Reviews*, 2016 (11), 1-88. [More Information]

De Barros Pinheiro, M., Ferreira, M., Refshauge, K., Maher, C., Ordonana, J., Andrade, T., Tsathas, A., Ferreira, P. (2016). Symptoms of depression as a prognostic factor for low back pain: a systematic review. *Spine Journal*, 16(1), 105-116. [More Information]

Ferreira, P., Oliveira, V., Junqueira, D., Cisneros, L., Ferreira, L., Murphy, K., Ordonana, J., Hopper, J., Teixeira-Salmela, L. (2016). The Brazilian Twin Registry. *Twin Research and Human Genetics*, 19(6), 687-691. [More Information]

Aartun, E., Boyle, E., Hartvigsen, J., Ferreira, P., Maher, C., Ferreira, M., Hestbaek, L. (2016). The most physically active Danish adolescents are at increased risk for developing spinal pain: a two-year prospective cohort study. *BMJ Open Sport & Exercise Medicine*, 2(1), 1-7. [More Information]

De Carvalho Machado, G., Ferreira, P., Maher, C., Latimer, J., Steffens, D., Koes, B., Li, Q., Ferreira, M. (2016). Transient physical and psychosocial activities increase the risk of nonpersistent and persistent low back pain: a case-crossover study with 12 months follow-up. *Spine Journal*, 16(12), 1445-1452. [More Information]

2015

Halliday, M., Ferreira, P., Hancock, M., Clare, H. (2015). A randomized controlled trial comparing McKenzie therapy and motor control exercises on the recruitment of trunk muscles in people with chronic low back pain: A trial protocol. *Physiotherapy*, 101(2), 232-238. [More Information]

Fernandez, M., Hartvigsen, J., Ferreira, M., Refshauge, K., Machado, A., Lemes, I., Maher, C., Ferreira, P. (2015). Advice to Stay Active or Structured Exercise in the Management of Sciatica: A Systematic Review and Meta-Analysis. *Spine*, 40(18), 1457-1466. [More Information]

Figueiredo, V., Amorim, J., Pereira, A., Ferreira, P., Pereira, L. (2015). Associations between low back pain, urinary incontinence, and abdominal muscle recruitment as assessed via ultrasonography in the elderly. *Brazilian Journal of Physical Therapy*, 19(1), 70-76. [More Information]

Baldwin, J., McKay, M., Hiller, C., Nightingale, E., Moloney,

N., Vanicek, N., Ferreira, P., Simic, M., Refshauge, K., Burns, J. (2015). Defining health and disease: setting the boundaries for physiotherapy. Are we undertreating or overtreating? How can we tell? *British Journal of Sports Medicine*, 49(19), 1225-1226. [More Information]

Petrozzi, M., Leaver, A., Jones, M., Ferreira, P., Rubinstein, S., Mackey, M. (2015). Does an online psychological intervention improve self-efficacy and disability in people also receiving Multimodal Manual Therapy for chronic low back pain compared to Multimodal Manual Therapy alone? Design of a randomized controlled trial. *Chiropractic and Manual Therapies*, 23(1), 1-8. [More Information]

Panagopoulos, J., Hancock, M., Ferreira, P., Hush, J., Petocz, P. (2015). Does the addition of visceral manipulation improve outcomes for patients with low back pain? A randomized controlled trial. *European Journal of Pain*, 19(7), 899-907. [More Information]

van den Dolder, P., Ferreira, P., Refshauge, K. (2015). Effectiveness of soft tissue massage for nonspecific shoulder pain: Randomized controlled trial. *Physical Therapy*, 95(11), 1467-1477. [More Information]

De Carvalho Machado, G., Ferreira, P., Harris, I., De Barros Pinheiro, M., Koes, B., van Tulder, M., Rzewuska, M., Maher, C., Ferreira, M. (2015). Effectiveness of Surgery for Lumbar Spinal Stenosis: A Systematic Review and Meta-Analysis. *PLoS One*, 10(3), 1-18. [More Information]

Oliveira, V., Ferreira, M., Pinto, R., Filho, R., Refshauge, K., Ferreira, P. (2015). Effectiveness of Training Clinicians' Communication Skills on Patients' Clinical Outcomes: A Systematic Review. *Journal of Manipulative and Physiological Therapeutics*, 38(8), 601-616. [More Information]

De Carvalho Machado, G., Maher, C., Ferreira, P., De Barros Pinheiro, M., Lin, C., Day, R., McLachlan, A., Ferreira, M. (2015). Efficacy and safety of paracetamol for spinal pain and osteoarthritis: systematic review and meta-analysis of randomised placebo controlled trials. *BMJ*, 350, 1-13. [More Information]

Franco, M., Howard, K., Sherrington, C., Ferreira, P., Rose, J., Gomes, J., Ferreira, M. (2015). Eliciting older people's preferences for exercise programs: a best-worst scaling choice experiment. *Journal of Physiotherapy*, 61(1), 34-41. [More Information]

Baldwin, J., McKay, M., Hiller, C., Nightingale, E., Moloney, N., Vanicek, N., Ferreira, P., Simic, M., Refshauge, K., Burns, J. (2015). Forming norms: informing diagnosis and management in sports medicine. *British Journal of Sports Medicine*, 49(19), 1226-1227. [More Information]

De Barros Pinheiro, M., Ferreira, M., Refshauge, K., Colodro-Conde, L., Carrillo, E., Hopper, J., Ordonana, J., Ferreira, P. (2015). Genetics and the environment affect the relationship between depression and low back pain: a co-twin control study

of Spanish twins. *Pain*, 156(3), 496-503. [More Information]

Azevedo, D., Van Dillen, L., De Oliveira Santos, H., Oliveira, D., Ferreira, P., Costa, L. (2015). Movement system impairment-based classification versus general exercise for chronic low back pain: Protocol of a randomized controlled trial. *Physical Therapy*, 95(9), 1287-1294. [More Information]

Franco, M., Tong, A., Howard, K., Sherrington, C., Ferreira, P., Zambelli de Almeida Pinto, R., Ferreira, M. (2015). Older people's perspectives on participation in physical activity: a systematic review and thematic synthesis of qualitative literature. *British Journal of Sports Medicine*, 49(19), 1268-1276. [More Information]

Oliveira, V., Ferreira, M., Morso, L., Albert, H., Refshauge, K., Ferreira, P. (2015). Patients' perceived level of social isolation affects the prognosis of low back pain. *European Journal of Pain*, 19(4), 538-545. [More Information]

De Barros Pinheiro, M., Ferreira, M., Refshauge, K., Ordonana, J., De Carvalho Machado, G., Prado, L., Maher, C., Ferreira, P. (2015). Symptoms of depression and risk of new episodes of low back pain: A systematic review and meta-analysis. *Arthritis Care and Research*, 67(11), 1591-1603. [More Information]

Gomes, J., Kingma, M., Kamper, S., Maher, C., Ferreira, P., Marques, A., Ferreira, M. (2015). The association between symptom severity and physical activity participation in people seeking care for acute low back pain. *European Spine Journal*, 24(3), 452-457. [More Information]

Borges Dario, A., Ferreira, M., Refshauge, K., Lima, T., Ordonana, J., Ferreira, P. (2015). The relationship between obesity, low back pain, and lumbar disc degeneration when genetics and the environment are considered: a systematic review of twin studies. *Spine Journal*, 15(5), 1106-1117. [More Information]

Steffens, D., Ferreira, M., Latimer, J., Ferreira, P., Koes, B., Blyth, F., Li, Q., Maher, C. (2015). What triggers an episode of acute low back pain? A case-crossover study. *Arthritis Care and Research*, 67(3), 403-410. [More Information]

2014

Baldwin, J., McKay, M., Hiller, C., Nightingale, E., Moloney, N., Vanicek, N., Ferreira, P., Simic, M., Refshauge, K., Burns, J. (2014). 1000 Norms Project: understanding foot and ankle health, disease and normality. *Journal of Foot and Ankle Research*, 7(Suppl 1: A6), 1-2. [More Information]

Ferreira, M., Ferreira, P., Henschke, N., Kamper, S., Koes, B., Hayden, J., Maher, C. (2014). Age does not modify effects of treatment on pain of patients with low back pain - secondary analysis of randomized controlled trials. *European Journal of Pain*, 18(7), 932-938. [More Information]

Van Den Dolder, P., Ferreira, P., Refshauge, K. (2014).

Effectiveness of soft tissue massage and exercise for the treatment of non-specific shoulder pain: a systematic review with meta-analysis. *British Journal of Sports Medicine*, 48(16), 1216-1226. [More Information]

Franco, M., Pereira, L., Ferreira, P. (2014). Exercise interventions for preventing falls in older people living in the community. *British Journal of Sports Medicine*, 48(10), 867-868. [More Information]

Huebscher, M., Ferreira, M., Junqueira, D., Refshauge, K., Maher, C., Hopper, J., Ferreira, P. (2014). Heavy domestic, but not recreational, physical activity is associated with low back pain: Australian Twin low BACK pain (AUTBACK) study. *European Spine Journal*, 23(10), 2083-2089. [More Information]

Junqueira, D., Ferreira, M., Refshauge, K., Maher, C., Hopper, J., Hancock, M., Carvalho, M., Ferreira, P. (2014). Heritability and lifestyle factors in chronic low back pain: Results of the Australian Twin Low Back Pain Study (The AUTBACK study). *European Journal of Pain*, 18(10), 1410-1418. [More Information]

Pereira, L., Sherrington, C., Ferreira, M., Tiedemann, A., Ferreira, P., Blyth, F., Close, J., Taylor, M., Lord, S. (2014). Impact of pain on physical performance in older people leaving aged care rehabilitation. *Pain Practice*, Article in Press.

Van Den Dolder, P., Ferreira, P., Refshauge, K. (2014). Intra- and inter-rater reliability of a modified measure of hand behind back range of motion. *Manual Therapy*, 19(1), 72-76. [More Information]

Sanchez-Romera, J., Borges Dario, A., Colodro-Conde, L., Carrillo-Verdejo, E., Gonzalez-Javier, F., Levy, G., Luque-Suarez, A., Perez-Riquelme, F., Ferreira, P., Ordonana, J. (2014). Obesity, physical activity and low back pain: A genetically informative analysis. *Trauma*, 25(4), 208-218.

Steffens, D., Hancock, M., Maher, C., Latimer, J., Satchell, R., Ferreira, M., Ferreira, P., Partington, M., Bouvier, A. (2014). Prognosis of chronic low back pain in patients presenting to a private community-based group exercise program. *European Spine Journal*, 23(1), 113-119. [More Information]

Nascimento, P., Ferreira, P., Azevedo, F., Negro Filho, R. (2014). Relationship between therapeutic alliance and deep abdominal muscle recruitment in nonspecific low back pain sufferers. *Fisioterapia e Pesquisa*, 21(4), 320-326. [More Information]

Pereira, L., Sherrington, C., Ferreira, M., Tiedemann, A., Ferreira, P., Blyth, F., Close, J., Taylor, M., Lord, S. (2014). Self-reported chronic pain is associated with physical performance in older people leaving aged care rehabilitation. *Clinical Interventions in Aging*, 9, 259-265. [More Information]

Zambelli de Almeida Pinto, R., Ferreira, P., Kongsted, A., Ferreira, M., Maher, C., Kent, P. (2014). Self-reported moderate-to-vigorous leisure time physical activity predicts less pain and disability over 12 months in chronic and persistent low back pain. *European Journal of Pain*, 18(8), 1190-1198. [More Information]

2013

Mousavi, S., Refshauge, K., Ferreira, P., Moloney, N. (2013). A comprehensive review on the methodology of motor control studies in patients with low back pain. *8th Interdisciplinary World Congress on Low Back and Pelvic Pain*, Dubai.

Crosbie, W., Negrao Filho, R., Port Nascimento, D., Ferreira, P. (2013). Coordination of Spinal Motion in the Transverse and Frontal Planes During Walking in People With and Without Recurrent Low Back Pain. *Spine*, 38(5), E286-E292. [More Information]

Zambelli de Almeida Pinto, R., Ferreira, P., Kongstead, A., Ferreira, M., Maher, C., Kent, P. (2013). Do levels of leisure time physical activity predict clinical outcomes in people seeking care for chronic and persistent low back pain? *APA Conference 2013 'New Moves'*, Melbourne: Australian Physiotherapy Association.

Crosbie, J., Port Nascimento, D., Negrao Filho, R., Ferreira, P. (2013). Do people with recurrent back pain constrain spinal motion during seated horizontal and downward reaching? *Clinical Biomechanics*, 28(8), 866-872. [More Information]

Panagopoulos, J., Hancock, M., Ferreira, P. (2013). Does the addition of visceral manipulation improve outcomes for patients with low backpain? Rationale and study protocol. *Journal of Bodywork and Movement Therapies*, 17(3), 339-343. [More Information]

Zambelli de Almeida Pinto, R., Maher, C., Ferreira, M., Hancock, M., Quel De Oliveira, C., McLachlan, A., Koes, B., Ferreira, P. (2013). Efficacy of epidural injections in the management of sciatica: a systematic review with meta-analysis. *APA Conference 2013 'New Moves'*, Melbourne: Australian Physiotherapy Association.

Franco, M., Ferreira, M., Howard, K., Sherrington, C., Rose, J., Haines, T., Ferreira, P. (2013). How big does the effect of an intervention have to be? Application of two novel methods to determine the smallest worthwhile effect of a fall prevention programme: a study protocol. *BMJ Open*, 3(2), 1-5. [More Information]

Figueiredo, V., Pereira, L., Ferreira, P., Pereira, A., Amorim, J. (2013). Incapacidade funcional, sintomas depressivos e dor lombar em idosos (Functional disability, depressive symptoms and low back pain in elderly). *Fisioterapia em Movimento*, 26(3), 549-557.

Azevedo, D., Lauria, A., Pereira, A., Andrade, G., Ferreira, M., Ferreira, P., Van Dillen, L. (2013). Intraexaminer and interexaminer reliability of pressure biofeedback unit for assessing lumbopelvic stability during 6 lower limb movement tests. *Journal of Manipulative and Physiological Therapeutics*, 36(1), 33-43. [More Information]

Ferreira, P., Pinheiro, M., Machado, G., Ferreira, M. (2013). Is alcohol intake associated with low back pain? A systematic review of observational studies. *Manual Therapy*, 18(3), 183-190. [More Information]

Zambelli de Almeida Pinto, R., Elkins, M., Moseley, A.,

Sherrington, C., Herbert, R., Maher, C., Ferreira, P., Ferreira, M. (2013). Many Randomized Trials of Physical Therapy Interventions Are Not Adequately Registered: A Survey of 200 Published Trials. *Physical Therapy*, 93(3), 299-309. [More Information]

Franco, M., Ferreira, M., Ferreira, P., Maher, C., Zambelli de Almeida Pinto, R., Cherkin, D. (2013). Methodological limitations prevent definitive conclusions on the effects of patients' preferences in randomized clinical trials evaluating musculoskeletal conditions. *Journal of Clinical Epidemiology*, 66(6), 586-598. [More Information]

Ferreira, P., Beckenkamp, P., Maher, C., Hopper, J., Ferreira, M. (2013). Nature or nurture in low back pain? Results of a systematic review of studies based on twin samples. *European Journal of Pain*, 17(7), 957-971. [More Information]

Franco, M., Tong, A., Howard, K., Sherrington, C., Ferreira, P., Ferreira, M. (2013). Older people's perspectives on participation in exercise: a systematic review and thematic synthesis of qualitative literature. *APA Conference 2013 'New Moves'*, Melbourne: Australian Physiotherapy Association.

Cunha De Oliveira, V., Ferreira, M., Refshauge, K., Maher, C., Griffin, A., Hopper, J., Ferreira, P. (2013). Searching for risk factors in low back pain: insights from a new twin case-control study. *APA Conference 2013 'New Moves'*, Melbourne: Australian Physiotherapy Association.

Ferreira, M., Herbert, R., Ferreira, P., Latimer, J., Ostelo, R., Grotle, M., Barrett, B. (2013). The smallest worthwhile effect of nonsteroidal anti-inflammatory drugs and physiotherapy for chronic low back pain: a benefit-harm trade-off study. *Journal of Clinical Epidemiology*, 66(12), 1397-1404. [More Information]

Ferreira, P., Ferreira, M., Maher, C., Refshauge, K., Latimer, J., Adams, R. (2013). The Therapeutic Alliance Between Clinicians and Patients Predicts Outcome in Chronic Low Back Pain. *Physical Therapy*, 93(4), 470-478. [More Information]

2012

Ferreira, M., Herbert, R., Ferreira, P., Latimer, J., Ostelo, R., Port Nascimento, D., Smeets, R. (2012). A critical review of methods used to determine the smallest worthwhile effect of interventions for low back pain. *Journal of Clinical Epidemiology*, 65(3), 253-261. [More Information]

Williams, C., Hancock, M., Ferreira, M., Ferreira, P., Maher, C. (2012). A literature review reveals that trials evaluating treatment of non-specific low back pain use inconsistent criteria to identify serious pathologies and nerve root involvement. *The Journal of Manual and Manipulative Therapy*, 20(2), 59-65. [More Information]

Hall, A., Ferreira, M., Clemson, L., Ferreira, P., Latimer, J., Maher, C. (2012). Assessment of the therapeutic alliance in physical rehabilitation: A RASCH analysis. *Disability and Rehabilitation*, 34(3), 257-266. [More Information]

Oliveira, V., Refshauge, K., Ferreira, M., Zambelli de Almeida Pinto, R., Beckenkamp, P., Negrao Filho, R., Ferreira, P. (2012). Communication that values patient autonomy is associated with satisfaction with care: a systematic review. *Journal of Physiotherapy*, 58(4), 215-229. [More Information]

Zambelli de Almeida Pinto, R., Maher, C., Ferreira, M., Ferreira, P., Hancock, M., Oliveira, V., McLachlan, A., Koes, B. (2012). Drugs for relief of pain in patients with sciatica: systematic review and meta-analysis. *BMJ*, 344, 1-15. [More Information]

Oliveira, V., Ferreira, P., Maher, C., Zambelli de Almeida Pinto, R., Refshauge, K., Ferreira, M. (2012). Effectiveness of Self-Management of Low Back Pain: Systematic Review With Meta-Analysis. *Arthritis Care and Research*, 64(11), 1739-1748. [More Information]

Pinto, R., Maher, C., Ferreira, M., Hancock, M., Oliveira, V., McLachlan, A., Koes, B., Ferreira, P. (2012). Epidural corticosteroid injections in the management of sciatica: a systematic review and meta-analysis. *Annals of Internal Medicine*, 157(12), 865-877. [More Information]

Zambelli de Almeida Pinto, R., Ferreira, M., Oliveira, V., Franco, M., Adams, R., Maher, C., Ferreira, P. (2012). Patient-centred communication is associated with positive therapeutic alliance: a systematic review. *Journal of Physiotherapy*, 58(2), 77-87. [More Information]

Oliveira, T., Oliveira, V., Melo, R., Melo, R., Freitas, A., Ferreira, P. (2012). Patients in treatment for chronic low back pain have higher externalised beliefs: a cross-sectional study. *BRAZILIAN JOURNAL OF PHYSICAL THERAPY Revista Brasileira de Fisioterapia*, 16(1), 35-39. [More Information]

Steffens, D., Ferreira, M., Maher, C., Latimer, J., Koes, B., Blyth, F., Ferreira, P. (2012). Triggers for an episode of sudden onset low back pain: study protocol. *BMC Musculoskeletal Disorders*, 13, 1-5. [More Information]

2011

Zambelli de Almeida Pinto, R., Elkins, M., Moseley, A., Sherrington, C., Herbert, R., Maher, C., Ferreira, P., Ferreira, M. (2011). A comparison of registered protocols and published reports of randomised controlled trials in physiotherapy. *APA Physiotherapy Conference 2011*, NA.

Ferreira, P., Ferreira, M., Port Nascimento, D., Zambelli de Almeida Pinto, R., Franco, M., Hodges, P. (2011). Discriminative and reliability analyses of ultrasound measurement of abdominal muscles recruitment. *Manual Therapy*, 16(5), 463-469. [More Information]

Zambelli de Almeida Pinto, R., Ferreira, P., Franco, M., Ferreira, M., Ferreira, M., Teixeira-Salmela, L., Maher, C. (2011). Effect of 2 Lumbar Spine Postures on Transversus Abdominis Muscle Thickness During a Voluntary Contraction in People With and Without Low Back Pain. *Journal of Manipulative and Physiological Therapeutics*, 34(3), 164-172. [More Information]

Oliveira, V., Refshauge, K., Ferreira, M., Negrao Filho, R., Beckenkamp, P., Zambelli de Almeida Pinto, R., Ferreira, P. (2011). Patient-health provider communication on satisfaction with care: a systematic review. *APA Physiotherapy Conference 2011*, NA.

Steffens, D., Hancock, M., Satchell, R., Ferreira, M., Ferreira, P., Maher, C., Partington, M., Bouvier, A. (2011). Prognosis of patients with chronic low back pain presenting to a private functional group exercise program. *APA Physiotherapy Conference 2011*, NA.

Zambelli de Almeida Pinto, R., Franco, H., Ferreira, P., Ferreira, M., Franco, M., Hodges, P. (2011). Reliability and Discriminatory Capacity of a Clinical Scale for Assessing Abdominal Muscle Coordination. *Journal of Manipulative and Physiological Therapeutics*, 34(8), 562-569. [More Information]

Ferreira, P., Ferreira, M., Lam, J., Maher, C., Hopper, J. (2011). Risk factors for low back pain among twins - a web-based population survey. *APA Physiotherapy Conference 2011*, NA.

Zambelli de Almeida Pinto, R., Ferreira, P., Franco, M., Ferreira, M., Ferreira, M., Teixeira-Salmela, L., Oliveira, V., Maher, C. (2011). The effect of lumbar posture on abdominal muscle thickness during an isometric leg task in people with and without non-specific low back pain. *Manual Therapy*, 16(6), 578-584. [More Information]

Sherrington, C., Pereira, L., Ferreira, M., Ferreira, P., Blyth, F., Barraclough, E., Taylor, M., Lord, S. (2011). The impact of pain on physical performance among older people on discharge from inpatient aged care rehabilitation. *APA Physiotherapy Conference 2011*, NA.

Jesus, F., Ferreira, P., Pereira, L., Vasconcelos, C., Ferreira, M. (2011). Ultrasonographic Analysis of the Neck Flexor Muscles in Patients with Chronic Neck Pain and Changes After Cervical Spine Mobilization. *Journal of Manipulative and Physiological Therapeutics*, 34(8), 514-524. [More Information]

2010

Ferreira, M., Borges, B., Rezende, I., Carvalho, L., Soares, L., Abou Id Dabes, R., Carvalho, G., Drummond, A., Machado, G., Ferreira, P. (2010). Are neck pain scales and questionnaires compatible with the international classification of functioning, disability and health? A systematic review. *Disability and Rehabilitation*, 32(19), 1539-1546. [More Information]

Ferreira, M., Smeets, R., Kamper, S., Ferreira, P., Machado, L. (2010). Can We Explain Heterogeneity Among Randomized Clinical Trials of Exercise for Chronic Back Pain? A Meta-Regression Analysis of Randomized Controlled Trials. *Physical Therapy*, 90(10), 1383-1403. [More Information]

Ferreira, M., Machado, G., Latimer, J., Maher, C., Ferreira, P., Smeets, R. (2010). Factors defining care-seeking in low back pain - A meta-analysis of population based surveys. *European Journal of Pain*, 14(7), 747.e1-747.e7. [More Information]

Van Den Dolder, P., Ferreira, P., Refshauge, K. (2010). Is soft

tissue massage an effective treatment for mechanical shoulder pain? A study protocol. *The Journal of Manual and Manipulative Therapy*, 18(1), 1-5. [More Information]

Hall, A., Ferreira, P., Maher, C., Latimer, J., Ferreira, M. (2010). The Influence of the Therapist-Patient Relationship on Treatment Outcome in Physical Rehabilitation: A Systematic Review. *Physical Therapy*, 90(8), 1099-1110. [More Information]

2009

Aquino, R., Caires, P., Furtado, F., Loureiro, A., Ferreira, P., Ferreira, M. (2009). Applying Joint Mobilization at Different Cervical Vertebral Levels does not Influence Immediate Pain Reduction in Patients with Chronic Neck Pain: A Randomized Clinical Trial. *The Journal of Manual and Manipulative Therapy*, 17(2), 95-100. [More Information]

Vasconcelos, C., Moraleida, F., Brito, R., Ferreira, M., Ferreira, P. (2009). Breathing pattern and recruitment of trunk muscles in patients with chronic low back pain. *XVIII Brazilian Physical Therapy Congress AFB 2009*, Brazil: Associaco de Fisioterapeutas do Brasil.

Ferreira, P., Ferreira, M., Maher, C., Refshauge, K., Herbert, R., Hodges, P. (2009). Changes in recruitment of transversus abdominis correlate with disability in people with chronic low back pain. *British Journal of Sports Medicine*, 44(16), 1166-1172. [More Information]

Nascimento, D., Ferreira, P., Ferreira, M., Alcantar, C. (2009). Clinical ultrasound test for Transversus Abdominus thickness in patients with chronic low back pain: Investigation of reliability. *4th Brazilian Congress and International Conference of Sports Physiotherapy National Society 2009*, Brazil.

Ferreira, M., Penido, H., Aun, A., Oliveira, V., Ferreira, P. (2009). Efficacy of motor control exercises in the treatment of low back pain: a systematic review within the framework of the Cochrane organization. *Physiotherapy and Research*, 16, 374-379.

Ferreira, M., Penido, H., Aun, A., Ferreira, P., Ferreira, M., Oliveira, V. (2009). Eficcia dos exerccios de controle motor na dor lomboplvica: uma reviso sistemtica (Efficacy of motor control exercises for lumbopelvic pain: a systematic review). *Fisioterapia e Pesquisa*, 16(4), 374-379.

Van Den Dolder, P., Refshauge, K., Ferreira, P. (2009). Exercise and soft tissue massage- what is the evidence for their use in the treatment of shoulder pain of mechanical origin? *Biennial Faculty of Health Sciences Research Higher Degree Student Conference 2009*, Australia.

Machado, G., Ferreira, M., Latimer, J., Maher, C., Ferreira, P., Smeets, R. (2009). Factors defining care-seeking in low back pain - a meta-analysis of population based surveys. *1st Academic Journey of Physiotherapy 2009*.

Oliveira, V., Ferreira, P., Ferreira, M., Dornellas, R., Tiburcio, L. (2009). Health locus of control and kinesiophobia in patients with nonspecific low back pain. *2nd International Conference of Musculoskeletal Rehabilitation 2009*.

Oliveira, V., Ferreira, P., Ferreira, M., Zambelli de Almeida Pinto, R., Oliveira, W., Dias, R. (2009). How does health locus of control correlate with estimates of sufficiently important differences in outcome of low back pain? *16th Biennial*

Musculoskeletal Physiotherapy Australia Conference MPA 2009, Australia: Musculoskeletal Physiotherapy Australia.

Oliveira, V., Ferreira, P., Ferreira, M., Tiburcio, L., Oliveira, W. (2009). How does Health Locus of Control correlates with estimates of sufficiently important differences in outcome of low back pain? *10th International Forum on Primary Care Research on Low Back Pain: LBP Forum X 2009*, United States: Harvard School of Public Health.

Oliveira, V., Ferreira, P., Ferreira, M., Dornellas, R., Tiburcio, L. (2009). Intra-rater reliability of the Minimal Clinical Worthwhile Effect scale for interventions in low back pain. *2nd International Conference of Musculoskeletal Rehabilitation 2009*.

Machado, G., Pinheiro, M., Ferreira, P., Ferreira, M., Maher, C., Huxley, R. (2009). Is alcohol consumption associated with low back pain? A systematic review of observational studies. *1st Academic Journey of Physiotherapy 2009*.

Ferreira, P., Oliveira, W., Morais, G., Zambelli de Almeida Pinto, R., Oliveira, V., Ferreira, M. (2009). Is there an association between abdominal muscle recruitment and psychosocial factors in chronic low back pain? *16th Biennial Musculoskeletal Physiotherapy Australia Conference MPA 2009*, Australia: Musculoskeletal Physiotherapy Australia.

Vasconcelos, C., Moraleida, F., Brito, R., Ferreira, M., Ferreira, P. (2009). Longitudinal analysis of the recruitment of trunk muscles in patients with chronic low back pain. *XVIII Brazilian Physical Therapy Congress AFB 2009*, Brazil: Associaco de Fisioterapeutas do Brasil.

Vasconcelos, C., Moraleida, F., Brito, R., Ferreira, P., Ferreira, M. (2009). Longitudinal analysis of the recruitment of trunk muscles measured by ultrasonography in patients with chronic low back pain: preliminary results. *2nd International Conference of Musculoskeletal Rehabilitation 2009*.

Alcantar, C., Ferreira, P., Ferreira, M., Nascimento, D. (2009). Low back pain genetic and environmental factors: Systematic review on observational studies. *XVIII Brazilian Physical Therapy Congress AFB 2009*, Brazil: Associaco de Fisioterapeutas do Brasil.

Alcantar, C., Ferreira, P., Ferreira, M., Nascimento, D. (2009). Low back pain genetic and environmental factors: Systematic review on observational studies. *4th Brazilian Congress and International Conference of Sports Physiotherapy National Society 2009*, Brazil.

Oliveira, V., Ferreira, P., Ferreira, M., Dornellas, R., Tiburcio, L. (2009). Low Back Pain Patients with an External Health Locus of Control have higher Estimates of Worthwhile Effects from Motor Control Exercises. *2nd International Conference of Musculoskeletal Rehabilitation 2009*.

Hodges, P., Ferreira, P., Ferreira, M. (2009). Lumbar spine: Treatment of Instability and Disorders of Movement Control. In David J. Magee, James E. Zachazewski and William S. Quillen (Eds.), *Pathology and Intervention in Musculoskeletal Rehabilitation*, (pp. 389-425). St Louis, USA: Saunders Elsevier.

Ferreira, M., Ferreira, P., Herbert, R., Latimer, J. (2009). People with low back pain typically need to feel 'much better' to consider intervention worthwhile: an observational study. *Australian Journal of Physiotherapy*, 55(2), 123-127. [More Information]

Oliveira, V., Ferreira, P., Ferreira, M., Tiburcio, L., Pinto, R., Oliveira, W., Dias, R. (2009). People with low back pain who have externalised beliefs need to see greater improvements in symptoms to consider exercises worthwhile: an observational

study. *Australian Journal of Physiotherapy*, 55(4), 271-275. [More Information]

Ferreira, M., Ferreira, P., Latimer, J., Herbert, R., Maher, C., Refshauge, K. (2009). Relationship between spinal stiffness and outcome in patients with chronic low back pain. *Manual Therapy*, 14(1), 61-67. [More Information]

Vasconcelos, C., Moraleida, F., Brito, R., Ferreira, P., Ferreira, M. (2009). Relationship between breathing patterns and recruitment of the trunk muscles in patients with chronic low back pain. *2nd International Conference of Musculoskeletal Rehabilitation 2009*.

Zambelli de Almeida Pinto, R., Ferreira, P., Ferreira, M., Salmela, L., Oliveira, V., Melo, W. (2009). The effect of lumbar posture on abdominal muscle recruitment during an isometric leg task. *16th Biennial Musculoskeletal Physiotherapy Australia Conference MPA 2009*, Australia: Musculoskeletal Physiotherapy Australia.

Zambelli de Almeida Pinto, R., Ferreira, P., Franco, M., Oliveira, V., Ferreira, M. (2009). The effect of lumbar posture on abdominal muscle recruitment during an isometric leg task: A preliminary study. *2nd International Conference of Musculoskeletal Rehabilitation 2009*.

Ferreira, P., Ferreira, M., Maher, C., Refshauge, K., Latimer, J., Herbert, R., Adams, R. (2009). The therapeutic alliance between physiotherapists and patients predicts outcome in chronic low back pain. *10th International Forum on Primary Care Research on Low Back Pain: LBP Forum X 2009*, United States: Harvard School of Public Health.

Jesus-Moraleida, F., Vasconcelos, C., Pereira, L., Ferreira, M., Ferreira, P. (2009). Ultrasonographic analysis of neck muscles in patients with chronic neck pain. *XVIII Brazilian Physical Therapy Congress AFB 2009*, Brazil: Associação de Fisioterapeutas do Brasil.

Jesus, F., Ferreira, P., Ferreira, M. (2009). Ultrasonographic measurement of neck muscles recruitment in patients with non-specific chronic neck pain. *2nd International Conference of Musculoskeletal Rehabilitation 2009*.

Nascimento, D., Ferreira, P., Ferreira, M., Refshauge, K., Maher, C., Alcantar, C. (2009). Ultrasound reliability for Transversus Abdominis Muscle in Low Back Pain. *XVIII Brazilian Physical Therapy Congress AFB 2009*, Brazil: Associação de Fisioterapeutas do Brasil.

Oliveira, V., Chagas, M., Ferreira, P., Azevedo, D., Rodrigues, E., Vieira, L. (2009). Why we cannot associate flexibility and prevention and injuries? *Brazilian Journal of Sciences and Movement*, 17, 1-15.

2008

Costa, L., Maher, C., Latimer, J., Ferreira, P., Ferreira, M., Pozzi, G., Freitas, L. (2008). Clinimetric testing of three self-report outcome measures for low back pain patients in Brazil: which one is the best? *Spine*, 33(22), 2459-2463. [More Information]

Oliveira, V., Furiati, T., Sakamoto, A., Ferreira, P., Ferreira, M., Maher, C. (2008). Health locus of control questionnaire for patients with chronic low back pain: psychometric properties of the Brazilian-Portuguese version. *Physiotherapy Research International*, 13(1), 42-52. [More Information]

Coelho, R., Botelho Siqueira, F., Ferreira, P., Ferreira, M. (2008). Responsiveness of the Brazilian-Portuguese version of the Oswestry Disability Index in subjects with low back pain. *European Spine Journal*, 17(8), 1101-1106. [More Information]

Jesus, F., Ferreira, P., Ferreira, M. (2008). Ultrasonographic Measurement of Neck Muscle Recruitment: A Preliminary Investigation. *The Journal of Manual and Manipulative Therapy*, 16(2), 89-92. [More Information]

2007

Ferreira, M., Ferreira, P., Hodges, P. (2007). Changes in postural activity of the trunk muscles following spinal manipulative therapy. *Manual Therapy*, 12(3), 240-248. [More Information]

Oliveira, V., Furiati, T., Ferreira, P., Ferreira, M., Sakamoto, A., Maher, C. (2007). Chronic Low Back Pain in Brazil: Characteristic of the individuals and association between health locus of control and disability. *Physiotherapy Brazil*, 8, 54.

Pinto, R., Franco, H., Ferreira, P., Ferreira, M., Hodges, P. (2007). Clinical scale for assessment of transversus abdominis muscle function. *BRAZILIAN JOURNAL OF PHYSICAL THERAPY Revista Brasileira de Fisioterapia*, 11(Supplement), 467.

Ferreira, M., Ferreira, P., Latimer, J., Herbert, R., Hodges, P., Jennings, M., Maher, C., Refshauge, K. (2007). Comparison of general exercise, motor control exercise and spinal manipulative therapy for chronic low back pain: A randomized trial. *Pain*, 131(1-2), 31-37. [More Information]

Ferreira, P., Ferreira, M., Maher, C., Refshauge, K., Herbert, R., Hodges, P. (2007). Do Changes in Recruitment of Transversus Abdominis, Measured with Ultrasonography, Correlate with Clinical Outcomes in People with Low Back Pain? *15th International Congress of The World Confederation for Physical Therapy WCPT 2007*, United Kingdom: Elsevier.

Ferreira, P. (2007). Evidence Based Physiotherapy. *International Society of Biomechanics Symposium 2007*.

Oliveira, V., Furiati, T., Ferreira, P., Ferreira, M., Sakamoto, A. (2007). Health Locus of Control Scale in Patients with Chronic Low Back Pain: Psychometric Properties of the Brazilian-Portuguese Version. *15th International Congress of The World Confederation for Physical Therapy WCPT 2007*, United Kingdom: Elsevier.

Costa (nee Menezes), L., Cancado, R., Oliveira, W., Ferreira, P. (2007). Intra-Tester Reliability of Two Clinical Tests of Transversus Abdominis Muscle Recruitment. *15th International Congress of The World Confederation for Physical Therapy WCPT 2007*, United Kingdom: Elsevier.

Ferreira, P. (2007). Motor control exercises for chronic low back pain. *1st Physiotherapy Congress of Minas Gerais 2007*, Brazil.

Carvalho, C., Liu, I., Oliveira, W., Pinto, R., Ferreira, P. (2007). Motor control exercises in the recruitment of trunk muscles in patients with chronic low back pain. *BRAZILIAN JOURNAL OF PHYSICAL THERAPY Revista Brasileira de Fisioterapia*, 11(Supplement), 511.

Costa (nee Menezes), L., Maher, C., Latimer, J., Ferreira, P.,

Pozzi, G., Ribeiro, R. (2007). Psychometric Characteristics of the Brazilian-Portuguese Versions of the Functional Rating Index and the Roland Morris Disability Questionnaire. *15th International Congress of The World Confederation for Physical Therapy WCPT 2007*, United Kingdom: Elsevier.

Costa, L., Maher, C., Latimer, J., Ferreira, P., Pozzi, G., Ribeiro, R. (2007). Psychometric Characteristics of the Brazilian-Portuguese Versions of the Functional Rating Index and the Roland Morris Disability Questionnaire. *Spine*, 32(17), 1902-1907. [More Information]

Ferreira, P., Ferreira, M., Latimer, J., Herbert, R., Hodges, P., Jennings, M., Maher, C., Refshauge, K. (2007). Randomized Trial Comparing General Exercise, Motor Control Exercise and Spinal Manual Therapy for Chronic Low Back Pain. *15th International Congress of The World Confederation for Physical Therapy WCPT 2007*, United Kingdom: Elsevier.

Ferreira, M., Ferreira, P., Latimer, J., Herbert, R., Maher, C., Refshauge, K. (2007). Relationship Between Spinal Stiffness and Outcome in Patients with Chronic Low Back Pain. *15th International Congress of The World Confederation for Physical Therapy WCPT 2007*, United Kingdom: Elsevier.

da Silva Marinho, C., Soares, F., Costa, L., Ferreira, P. (2007). Reliability of a palpation test for the recruitment of transversus abdominis. *Fisioterapia em Movimento*, 19, 11-16.

Ferreira, P., Pozzi, G., Ferreira, M., Costa (nee Menezes), L., Oliveira, W. (2007). The recruitment of the transversus abdominus on a patient submitted to an abdominal surgery. *International Society of Biomechanics Symposium 2007*.

Ferreira, M., Ferreira, P., Herbert, R., Latimer, J. (2007). What do Patients Consider to be a Clinically Worthwhile Improvement for Interventions of Low Back Pain? *15th International Congress of The World Confederation for Physical Therapy WCPT 2007*, United Kingdom: Elsevier.

Ferreira, M., Ferreira, P., Herbert, R., Latimer, J. (2007). What do patients consider to be a clinically worthwhile improvement for interventions of low back pain? *World Confederation of Physical Therapy International Congress*.

2006

Oliveira, W., Cancado, R., Ferreira, P., Ferreira, M. (2006). Are psychomotor speed measures in patients with chronic low back pain reliable? *International Conference of Musculoskeletal Rehabilitation 2006*.

Oliveira, V., Ferreira, P., Ferreira, M., Sakamoto, A., Herbert, R., Maher, C. (2006). Health Locus of Control in patients with chronic back pain: psychometric properties of the Brazilian-Portuguese version. *International Conference of Musculoskeletal Rehabilitation 2006*.

Coelho, R., Siqueira, F., Ferreira, P. (2006). Responsiveness of the Brazilian-Portuguese Oswestry Disability Questionnaire in patients with chronic low back pain. *International Conference of Musculoskeletal Rehabilitation 2006*.

Coelho, R., Siqueira, F., Ferreira, P., Ferreira, M. (2006). Responsiveness of the Brazilian-Portuguese Oswestry Disability Questionnaire in patients with chronic low back pain. *Physiotherapy Symposium of the UNI-BH 2006*, Brazil.

Costa, L., Costa, L., Cancado, R., Oliveira, W., Ferreira, P. (2006). Short report: Intra-tester reliability of two clinical tests of transversus abdominis muscle recruitment. *Physiotherapy*

Research International, 11(1), 48-50. [More Information]

Ferreira, P., Ferreira, M., Maher, C., Herbert, R., Refshauge, K. (2006). Specific stabilisation exercise for spinal and pelvic pain: A systematic review. *Australian Journal of Physiotherapy*, 52(2), 79-88. [More Information]

Ferreira, P., Ferreira, M., Maher, C., Herbert, R., Refshauge, K. (2006). The conclusion does not change: Clarification of reporting in stability systematic review. *Australian Journal of Physiotherapy*, 52(4), 312-312. [More Information]

Machado, L., von Sperling de Souza, M., Ferreira, P., Ferreira, M. (2006). The McKenzie method for low back pain: a systematic review of the literature with a meta-analysis approach. *Spine*, 31(9), E254-E262. [More Information]

Coelho, R., Siqueira, F., Ferreira, P., Ferreira, M. (2006). Validation of the Brazilian-Portuguese version of the Oswestry questionnaire for patients with chronic low back pain. *Physiotherapy Symposium of the UNI-BH 2006*, Brazil.

Oliveira, V., Chagas, M., Ferreira, P., Azevedo, D., Rodrigues, E., Vieira, L., Badaro, R. (2006). Why we cannot correlate flexibility to sports injury prevention? *International Conference of Musculoskeletal Rehabilitation 2006*.

2005

Ferreira, M., Ferreira, P., Herbert, R., Latimer, J., Maher, C., Refshauge, K., Hodges, P. (2005). A randomised clinical trial of spinal manipulative therapy versus exercises for chronic low back pain. *Musculoskeletal Physiotherapy Australia 14th Biennial Conference 2005*, Australia: Australian Physiotherapy Association.

de Freitas, A., Herbert, R., Latimer, J., Ferreira, P. (2005). Searching the LILACS database for Portuguese- and Spanish-language randomized trials in physiotherapy was difficult. *Journal of Clinical Epidemiology*, 58(3), 233-237. [More Information]

2004

Ferreira, P., Ferreira, M., Latimer, C., Maher, C., Refshauge, K., Sakamoto, A., Garofalo, R. (2004). Attitudes And Beliefs Of Brazilian And Australian Physiotherapy Students Towards Chronic Back Pain: A Cross-Cultural Comparison. *Physiotherapy Research International*, 9(1), 13-23. [More Information]

Ferreira, P., Ferreira, M., Hodges, P. (2004). Changes In Recruitment Of The Abdominal Muscles In People With Low Back Pain: Ultrasound Measurement Of Muscle Activity. *Spine*, 29(22), 2560-2566. [More Information]

Costa, L., Costa, L., Cancado, R., Oliveira, W., Ferreira, P. (2004). Reliability analysis of palpation test and biofeedback pressoric unit on the activation of transversus abdominis muscle in normal individuals. *Acta Fisiatrica*, 11(3), 101-105.

Ferreira, P. (2004). Specific stabilizing exercises improve pain and function in women with pelvic girdle pain following pregnancy. *Australian Journal of Physiotherapy*, 50, 259.

2003

Ferreira, P., Ferreira, M., Latimer, J., Maher, C., Refshauge, K., Sakamoto, A., Garofalo, R. (2003). Attitudes and beliefs of Brazilian and Australian physiotherapy students towards chronic back pain: a cross-cultural comparison. *7th International Physiotherapy Congress 2003*.

Ferreira, P., Ferreira, M., Latimer, J., Maher, C., Refshauge, K., Sakamoto, A., Garofalo, R. (2003). Attitudes and Beliefs of Brazilian and Australian Physiotherapy Students Towards Chronic Back Pain: A Cross-Cultural Comparison. *14th International Congress of the World Confederation for Physical Therapy WCPT 2003*, United Kingdom: World Confederation for Physical Therapy.

Ferreira, P., Hodges, P., Ferreira, M. (2003). Changes in Recruitment of the Abdominal Muscles in People with Low Back Pain: Ultrasound Measurement of Muscle Activity. *14th International Congress of the World Confederation for Physical Therapy WCPT 2003*, United Kingdom: World Confederation for Physical Therapy.

Ferreira, M., Ferreira, P., Latimer, J., Herbert, R., Maher, C. (2003). Chronic low back pain patients who benefit from spinal manipulative therapy are difficult to identify (Reply to Edmondston S, AJP 49: 63-64). *Australian Journal of Physiotherapy*, 49(1), 64. [More Information]

Ferreira, P., Ferreira, M., Maher, C., Refshauge, K., Latimer, J., Herbert, R. (2003). Clinical ultrasound test for transversus abdominis thickness: investigation of reliability. *Musculoskeletal Physiotherapy Australia 13th Biennial Conference*, Sydney, Australia: Australian Physiotherapy Association.

Ferreira, P., Ferreira, M., Latimer, J., Herbert, R., Maher, C. (2003). Czy terapia manualna kregoslupa pomaga pacjentom z przewleklymi bolami krzyza? *Rehabilitacja Medyczna*, 7(2), 17-23.

Ferreira, M., Ferreira, P., Latimer, J., Herbert, R., Maher, C. (2003). Efficacy of Spinal Manipulative Therapy for Low Back Pain of Less than Three Months Duration. *14th International Congress of the World Confederation for Physical Therapy WCPT 2003*, United Kingdom: World Confederation for Physical Therapy.

Ferreira, M., Ferreira, P., Latimer, J., Herbert, R., Maher, C. (2003). Efficacy of spinal manipulative therapy for low back pain of less than three months' duration. *Journal of Manipulative and Physiological Therapeutics*, 26(9), 593-601. [More Information]

Ferreira, M., Ferreira, P., Latimer, J., Herbert, R., Maher, C. (2003). Efficacy of Spinal Manipulative Therapy for People with Chronic Low Back Pain. *14th International Congress of the World Confederation for Physical Therapy WCPT 2003*, United Kingdom: World Confederation for Physical Therapy.

Ferreira, M., Hodges, P., Ferreira, P. (2003). Electromyographic Responses of Abdominal Muscles Associated with Spinal Manipulative Therapy. *14th International Congress of the World Confederation for Physical Therapy WCPT 2003*, United Kingdom: World Confederation for Physical Therapy.

Ferreira, P., Ferreira, M., Maher, C., Refshauge, K., Herbert, R., Latimer, J. (2003). Levels of evidence - Author Reply. *Journal of Clinical Epidemiology*, 56(9), 919-919. [More Information]

Ferreira, P., Latimer, J., Ferreira, M., Maher, C., Sakamoto, A., Garofalo, R. (2002). Attitudes and beliefs of Brazilian and Australian physiotherapy students towards chronic back pain: a cross-cultural comparison. *From Cell to Society 3*, Sydney: The College of Health Sciences.

Ferreira, M., Ferreira, P., Latimer, J., Herbert, R., Maher, C. (2002). Does spinal manipulative therapy help people with chronic low back pain? *Australian Journal of Physiotherapy*, 48(4), 277-284. [More Information]

Ferreira, P., Ferreira, M., Maher, C., Refshauge, K., Herbert, R., Latimer, J. (2002). Effect of applying different "levels of evidence" criteria on conclusions of Cochrane reviews of interventions for low back pain. *Journal of Clinical Epidemiology*, 55(11), 1126-1129. [More Information]

Ferreira, M., Ferreira, P., Latimer, J., Herbert, R., Maher, C. (2002). Efficacy of spinal manipulation for low back pain of less than three months duration. *VIIIth International Physiotherapy Congress*, Sydney: Australian Physiotherapy Association.

Maher, C., Ferreira, M., Ferreira, P., Latimer, J., Herbert, R. (2002). Efficacy of spinal manipulative therapy for people with chronic low back pain. *From Cell to Society 3*, Sydney: The College of Health Sciences.

2001

Ferreira, P., Ferreira, M., Maher, C., Latimer, J., Herbert, R., Refshauge, K. (2001). Assessing Clinical Evidence in Low Back Pain: How robust are conclusions of systematic reviews? *More Than Skin Deep*, Sydney: Australian Physiotherapy Association.

Ferreira, M., Ferreira, P., Latimer, J., Herbert, R., Maher, C. (2001). Efficacy of Manual Therapy for Low Back Pain. *More Than Skin Deep*, Sydney: Australian Physiotherapy Association.

1999

Ferreira, P., Nascimento, A., Aguiar, C. (1999). Efficacy of the McKenzie Protocol and Vertebral Mobilization in the mobility of the Lumbar Spine. *Fisioterapia em Movimento*, XIII (1), 27-48.

1998

Ferreira, P. (1998). Efficacy of ankle supports and taping in controlling balance. *Fisioterapia em Movimento*, 10(2).

1997

Ferreira, P., Ferreira, M. (1997). Relationship between lumbar curvature and trunk muscle recruitment. *Fisioterapia em Movimento*, 10(2).

Ferreira, P. (1997). Taping techniques in the management of sports injuries. *Unknown*, 4(1).

2002