

Publications for Christopher Little

2019

Xue, M., Dervish, S., McKelvey, K., March, L., Wang, F., Little, C., Jackson, C. (2019). Activated protein C targets immune cells and rheumatoid synovial fibroblasts to prevent inflammatory arthritis in mice. *Rheumatology*, , 1-11. [More Information]

Shu, C., Smith, S., Little, C., Melrose, J. (2019). Elevated hypertrophy, growth plate maturation, glycosaminoglycan deposition, and exostosis formation in the Hspg2 exon 3 null mouse intervertebral disc. *Biochemical Journal*, 476(2), 225-243. [More Information]

2018

Shu, C., Smith, M., Appleyard, R., Little, C., Melrose, J. (2018). Achilles and tail tendons of perlecan exon 3 null heparan sulphate deficient mice display surprising improvement in tendon tensile properties and altered collagen fibril organisation compared to C57BL/6 wild type mice. *PeerJ*, 6, 1-25. [More Information]

McIlwraith, C., Kawcak, C., Frisbie, D., Little, C., Clegg, P., Peffers, M., Karsdal, M., Ekman, S., Laverty, S., Slayden, R., et al (2018). Biomarkers for equine joint injury and osteoarthritis. *Journal of Orthopaedic Research*, 36(3), 823-831. [More Information]

Kung, L., Ravi, V., Rowley, L., Angelucci, C., Fosang, A., Bell, K., Little, C., Bateman, J. (2018). Cartilage microRNA dysregulation during the onset and progression of mouse osteoarthritis is independent of aggrecanolytic and overlaps with candidates from end-stage human disease. *Arthritis & Rheumatology*, 70(3), 383-395. [More Information]

Brown, S., Matta, A., Erwin, M., Roberts, S., Gruber, H., Hanley, E., Little, C., Melrose, J. (2018). Cell clusters are indicative of stem cell activity in the degenerate intervertebral disc: can their properties be manipulated to improve intrinsic repair of the disc? *Stem Cells and Development*, 27(3), 147-165. [More Information]

Choi, R., Smith, M., Clarke, E., Little, C. (2018). Cellular, matrix, and mechano-biological differences in load-bearing versus positional tendons throughout development and aging: a narrative review. *Connective Tissue Research*, 59(5), 483-494. [More Information]

Shu, C., Dart, A., Bell, R., Dart, C., Clarke, E., Smith, M., Little, C., Melrose, J. (2018). Efficacy of Administered Mesenchymal Stem Cells in The Initiation and Co-ordination of Repair Processes By Resident Disc Cells In An Ovine (Ovis aries) Large Destabilizing Lesion Model of Experimental Disc Degeneration. *JOR Spine*, 1(4), 1-24. [More Information]

Fuller, E., Shu, C., Smith, M., Little, C., Melrose, J. (2018).

Hyaluronan oligosaccharides stimulate matrix metalloproteinase and anabolic gene expression in vitro by intervertebral disc cells and annular repair in vivo. *Journal of Tissue Engineering and Regenerative Medicine*, 12(1), e216-e226. [More Information]

de Kroon, L., van den Akker, G., Brachvogel, B., Narcisi, R., Belluoccio, D., Jenner, F., Bateman, J., Little, C., Brama, P., Blaney Davidson, E., et al (2018). Identification of TGF β -related genes regulated in murine osteoarthritis and chondrocyte hypertrophy by comparison of multiple microarray datasets. *Bone*, 116, 67-77. [More Information]

James, G., Sluka, K., Blomster, L., Hall, L., Schmid, A., Shu, C., Little, C., Melrose, J., Hodges, P. (2018). Macrophage polarization contributes to local inflammation and structural change in the multifidus muscle after intervertebral disc injury. *European Spine Journal*, 27(8), 1744-1756. [More Information]

Angelo, D., Morouco, P., Gil, F., Monico, L., Gonzalez-Garcia, R., Sousa, R., Neto, L., Caldeira, I., Smith, M., Smith, S., Little, C., et al (2018). Preclinical randomized controlled trial of bilateral discectomy versus bilateral discopexy in Black Merino sheep temporomandibular joint: TEMPOJIMS - Phase 1-histologic, imaging and body weight results. *Journal of Cranio-Maxillofacial Surgery*, 46(4), 688-696. [More Information]

Urban, H., Little, C. (2018). The role of fat and inflammation in the pathogenesis and management of osteoarthritis. *Rheumatology*, 57(suppl_4), iv10-iv21. [More Information]

2017

Shu, C., Smith, M., Smith, S., Dart, A., Little, C., Melrose, J. (2017). A Histopathological Scheme for the Quantitative Scoring of Intervertebral Disc Degeneration and the Therapeutic Utility of Adult Mesenchymal Stem Cells for Intervertebral Disc Regeneration. *International Journal of Molecular Sciences*, 18(5), 1-31. [More Information]

Angelo, D., Monje, F., Gonzalez-Garcia, R., Little, C., Monico, L., Pinho, M., Santos, F., Carrapico, B., Goncalves, S., Morouco, P., et al (2017). Bioengineered Temporomandibular Joint Disk Implants: Study Protocol for a Two-Phase Exploratory Randomized Preclinical Pilot Trial in 18 Black Merino Sheep (TEMPOJIMS). *JMIR Research Protocols*, 6(3), 1-10. [More Information]

Kung, L., Ravi, V., Rowley, L., Bell, K., Little, C., Bateman, J. (2017). Comprehensive Expression Analysis of microRNAs and mRNAs in Synovial Tissue from a Mouse Model of Early Post-Traumatic Osteoarthritis. *Scientific Reports*, 7(1), 1-12. [More Information]

Smith, M., Clarke, E., Little, C. (2017). Considerations for the Design and Execution of Protocols for Animal Research and Treatment to improve reproducibility and standardization: "DEPART well-prepared and ARRIVE safely". *Osteoarthritis and Cartilage*, 25(3), 354-363. [More Information]

Blaker, C., Little, C., Clarke, E. (2017). Joint loads resulting in ACL rupture: Effects of age, sex, and body mass on injury load and mode of failure in a mouse model. *Journal of Orthopaedic Research: a journal for musculoskeletal investigation*, 35(8), 1754-1763. [More Information]

Gauci, S., Stanton, H., Little, C., Fosang, A. (2017). Proteoglycan and Collagen Degradation in Osteoarthritis. In Susanne Grassel, Attila Aszodi (Eds.), *Cartilage: Volume 2: Pathophysiology*, (pp. 41-61). Cham: Springer International Publishing. [More Information]

Biasutti, S., Dart, A., Smith, M., Blaker, C., Clarke, E., Jeffcott, L., Little, C. (2017). Spatiotemporal variations in gene expression, histology and biomechanics in an ovine model of tendinopathy. *PLoS One*, 12(10), 1-36. [More Information]

Melrose, J., Fuller, E., Little, C. (2017). The biology of meniscal pathology in osteoarthritis and its contribution to joint disease: beyond simple mechanics. *Connective Tissue Research*, 58(3-4), 282-294. [More Information]

Blaker, C., Clarke, E., Little, C. (2017). Using mouse models to investigate the pathophysiology, treatment, and prevention of post-traumatic osteoarthritis. *Journal of Orthopaedic Research: a journal for musculoskeletal investigation*, 35(3), 424-439. [More Information]

Kung, L., Zaki, S., Ravi, V., Rowley, L., Smith, M., Bell, K., Bateman, J., Little, C. (2017). Utility of circulating serum miRNAs as biomarkers of early cartilage degeneration in animal models of post-traumatic osteoarthritis and inflammatory arthritis. *Osteoarthritis and Cartilage*, 25(3), 426-434. [More Information]

2016

Shu, C., Jackson, M., Smith, M., Smith, S., Penn, S., Lord, M., Whitelock, J., Little, C., Melrose, J. (2016). Ablation of Perlecan domain I heparan sulfate reduces progressive cartilage degradation, synovitis, and osteophyte size in post-traumatic osteoarthritis. *Arthritis & Rheumatology*, 68(4), 868-879. [More Information]

Choi, R., Smith, M., Martin, J., Clarke, J., Dart, A., Little, C., Clarke, E. (2016). Chondroitin sulphate glycosaminoglycans contribute to widespread inferior biomechanics in tendon after focal injury. *Journal of Biomechanics*, 49, 2694-2701. [More Information]

Jackson, M., Zaki, S., Ravi, V., Babak, M., Smith, S., Fosang, A., Little, C. (2016). Defining the relationship between joint pathology and pain in osteoarthritis using genetically modified mice. *Osteoarthritis and Cartilage*, 24, S9-S10.

Bischofberger, A., Dart, C., Horadagoda, N., Perkins, N., Jeffcott, L., Little, C., Dart, A. (2016). Effect of Manuka honey gel on the transforming growth factor α 1 and α 3 concentrations, bacterial counts and histomorphology of contaminated full-thickness skin wounds in equine distal limbs. *Australian Veterinary Journal*, 94(1-2), 27-34. [More Information]

Stankoska, K., Sarram, L., Smith, S., Bedran-Russo, A., Little, C., Swain, M., Bertassoni, L. (2016). Immunolocalization and distribution of proteoglycans in carious dentine. *Australian Dental Journal*, 61(3), 288-297. [More Information]

Fuller, E., Little, C., Melrose, J. (2016). Interleukin-1(alpha) induces focal degradation of biglycan and tissue degeneration in an in-vitro ovine meniscal model. *Experimental and Molecular Pathology*, 101(2), 214-220. [More Information]

James, G., Blomster, L., Hall, L., Schmid, A., Shu, C., Little, C., Melrose, J., Hodges, P. (2016). Mesenchymal stem cell treatment of intervertebral disc lesion prevents fatty infiltration and fibrosis of the multifidus muscle, but not cytokine and muscle fiber changes. *European Spine Journal*, 41(15), 1208-1217. [More Information]

Hayes, A., Shu, C., Lord, M., Little, C., Whitelock, J., Melrose, J. (2016). Pericellular colocalisation and interactive properties of type VI collagen and perlecan in the intervertebral disc. *European Cells and Materials*, 32, 40-57. [More Information]

Markway, B., Cho, H., Anderson, D., Holden, P., Ravi, V., Little, C., Johnstone, B. (2016). Reoxygenation enhances tumour necrosis factor alpha-induced degradation of the extracellular matrix produced by chondrogenic cells. *European Cells and Materials*, 31, 425-439. [More Information]

Melrose, J., Smith, S., Hughes, C., Little, C., Caterson, B., Hayes, A. (2016). The 7D4, 4C3 and 3B3 (-) Chondroitin Sulphation Motifs are expressed at Sites of Cartilage and Bone Morphogenesis during Foetal Human Knee Joint Development. *Journal of Glycobiology*, 5(1), 1-9. [More Information]

Hayes, A., Hughes, C., Smith, S., Caterson, B., Little, C., Melrose, J. (2016). The CS Sulphation Motifs 4C3, 7D4, 3B3[-]; and Perlecan Identify Stem Cell Populations and Niches, Activated Progenitor Cells and Transitional Tissue Development in the Fetal Human Elbow. *Stem Cells and Development*, 25(11), 836-847. [More Information]

Hunter, D., Little, C. (2016). The great debate: Should Osteoarthritis Research Focus on "Mice" or "Men"? *Osteoarthritis and Cartilage*, 24(1), 4-8. [More Information]

Bertassoni, L., Kury, M., Rathsam, C., Little, C., Swain, M. (2016). The role of proteoglycans in the nanoindentation creep behavior of human dentin. *Journal of the Mechanical Behavior of Biomedical Materials*, 55, 264-270. [More Information]

Information]

Shu, C., Smith, S., Little, C., Melrose, J. (2016). Use of FGF-2 and FGF-18 to direct bone marrow stromal stem cells to chondrogenic and osteogenic lineages. *Future Science OA*, 2(4), 1-19. [More Information]

2015

Jacobsen, E., Dart, A., Mondori, T., Horadagoda, N., Jeffcott, L., Little, C., Smith, M. (2015). Focal experimental injury leads to widespread gene expression and histologic changes in equine flexor tendons. *PloS One*, 10(4), 1-25. [More Information]

Hodges, P., James, G., Blomster, L., Hall, L., Schmid, A., Shu, C., Little, C., Melrose, J. (2015). Multifidus Muscle Changes after Back Injury Are Characterized by Structural Remodeling of Muscle, Adipose and Connective Tissue, but Not Muscle Atrophy: Molecular and Morphological Evidence. *Spine*, 40(14), 1057-1071. [More Information]

Malfait, A., Little, C. (2015). On the predictive utility of animal models of osteoarthritis. *Arthritis Research and Therapy*, 17(1), 1-14. [More Information]

2014

Jackson, M., Babak, M., Smith, M., Jackson, C., Little, C. (2014). Activation of matrix metalloproteinases 2, 9, and 13 by activated protein c in human osteoarthritic cartilage chondrocytes. *Arthritis & Rheumatology*, 66(6), 1525-1536. [More Information]

Smith, R., McIlwraith, W., Schweitzer, R., Kadler, K., Cook, J., Caterson, B., Dakin, S., Heinegard, D., Screen, H., Stover, S., Little, C., et al (2014). Advances in the understanding of tendinopathies: a report on the Second Havemeyer Workshop on equine tendon disease. *Equine Veterinary Journal*, 46(11), 4-9. [More Information]

Hodges, P., James, G., Blomster, L., Hall, L., Schmid, A., Shu, C., Little, C., Melrose, J. (2014). Can Proinflammatory Cytokine Gene Expression Explain Multifidus Muscle Fiber Changes After an Intervertebral Disc Lesion? *Spine*, 39(13), 1010-1017. [More Information]

Jackson, M., Moradi, B., Zaki, S., Smith, M., McCracken, S., Smith, S., Jackson, C., Little, C. (2014). Depletion of protease-activated receptor 2 but not protease-activated receptor 1 may confer protection against osteoarthritis in mice through extracartilaginous mechanisms. *Arthritis & Rheumatology*, 66(12), 3337-3348. [More Information]

Xue, M., Shen, K., McKelvey, K., Li, J., Chan, Y., Hatzis, V., March, L., Little, C., Tonkin, M., Jackson, C. (2014). Endothelial protein C receptor associated invasiveness of rheumatoid synovial fibroblasts is likely driven by group V secretory phospholipase A2. *Arthritis Research and Therapy*, 16(1), 1-12. [More Information]

El-Hoss, J., Kolind, M., Jackson, M., Deo, N., Mikulec, K., McDonald, M., Little, C., Little, D., Schindeler, A. (2014).

Modulation of endochondral ossification by MEK inhibitors PD0325901 and AZD6244 (Selumetinib). *Bone*, 59, 151-161. [More Information]

Riordan, E., Little, C., Hunter, D. (2014). Pathogenesis of post-traumatic OA with a view to intervention. *Best Practice & Research: Clinical Rheumatology*, 28(1), 17-30. [More Information]

Koenig, T., Dart, A., McIlwraith, C., Horadagoda, N., Bell, R., Perkins, N., Dart, C., Krockenberger, M., Jeffcott, L., Little, C. (2014). Treatment of Experimentally Induced Osteoarthritis in Horses Using Intravenous Combination of sodium Pentosan Polysulfate, N-Acetyl Glucosamine, and Sodium Hyaluronan. *Veterinary Surgery*, 43(5), 612-622. [More Information]

2013

Malfait, A., Little, C., Dougall, J. (2013). A commentary on modelling osteoarthritis pain in small animals. *Osteoarthritis and Cartilage*, 21(9), 1316-1326. [More Information]

Smith, M., Russell, A., Schiavinato, A., Little, C. (2013). A hexadecylamide derivative of hyaluronan (HYMOVIS(R)) has superior beneficial effects on human osteoarthritic chondrocytes and synoviocytes than unmodified hyaluronan. *Journal of Inflammation*, 10(1), 1-16. [More Information]

Melrose, J., Smith, M., Smith, S., Ravi, V., Young, A., Dart, A., Sonnabend, D., Little, C. (2013). Altered stress induced by partial transection of the infraspinatus tendon leads to perlecan (HSPG2) accumulation in an ovine model of tendinopathy. *Tissue and Cell*, 45(1), 77-82. [More Information]

Shu, C., Smith, S., Little, C., Melrose, J. (2013). Comparative immunolocalisation of perlecan, heparan sulphate, fibroblast growth factor-18, and fibroblast growth factor receptor-3 and their prospective roles in chondrogenic and osteogenic development of the human foetal spine. *European Spine Journal*, 22(8), 1774-1784. [More Information]

Cake, M., Read, R., Corfield, G., Daniel, A., Burkhardt, D., Smith, M., Little, C. (2013). Comparison of gait and pathology outcomes of three meniscal procedures for induction of knee osteoarthritis in sheep. *Osteoarthritis and Cartilage*, 21(1), 226-236. [More Information]

Smith, M., Ravi, V., Dart, A., Sonnabend, D., Little, C. (2013). Factors affecting tendinopathogenesis. *British Journal of Sports Medicine*, 47(9), 23-24. [More Information]

Smith, M., Dart, A., Little, C. (2013). Large proteoglycan metabolism in tendinopathy. *British Journal of Sports Medicine*, 47, 29-29.

Smith, M., Jacobson, E., Dart, A., Little, C. (2013). Large proteoglycan metabolism in tendinopathy. *British Journal of Sports Medicine*, 47(9), e2. [More Information]

Belluoccio, D., Rowley, L., Little, C., Bateman, J. (2013). Maintaining mRNA integrity during decalcification of mineralized tissues. *PLoS One*, 8(3), 1-6. [More Information]

Little, C., Hunter, D. (2013). Post-traumatic osteoarthritis: from mouse models to clinical trials. *Nature Reviews Rheumatology*, 9(8), 485-497. [More Information]

Jackson, M., Moradi, B., Smith, S., Jackson, C., Little, C. (2013). Protease activated receptor-2 but not PAR-1, modulates synovial macrophage maturation in post-traumatic OA. *Osteoarthritis and Cartilage*, 21, S61.

Gossan, N., Zeef, L., Hensman, J., Hughes, A., Bateman, J., Rowley, L., Little, C., Piggins, H., Rattray, M., Boot-Handford, R., et al (2013). The circadian clock in murine chondrocytes regulates genes controlling key aspects of cartilage homeostasis. *Arthritis & Rheumatology*, 65(9), 2334-2345. [More Information]

Shu, C., Hughes, C., Smith, S., Smith, M., Hayes, A., Caterson, B., Little, C., Melrose, J. (2013). The ovine newborn and human foetal intervertebral disc contain perlecan and aggrecan variably substituted with native 7D4 CS sulphation motif: spatiotemporal immunolocalisation and co-distribution with Notch-1 in the human foetal disc. *Glycoconjugate Journal*, 30(7), 717-725. [More Information]

Bateman, J., Rowley, L., Belluoccio, D., Chan, B., Bell, K., Fosang, A., Little, C. (2013). Transcriptomics of Wild-Type Mice and Mice Lacking ADAMTS-5 Activity Identifies Genes Involved in Osteoarthritis Initiation and Cartilage Destruction. *Arthritis & Rheumatology*, 65(6), 1547-1560. [More Information]

2012

Maher, A., Coles, C., White, J., Bateman, J., Fuller, E., Burkhardt, D., Little, C., Cake, M., Read, R., McDonagh, M., et al (2012). 1H NMR spectroscopy of serum reveals unique metabolic fingerprints associated with subtypes of surgically induced osteoarthritis in sheep. *Journal of Proteome Research*, 11(8), 4261-4268. [More Information]

Melrose, J., Isaacs, M., Smith, S., Hughes, C., Little, C., Caterson, B., Hayes, A. (2012). Chondroitin sulphate and heparan sulphate sulphation motifs and their proteoglycans are involved in articular cartilage formation during human foetal knee joint development. *Histochemistry and Cell Biology*, 138(3), 461-475. [More Information]

Melrose, J., Shu, C., Young, C., Ho, R., Smith, M., Young, A., Smith, S., Gooden, B., Dart, A., Podadera, J., Appleyard, R., Little, C. (2012). Mechanical destabilization induced by controlled annular incision of the intervertebral disc dysregulates metalloproteinase expression and induces disc degeneration. *Spine*, 37(1), 18-25. [More Information]

Boeuf, S., Graf, F., Fischer, J., Moradi, B., Little, C., Richter, W. (2012). Regulation of aggrecanases from the ADAMTS family and aggrecan neopeptide formation during in vitro chondrogenesis of human mesenchymal stem cells. *European Cells and Materials*, 23, 320-332. [More Information]

Chan, B., Little, C. (2012). The interaction of canonical bone morphogenetic protein- and Wnt-signaling pathways may play an important role in regulating cartilage degradation in osteoarthritis. *Arthritis Research and Therapy*, 14(3), 119-119-3. [More Information]

Little, C., Zaki, S. (2012). What constitutes an 'animal model of osteoarthritis' - the need for consensus? *Osteoarthritis and Cartilage*, 20(4), 261-267. [More Information]

Little, C., Zaki, S. (2012). What constitutes an 'animal model of osteoarthritis' - the need for consensus? *Osteoarthritis and Cartilage*, 20(4), 261-267. [More Information]

Fuller, E., Smith, M., Little, C., Melrose, J. (2012). Zonal differences in meniscus matrix turnover and cytokine response. *Osteoarthritis and Cartilage*, 20(1), 49-59. [More Information]

2011

Bernardo, B., Belluoccio, D., Rowley, L., Little, C., Hansen, U., Bateman, J. (2011). Cartilage Intermediate Layer Protein 2 (CILP-2) Is Expressed in Articular and Meniscal Cartilage and Down-regulated in Experimental Osteoarthritis. *Journal of Biological Chemistry*, 286(43), 37758-37767. [More Information]

Chan, B., Fuller, E., Russell, A., Smith, S., Smith, M., Jackson, M., Cake, M., Read, R., Bateman, J., Sambrook, P., Little, C. (2011). Increased chondrocyte sclerostin may protect against cartilage degradation in osteoarthritis. *Osteoarthritis and Cartilage*, 19(7), 874-885. [More Information]

Stanton, H., Golub, S., Rogerson, F., Last, K., Little, C., Fosang, A. (2011). Investigating ADAMTS-mediated aggrecanolytic activity in mouse cartilage. *Nature Protocols*, 6(3), 388-404. [More Information]

Lamande, S., Yuan, Y., Gresshoff, I., Rowley, L., Belluoccio, D., Kaluarachchi, K., Little, C., Botzenhart, E., Zerres, K., Amor, D., et al (2011). Mutations in TRPV4 cause an inherited arthropathy of hands and feet. *Nature Genetics*, 43(11), 1142-1146. [More Information]

Stanton, H., Melrose, J., Little, C., Fosang, A. (2011). Proteoglycan degradation by the ADAMTS family of proteinases. *Biochimica et Biophysica Acta - Molecular Basis of Disease*, 1812 (12), 1616-1629. [More Information]

Glasson, S., Little, C. (2011). The recent paper "Multimodal imaging demonstrates concomitant changes in bone and cartilage after destabilization of the medial meniscus and increased joint laxity". *Osteoarthritis and Cartilage*, 19(8),

1076-1077. [More Information]

2010

Schollum, M., Appleyard, R., Little, C., Melrose, J. (2010). A Detailed Microscopic Examination of Alterations in Normal Annular Structure Induced by Mechanical Destabilization in an Ovine Model of Disc Degeneration. *Spine*, 35(22), 1965-1973. [More Information]

Nguyen, T., Little, C., Yenson, V., Jackson, C., McCracken, S., Warning, J., Stevens, V., Gallery, E., Morris, J. (2010). Anti-IgD antibody attenuates collagen-induced arthritis by selectively depleting mature B-cells and promoting immune tolerance. *Journal of Autoimmunity*, 35(1), 86-97. [More Information]

Aigner, T., Cook, J., Gerwin, N., Glasson, S., Lavery, S., Little, C., McIlwraith, W., Kraus, V. (2010). Histopathology atlas of animal model systems - overview of guiding principles. *Osteoarthritis and Cartilage*, 18(SUPPL. 3), S2-S6. [More Information]

Melrose, J., Little, C. (2010). Immunolocalization of lymphatic vessels in human fetal knee joint tissues. *Connective Tissue Research*, 51(4), 289-305. [More Information]

Little, C., Fosang, A. (2010). Is cartilage matrix breakdown an appropriate therapeutic target in osteoarthritis - insights from studies of aggrecan and collagen proteolysis? *Current Drug Targets*, 11(5), 561-575. [More Information]

Fosang, A., Last, K., Stanton, H., Golub, S., Little, C., Brown, L., Jackson, D. (2010). Neopeptide antibodies against MMP-cleaved and aggrecanase-cleaved aggrecan. *Methods in Molecular Biology (Clifton N.J.)*, 622, 312-47. [More Information]

Jackson, M., Smith, M., Smith, S., Jackson, C., Little, C. (2010). Protease activated receptor-2 and activated protein C in cartilage degradation. *Osteoarthritis and Cartilage*, 18(S2), S90-S90.

Zreiqat, H., Belluoccio, D., Smith, M., Wilson, R., Rowley, L., Jones, K., Ramaswamy, Y., Vogl, T., Roth, J., Bateman, J., Little, C. (2010). S100A8 and S100A9 in experimental osteoarthritis. *Arthritis Research and Therapy*, 12(1), 1-13. [More Information]

Little, C., Kim, Y. (2010). Targeting Cartilage Breakdown in Osteoarthritis. *Journal of American Academy of Orthopaedic Surgeons*, 18(4), 243-246.

Little, C., Smith, M., Cake, M., Read, R., Murphy, M., Barry, F. (2010). The OARSI histopathology initiative - recommendations for histological assessments of osteoarthritis in sheep and goats. *Osteoarthritis and Cartilage*, 18(Suppl 3), S80-S92. [More Information]

Little, C. (2010). The OARSI histopathology initiative - recommendations for histological assessments of osteoarthritis in the mouse. *Osteoarthritis and Cartilage*, 18(3), S17-23. [More Information]

href="http://dx.doi.org/10.1016/j.joca.2010.05.025">[More Information]

2009

Xue, M., Smith, M., Little, C., Sambrook, P., March, L., Jackson, C. (2009). Activated protein C mediates a healing phenotype in cultured tenocytes. *Journal of Cellular and Molecular Medicine*, 13(4), 749-757. [More Information]

Jackson, M., Smith, M., Smith, S., Jackson, C., Xue, M., Little, C. (2009). Activation of Cartilage Matrix Metalloproteinases by Activated Protein C. *Arthritis & Rheumatology*, 60(3), 780-791. [More Information]

Melrose, J., Burkhardt, D., Taylor, T., Dillon, C., Read, R., Cake, M., Little, C. (2009). Calcification in the ovine intervertebral disc: a model of hydroxyapatite deposition disease. *European Spine Journal*, 18(4), 479-489. [More Information]

Melrose, J., Gooden, B., Dart, A., Appleyard, R., Little, C. (2009). Dysregulation of metalloproteinase expression in a mechanical destabilization model of intervertebral disc degeneration in sheep. *ACSR Spinal Research Symposium VII*.

Dart, A., Little, C. (2009). Focal injury induces widespread pathology in equine superficial digital flexor tendons. *31st Bain Fallon Lectures*, Australia.

Little, C., Barai, A., Burkhardt, D., Smith, S., Fosang, A., Werb, Z., Shah, M., Thompson, E. (2009). Matrix metalloproteinase 13-deficient mice are resistant to osteoarthritic cartilage erosion but not chondrocyte hypertrophy or osteophyte development. *Arthritis Care and Research*, 60(12), 3723-3733. [More Information]

Smith, S., Whitelock, J., Iozzo, R., Little, C., Melrose, J. (2009). Topographical variation in the distributions of versican, aggrecan and perlecan in the foetal human spine reflects their diverse functional roles in spinal development. *Histochemistry and Cell Biology*, 132(5), 491-503. [More Information]

2008

Little, C., Smith, M. (2008). Animal Models of Osteoarthritis. *Current Rheumatology Reviews*, 4(3), 175-182. [More Information]

Cake, M., Read, R., Edwards, S., Smith, M., Burkhardt, D., Little, C., Ghosh, P. (2008). Changes in gait after bilateral meniscectomy in sheep: effect of two hyaluronan preparations. *Journal of orthopaedic science*, 13(6), 514-523. [More Information]

Fosang, A., Little, C. (2008). Drug insight: aggrecanases as therapeutic targets for osteoarthritis. *Nature clinical practice: Rheumatology*, 4(8), 420-427. [More Information]

Fitzgerald, J., Rich, C., Burkhardt, B., Allen, J., Herzka, A., Little, C. (2008). Evidence for articular cartilage regeneration in MRL/MpJ mice. *Osteoarthritis and Cartilage*, 16(11), 1319-1326. [More Information]

<http://dx.doi.org/10.1016/j.joca.2008.03.014>>[More Information]

Jacobson, E., Smith, M., Mondori, T., Smith, S., Dart, A., Little, C. (2008). Focal injury induces widespread pathology in equine superficial digital flexor tendons. *Matrix Biology Society of Australia and New Zealand Annual Meeting MBSANZ 2008*, Australia: Matrix Biology Society of Australia and New Zealand.

Melrose, J., Fuller, E., Roughley, P., Smith, M., Kerr, B., Hughes, C., Caterson, B., Little, C. (2008). Fragmentation of decorin, biglycan, lumican and keratocan is elevated in degenerate human meniscus, knee and hip articular cartilages compared with age-matched macroscopically normal and control tissues. *Arthritis Research and Therapy*, 10(4), 1-10. [More Information]

Gauci, S., Golub, S., Tutolo, L., Little, C., Sims, N., Lee, E., Mackie, E., Fosang, A. (2008). Modulating chondrocyte hypertrophy in growth plate and osteoarthritic cartilage. *Journal of Musculoskeletal and Neuronal Interactions*, 8(4), 308-310.

[More Information]

Smith, M., Sakurai, G., Smith, S., Young, A., Melrose, J., Stewart, C., Appleyard, R., Peterson, J., Gilles, R., Dart, A., Sonnabend, D., Little, C. (2008). Modulation of Aggrecan and ADAMTS Expression in Ovine Tendinopathy Induced by Altered Strain. *Seminars in Arthritis and Rheumatism*, 38(4), 1055-1066. [More Information]

Melrose, J., Hayes, A., Whitelock, J., Little, C. (2008). Perlecan, the jack of all trades" proteoglycan of cartilaginous weight-bearing connective tissues." *BioEssays : news and reviews in molecular cellular and developmental biology*, 30(5), 457-469. [More Information]

Wilson, R., Belluoccio, D., Little, C., Fosang, A., Bateman, J. (2008). Proteomic characterization of mouse cartilage degradation in vitro. *Seminars in Arthritis and Rheumatism*, 38(10), 3120-3131. [More Information]

Melrose, J., Smith, S., Little, C., Moore, R., Vernon-Roberts, B., Fraser, R. (2008). Recent advances in annular pathobiology provide insights into rim-lesion mediated intervertebral disc degeneration and potential new approaches to annular repair strategies. *European Spine Journal*, 17(9), 1131-1148. [More Information]

Smith, M., Cake, M., Ghosh, P., Schiavinato, A., Read, R., Little, C. (2008). Significant synovial pathology in a meniscectomy model of osteoarthritis: modification by intra-articular hyaluronan therapy. *Rheumatology (Print Edition)*, 47(8), 1172-1178. [More Information]

Smith, M., Smith, S., Kikukawa, K., Dart, A., Sonnabend, D., Little, C. (2008). Spacio-temporal changes in pathology and proteoglycan gene expression in shoulder tendons induced by overstress or stress deprivation. *Matrix Biology Society of Australia and New Zealand Annual Meeting MBSANZ 2008*, Australia: Matrix Biology Society of Australia and New Zealand.

Melrose, J., Smith, S., Fuller, E., Young, A., Roughley, P., Dart, A., Little, C. (2008). Spatial and temporal catabolism of the small leucine repeat proteoglycans (SLRPs) in an ovine annular lesion model of experimental intervertebral disc degeneration has structure-function implications. *World Forum for Spine Research 2008*, Switzerland: AO Foundation.

Smith, M., Smith, S., Kikukawa, K., Dart, A., Sonnabend, D., Little, C. (2008). Temporal change in proteoglycan gene expression and histopathology induced in sheep shoulder tendons by altered stress in vivo. *Osteoarthritis Research Society International World Congress on Osteoarthritis OARSI 2008*, United States: Osteoarthritis Research Society International.

Melrose, J., Smith, S., Smith, M., Little, C. (2008). The use of Histochoice (tmR) for histological examination of articular and growth plate cartilages, intervertebral disc and meniscus. *Biotechnic and Histochemistry*, 83(1), 47-53. [More Information]

2007

Melrose, J., Smith, S., Appleyard, R., Little, C. (2007). Aggrecan, versican and type VI collagen are components of annular translamellar crossbridges in the intervertebral disc. *European Spine Journal*, Published online: 31 October 2007, 1-11. [More Information]

Alini, M., Eisenstein, S., Ito, K., Little, C., Kettler, A., Masuda, K., Melrose, J., Ralphs, J., Stokes, I., Wilke, H. (2007). Are animal models useful for studying human disc disorders/degeneration? *European Spine Journal*, Published online: 14 July 2007, 1-18. [More Information]

Melrose, J., Smith, S., Fuller, E., Young, A., Roughley, P., Dart, A., Little, C. (2007). Biglycan and fibromodulin fragmentation correlates with temporal and spatial annular remodelling in experimentally injured ovine intervertebral discs. *European Spine Journal*, 16(12), 2193-2205. [More Information]

Little, C., Meeker, C., Golub, S., Lawlor, K., Farmer, P., Smith, S., Fosang, A. (2007). Blocking aggrecanase cleavage in the aggrecan interglobular domain abrogates cartilage erosion and promotes cartilage repair. *Journal of Clinical Investigation*, 117(6), 1627-1636. [More Information]

Young, A., Appleyard, R., Smith, M., Melrose, J., Little, C. (2007). Dynamic Biomechanics Correlate With Histopathology in Human Tibial Cartilage: A Preliminary Study. *Clinical Orthopaedics and Related Research*, 462, 212-220. [More Information]

Smith, M., Little, C. (2007). Experimental Models of Osteoarthritis. In Moskowitz, Altman, Hochberg, Buckwalter & Glodberg (Eds.), *Osteoarthritis: Diagnosis and Medical/Surgical Management*, (pp. 107-125). Philadelphia, USA: Lippincott Williams & Wilkins.

Powell, A., Little, C., Hughes, C. (2007). Low molecular weight isoforms of the aggrecanases are responsible for the cytokine-induced proteolysis of aggrecan in a porcine chondrocyte culture system. *Arthritis & Rheumatology*, 56(9), 3010-3019. [More Information]

2006

Smith, M., Sakurai, A., Smith, S., Young, A., Melrose, J., Dart, A., Sonnabend, D., Little, C. (2006). Altered aggrecan and ADAMTS expression in overload-induced tendon pathology. *49th Annual Meeting of the Orthopaedic Research Society*, United states: Orthopaedic Research Society.

Young, A., McLennan, S., Smith, S., Smith, M., Melrose, J., Cake, M., Flannery, C., Sonnabend, D., Little, C. (2006). Changes in expression and immunolocalization of proteoglycan 4 / lubricin in cartilage in an ovine model of early osteoarthritis. *49th Annual Meeting of the Orthopaedic Research Society*, United states: Orthopaedic Research Society.

Little, C., Jackson, M., Smith, M., Burkhardt, D., Xue, M., Jackson, C. (2006). Potential role of activated protein C (APC) in articular cartilage degeneration. *49th Annual Meeting of the Orthopaedic Research Society*, United states: Orthopaedic Research Society.

Young, A., McLennan, S., Smith, M., Smith, S., Cake, M., Read, R., Melrose, J., Sonnabend, D., Flannery, C., Little, C. (2006). Proteoglycan 4 downregulation in a sheep meniscectomy model of early osteoarthritis. *Arthritis Research and Therapy*, 8(2), 1-6. [More Information]

2005

Stewart, M., Fosang, A., Little, C., Sandy, J. (2005). A murine epiphyseal chondrocyte model of ADAMTS 5-mediated aggrecanolytic. *2005 Annual Meeting Of The American Society for Bone and Mineral Research*, United States: American Society for Bone and Mineral Research.

Little, C., Mittaz, L., Belluoccio, D., Rogerson, F., Campbell, I., Meeker, C., Bateman, J., Pritchard, M., Fosang, A. (2005). ADAMTS-1 knockout mice do not exhibit abnormalities in aggrecan turnover in vitro or in vivo. *Arthritis & Rheumatology*, 52(5), 1461-1472. [More Information]

Stanton, H., East, C., Golub, S., Rogerson, F., Lawlor, K., Little, C., Fosang, A. (2005). ADAMTS-5 is the major aggrecanase in cartilage: in vitro studies with ADAMTS-4 and ADAMTS-5 deficient mice. *51st Annual Meeting of Orthopaedic Research Society*, USA: Orthopaedic Research Society.

Stanton, H., Rogerson, F., East, C., Golub, S., Lawlor, K., Meeker, C., Little, C., Last, K., Farmer, P., Campbell, I., et al (2005). ADAMTS5 is the major aggrecanase in mouse cartilage in vivo and in vitro. *Nature*, 434(7033), 648-652. [More Information]

Fosang, A., Little, C., Meeker, C. (2005). Aggrecan knock-in mice are resistant to proteolysis by MMP or ADAMTS enzymes in the interglobular domain. *Scandinavian Journal of Rheumatology*, 34, 13-14.

Little, C., Flannery, C., Hughes, C., Goodship, A., Caterson, B. (2005). Cytokine induced metalloproteinase expression and activity does not correlate with focal susceptibility of articular cartilage to degeneration. *Osteoarthritis and Cartilage*, 13(2), 162-170. [More Information]

Little, C., Meeker, C., Fosang, A. (2005). Generation of mice with aggrecan resistant to aggrecanase cleavage in the IGD.

49th Annual Meeting of the Orthopaedic Research Society, United states: Orthopaedic Research Society.

Little, C., Meeker, C., Fosang, A. (2005). Generation of mice with aggrecan resistant to aggrecanase cleavage in the IGD. *51st Annual Meeting of the Orthopaedic Research Society*, 30, 357.

Little, C., Meeker, C., Hembry, R., Sims, N., Lawlor, K., Golub, S., Last, K., Fosang, A. (2005). Matrix metalloproteinases are not essential for aggrecan turnover during normal skeletal growth and development. *Molecular and Cellular Biology*, 25(8), 3388-3399. [More Information]

Young, A., Smith, M., Smith, S., Burkhardt, D., Cake, M., Melrose, J., Read, R., Ghosh, P., Sonnabend, D., Little, C. (2005). Metabolism of Small Leucine-Rich Proteoglycans in an Ovine Model of Osteoarthritis. *51st Annual Meeting of the Orthopaedic Research Society*, 30, 1057-1057.

Innes, J., Little, C., Hughes, C., Caterson, B. (2005). Products resulting from cleavage of the interglobular domain of aggrecan in samples of synovial fluid collected from dogs with early- and late-stage osteoarthritis. *American Journal of Veterinary Research*, 66(10), 1679-1685. [More Information]

Yang, Y., Hall, P., Little, C., Fosang, A., Milenkovski, G., Santos, L., Xue, J., Tipping, P., Morand, E. (2005). Reduction of Arthritis Severity in Protease-Activated Receptor α -Deficient Mice. *Arthritis & Rheumatology*, 52(4), 1325-1332. [More Information]

Young, A., Smith, M., Smith, S., Cake, M., Ghosh, P., Read, R., Melrose, J., Sonnabend, D., Roughley, P., Little, C. (2005). Regional assessment of articular cartilage gene expression and small proteoglycan metabolism in an animal model of osteoarthritis. *Arthritis Research and Therapy*, 7(4), R852-61. [More Information]

2004

Little, C., Mittaz, L., Meeker, C., Pritchard, M., Fosang, A. (2004). ADAMTS-1 knockout mice do not exhibit abnormalities in aggrecan turnover in-vivo or in-vitro. *50th Annual Meeting of the Orthopaedic Research Society*, United States: Orthopaedic Research Society.

Hughes, C., Caterson, B., Little, C., Wright, S. (2004). Aggrecanases 1 and 2. In Woessner F, Alan J Barrett, Neil D. Rawlings (Eds.), *Handbook of Proteolytic Enzymes*, (pp. 740-740). Canada: Academic Press.

Janusz, M., Little, C., King, L., Hookfin, E., Brown, K., Heitmeyer, S., Caterson, B., Poole, A., Taiwo, Y. (2004). Detection of aggrecanase and MMP-generated catabolic neoepitopes in the rat iodacetate model of cartilage degeneration. *Osteoarthritis and Cartilage*, 12(9), 720-728. [More Information]

Little, C., Curtis, C., Cramp, J., Vaughn-Thomas, A., Harwood, J., Innes, J., Caterson, B. (2004). Differential effects of canine cartilage to cytokine stimulation and n-3 polyunsaturated fatty acids supplementation versus human and bovine cartilage. *49th Annual Meeting of the Orthopaedic Research Society*, United states: Orthopaedic Research Society.

2003

Little, C., Cramp, J., Curtis, C., Richardson, D., Schoenherr, B., Innes, J., Jones, S., Caterson, B. (2003). Canine articular cartilage degradation: The role of catabolic cytokines. *49th Annual Meeting of the Orthopaedic Research Society*, United States: Orthopaedic Research Society.

Jones, A., Hughes, C., Wainwright, S., Flannery, C., Little, C., Caterson, B. (2003). Degradation of PRG4/SZP by Matrix Proteases. *49th Annual Meeting of the Orthopaedic Research Society*, United States: Orthopaedic Research Society.

Little, C., Meeker, C., Fosang, A. (2003). Degradative mechanisms in mouse articular cartilage: use of in vitro models to analyse proteolysis and loss of aggrecan and link protein. *49th Annual Meeting of the Orthopaedic Research Society*, United States: Orthopaedic Research Society.

Rees, A., Hughes, C., Little, C., Caterson, B. (2003). Evidence for zymogen forms of aggrecanase-1 (ADAMTS-4) in chondrocyte-agarose cultures. *49th Annual Meeting of the Orthopaedic Research Society*, United States: Orthopaedic Research Society.

Hughes, C., Little, C., Caterson, B. (2003). Measurement of aggrecanase-generated interglobular domain catabolites in the medium and extracts of cartilage explants using Western blot analysis. *Methods in Molecular Biology*, 225(-), 89-98.

Fosang, A., Stanton, H., Little, C., Atley, L. (2003). Neopeptides as Biomarkers of Cartilage Catabolism. *Inflammation Research*, 52(7), 277-282. [More Information]

Dart, A., Little, C., Hughes, C., Chu, Q., Dowling, B., Hodgson, D., Rose, R., Johnson, K. (2003). Recombinant equine growth hormone administration: effects on synovial fluid biomarkers and cartilage metabolism in horses. *Equine Veterinary Journal*, 35(3), 302-307.

2002

Little, C., Hughes, C., Curtis, C., Jones, S., Caterson, B., Flannery, C. (2002). Cyclosporin A inhibition of aggrecanase-mediated proteoglycan catabolism in articular cartilage. *Arthritis & Rheumatology*, 46(1), 124-129.

Little, C., Flannery, C., Hughes, C., Precious, G., Otterness, I., Goodship, A., Caterson, B. (2002). Cytokine induced metalloproteinase expression and activity does not correlate with focal cartilage pathology. *48th Annual Meeting of the Orthopaedic Research Society*, United States: Orthopaedic Research Society.

Little, C., Roughley, P., Otterness, I., Hughes, C., Caterson, B. (2002). Hierarchical catabolism of collagen associated proteoglycans in in vitro models of progressive articular cartilage degradation. *48th Annual Meeting of the Orthopaedic Research Society*, United States: Orthopaedic Research Society.

Little, C., Hughes, C., Curtis, C., Janusz, M., Bohne, R., Wang-Weigand, S., Taiwo, Y., Mitchell, P., Otterness, I., Flannery, C., et al (2002). Matrix metalloproteinases are involved in C-terminal and interglobular domain processing of cartilage aggrecan in late stage cartilage degradation. *Matrix Biology*, 21(3), 271-288. [More Information]

Curtis, C., Rees, S., Little, C., Flannery, C., Hughes, C., Dent, C., Wilson, C., Harwood, J., Caterson, B. (2002). N-3 fatty acid supplementation specifically ablates the activity and expression of aggrecanases and inflammatory mediators in human osteoarthritic cartilage. *48th Annual Meeting of the Orthopaedic Research Society*, United States: Orthopaedic Research Society.

Curtis, C., Little, C., Rees, S., Flannery, C., Hughes, C., Otterness, I., Dent, C., Harwood, J., Caterson, B. (2002). N-3 fatty acids inhibit expression and activity of MMPs in human osteoarthritic cartilage. *48th Annual Meeting of the Orthopaedic Research Society*, United States: Orthopaedic Research Society.

Little, C., Otterness, I., Hughes, C., Caterson, B. (2002). Proteolysis of type IX collagen and loss of biglycan, decorin and fibromodulin in progressive articular cartilage degradation. *Osteoarthritis and Cartilage*.

Melrose, J., Smith, S., Little, C., Kitson, J., Hwa, S., Ghosh, P. (2002). Spatial and temporal localization of transforming growth factor- β , fibroblast growth factor-2, and osteonectin, and identification of cells expressing α -smooth muscle actin in the injured annulus fibrosus. Implications for extracellular matrix repair. *Spine*, 27(16), 1756-1764. [More Information]

2001

Davies, J., Rees, A., Hughes, C., Little, C., Caterson, B. (2001). An immunohistochemical study of aggrecan catabolism in porcine articular cartilage. *47th Annual Meeting of the Orthopaedic Research Society*, USA: Orthopaedic Research Society.

Diffin, F., Little, C., Elson, C., Westacott, C. (2001). Catabolism of aggrecan by cells derived from osteoarthritic bone. *47th Annual Meeting of the Orthopaedic Research Society*, USA: Orthopaedic Research Society.

Flannery, C., Little, C., Hughes, C., Curtis, C., Caterson, B. (2001). Cyclosporin A inhibits IL-1-induced aggrecanase-mediated proteoglycan catabolism in situ in articular cartilage. *47th Annual Meeting of the Orthopaedic Research Society*, USA: Orthopaedic Research Society.

Flannery, C., Little, C., Hughes, C., Curtis, C., Jones, S., Caterson, B. (2001). IL-6 and its soluble receptor augment aggrecanase-mediated proteoglycan catabolism in articular cartilage. *47th Annual Meeting of the Orthopaedic Research Society*, USA: Orthopaedic Research Society.

Melrose, J., Smith, S., Little, C., Kitson, J., Hwa, S., Ghosh, P. (2001). Repair of annular disc lesions: Spatial and temporal localisation of TGF- β , SPARC (Osteonectin, BM-40) and FGF-2 are early responses in experimentally injured ovine discs. *47th Annual Meeting of the Orthopaedic Research Society*, USA: Orthopaedic Research Society.

Little, C., Flannery, C., Hughes, C., Otterness, I., Caterson, B. (2001). Species specificity of neopeptide antibodies to aggrecanase- and MMP- generated sequences in the interglobular domain of aggrecan. *47th Annual Meeting of the Orthopaedic Research Society*, USA: Orthopaedic Research Society.

Hwa, S., Burkhardt, D., Little, C., Ghosh, P. (2001). The effects of orally administered diacerein on cartilage and subchondral bone in an ovine model of osteoarthritis. *Journal of Rheumatology*, 28(4), 825-834.

Little, C., Hughes, C., Otterness, I., Janusz, M., Caterson, B. (2001). The role of matrix metalloproteinases in C-terminal catabolism of aggrecan. *47th Annual Meeting of the Orthopaedic Research Society*, USA: Orthopaedic Research Society.