

Publications for Robyn Tate

2018

Rosenkoetter, U., Tate, R. (2018). Assessing Features of Psychometric Assessment Instruments: A Comparison of the COSMIN Checklist with Other Critical Appraisal Tools. *Brain Impairment*, 19(1), 103-118. [More Information]

Tran, S., Kenny, B., Power, E., Tate, R., McDonald, S., Heard, R., Togher, L. (2018). Cognitive-communication and psychosocial functioning 12 months after severe traumatic brain injury. *Brain Injury*, 32(13-14), 1700-1711. [More Information]

Jamwal, R., Callaway, L., Winkler, D., Farnworth, L., Tate, R. (2018). Evaluating the Use of Smart Home Technology by People With Brain Impairment: Protocol for a Single-Case Experimental Design. *JMIR Research Protocols*, 7(11), 1-10. [More Information]

Wand, H., Simpson, M., Malacova, E., Schofield, P., Preen, D., Tate, R., Butler, T. (2018). Individual- and Population-Level Impacts of Traumatic Brain Injury and Maternal Characteristics on Subsequent Offending Behavior. *Journal of Head Trauma Rehabilitation*, 33(3), 167-176. [More Information]

Honan, C., McDonald, S., Tate, R., Ownsworth, T., Togher, L., Fleming, J., Anderson, V., Morgan, A., Catroppa, C., Douglas, J., Sigmundsdottir, L., et al (2018). Outcome instruments in moderate-to-severe adult traumatic brain injury: recommendations for use in psychosocial research. *Neuropsychological Rehabilitation*, Article in press. [More Information]

Lah, S., David, P., Epps, A., Tate, R., Brookes, N. (2018). Preliminary validation study of the Sydney Post-Traumatic Amnesia Scale (SYPTAS) in children with traumatic brain injury aged 4 to 7 years. *Applied Neuropsychology: Child*. [More Information]

Stubbs, E., Togher, L., Kenny, B., Fromm, D., Forbes, M., MacWhinney, B., McDonald, S., Tate, R., Turkstra, L., Power, E. (2018). Procedural discourse performance in adults with severe traumatic brain injury at 3 and 6 months post injury. *Brain Injury*, 32(2), 167-181. [More Information]

Lah, S., David, P., Donohue, H., Epps, A., Tate, R., Brookes, N. (2018). PTA scale for children aged 4 to 7 years: Selecting developmentally valid and reliable items. *Applied Neuropsychology: Child*, 7(3), 257-267. [More Information]

Tate, R., Perdices, M. (2018). Quantitative Data Analysis for Single-Case Methods, Between-Groups Designs, and Instrument Development. *Brain Impairment*, 19(1), 1-3. [More Information]

2017

Tate, R., Perdices, M. (2017). Avoiding bias in evaluating rehabilitation. In Barbara A. Wilson, Jill Winegardner, Caroline M. van Heugten, Tamara Ownsworth (Eds.), *Neuropsychological Rehabilitation: The International Handbook*, (pp. 547-558). Abingdon: Routledge. [More Information]

Ownsworth, T., Fleming, J., Tate, R., Beadle, E., Griffin, J., Kendall, M., Schmidt, J., Lane-Brown, A., Chevignard, M., Shum, D. (2017). Do People With Severe Traumatic Brain Injury Benefit From Making Errors? A Randomized Controlled Trial of Error-Based and Errorless Learning. *Neurorehabilitation and Neural Repair*, 31(12), 1072-1082. [More Information]

Avramovic, P., Kenny, B., Power, E., McDonald, S., Tate, R., Hunt, L., MacDonald, S., Heard, R., Togher, L. (2017). Exploring the relationship between cognition and functional verbal reasoning in adults with severe traumatic brain injury at six months post injury. *Brain Injury*, 31(4), 502-516. [More Information]

Tate, R., Perdices, M., Rosenkoetter, U., Shadish, W., Vohra, S., Barlow, D., Horner, R., Kazdin, A., Kratochwill, T., McDonald, S., Togher, L., et al (2017). The Single-Case Reporting Guideline In BEhavioural Interventions (SCRIBE) 2016 Statement. *Neuropsychological Rehabilitation*, 27(1), 1-15. [More Information]

2016

Soo, C., Tate, R., Anderson, V., Beauchamp, M., Brookes, N., Catroppa, C., Galvin, J., Muscara, F. (2016). Assessing psychosocial functioning following childhood acquired brain injury: The Sydney Psychosocial Reintegration Scale for Children. *Developmental Neurorehabilitation*, 19(6), 356-364. [More Information]

Sigmundsdottir, L., Longley, W., Tate, R. (2016). Computerised cognitive training in acquired brain injury: A systematic review of outcomes using the International Classification of Functioning (ICF). *Neuropsychological Rehabilitation*, 26(5-6), 673-741. [More Information]

Brassel, S., Kenny, B., Power, E., Elbourn, E., McDonald, S., Tate, R., MacWhinney, B., Turkstra, L., Holland, A., Togher, L. (2016). Conversational topics discussed by individuals with severe traumatic brain injury and their communication partners during sub-acute recovery. *Brain Injury*, 30(11), 1329-1342. [More Information]

Motbey, R., Birse, J., Tate, R., Brookes, N., Epps, A., Lah, S. (2016). Natural sequence of recovery from child post-traumatic amnesia: A retrospective cohort study. *Child Neuropsychology*, 22(6), 666-678. [More Information]

<http://dx.doi.org/10.1080/09297049.2015.1038988>>[More Information]

Craig, A., Tran, Y., Guest, R., Gopinath, B., Jagnoor, J., Bryant, R., Collie, A., Tate, R., Kenardy, J., Middleton, J., Cameron, I. (2016). Psychological impact of injuries sustained in motor vehicle crashes: systematic review and meta-analysis. *BMJ Open*, 6(9), 1-13. [More Information]

Togher, L., McDonald, S., Tate, R., Rietdijk, R., Power, E. (2016). The effectiveness of social communication partner training for adults with severe chronic TBI and their families using a measure of perceived communication ability. *NeuroRehabilitation*, 38(3), 243-255. [More Information]

Tate, R., Perdices, M., Rosenkoetter, U., Shadish, W., Vohra, S., Barlow, D., Horner, R., Kazdin, A., Kratochwill, T., McDonald, S., Togher, L., et al (2016). The Single-Case Reporting Guideline In BEhavioural Interventions. *Evidence-Based Communication Assessment and Intervention*, 10(1), 44-58. [More Information]

Tate, R., Perdices, M., Rosenkoetter, U., Shadish, W., Vohra, S., Barlow, D., Horner, R., Kazdin, A., Kratochwill, T., McDonald, S., et al (2016). The Single-Case Reporting Guideline In BEhavioural Interventions (SCRIBE) 2016 Statement. *Aphasiology*, 30(7), 862-876. [More Information]

Tate, R., Perdices, M., Rosenkoetter, U., Shadish, W., Vohra, S., Barlow, D., Horner, R., Kazdin, A., Kratochwill, T., McDonald, S., Togher, L., et al (2016). The Single-Case Reporting Guideline In BEhavioural Interventions (SCRIBE) 2016 Statement. *The American Journal of Occupational Therapy*, 70(4), 1-11. [More Information]

Tate, R., Perdices, M., Rosenkoetter, U., Shadish, W., Vohra, S., Barlow, D., Horner, R., Kazdin, A., Kratochwill, T., McDonald, S., Togher, L., et al (2016). The single-case reporting guideline in BEhavioural interventions (SCRIBE) 2016 Statement. *Physical Therapy*, 96(7), e1-e10. [More Information]

Tate, R., Perdices, M., Rosenkoetter, U., Shadish, W., Vohra, R., Barlow, D., Horner, R., Kazdin, A., Kratochwill, T., McDonald, S., Togher, L., et al (2016). The Single-Case Reporting Guideline in BEhavioural Interventions (SCRIBE) 2016 statement. *Canadian Journal of Occupational Therapy*, 83(3), 184-195. [More Information]

Tate, R., Perdices, M., Rosenkoetter, U., Shadish, W., Vohra, S., Barlow, D., Horner, R., Kazdin, A., Kratochwill, T., McDonald, S., Togher, L., et al (2016). The Single-Case Reporting Guideline In BEhavioural Interventions (SCRIBE) 2016 Statement. *Archives of Scientific Psychology*, 4, 1-9. [More Information]

Tate, R., Perdices, M., Rosenkoetter, U., Shadish, W., Vohra, S., Barlow, D., Horner, R., Kazdin, A., Kratochwill, T., McDonald, S., Togher, L., et al (2016). The Single-Case Reporting Guideline In BEhavioural Interventions (SCRIBE) 2016 Statement. *Remedial and Special Education*, 37(6), 370-380. <a

<http://dx.doi.org/10.1177/0741932516652893>>[More Information]

Tate, R., Perdices, M., Rosenkoetter, U., Shadish, W., Vohra, S., Barlow, D., Horner, R., Kazdin, A., Kratochwill, T., McDonald, S., Togher, L., et al (2016). The Single-Case Reporting guideline In BEhavioural interventions (SCRIBE) 2016 statement. *Journal of School Psychology*, 56, 133-142. [More Information]

Tate, R., Perdices, M., Rosenkoetter, U., McDonald, S., Togher, L., Shadish, W., Horner, R., Kratochwill, T., Barlow, D., Kazdin, A., et al (2016). The Single-Case Reporting Guideline In BEhavioural Interventions (SCRIBE) 2016: Explanation and Elaboration. *Archives of Scientific Psychology*, 4, 10-31. [More Information]

2015

McDonald, S., Fisher, A., Togher, L., Tate, R., Rushby, J., English, T., Kelly, M., Mathersul, D., Fforeich, F., Francis, H. (2015). Adolescent Performance on The Awareness of Social Inference Test: TASIT. *Brain Impairment*, 16(1), 3-18. [More Information]

Vohra, S., Shamseer, L., Sampson, M., Bukutu, C., Schmid, C., Tate, R., Nikles, J., Zucker, D., Kravitz, R., Guyatt, G., et al (2015). CONSORT extension for reporting N-of-1 trials (CENT) 2015 Statement. *BMJ*, 350, 1-30. [More Information]

Shamseer, L., Sampson, M., Bukutu, C., Schmid, C., Nikles, J., Tate, R., Johnston, B., Zucker, D., Shadish, W., Kravitz, R., et al (2015). CONSORT extension for reporting N-of-1 trials (CENT) 2015: Explanation and elaboration. *BMJ*, 350, 1-30. [More Information]

Schofield, N., Malacova, E., Preen, D., D'Este, C., Tate, R., Reekie, J., Wand, H., Butler, T. (2015). Does traumatic brain injury lead to criminality? A whole-population retrospective cohort study using linked data. *PLoS One*, 10(7), 1-12. [More Information]

Motbey, R., Brookes, N., Tate, R., Lah, S. (2015). Duration of post-traumatic amnesia as a predictor of functional outcome in school-age children: a systematic review. *Developmental Medicine and Child Neurology*, 57(7), 618-627. [More Information]

Gertler, P., Tate, R., Cameron, I. (2015). Non-pharmacological interventions for depression in adults and children with traumatic brain injury. *Cochrane Database of Systematic Reviews*, 12, 1-4. [More Information]

Tate, R., Rosenkoetter, U., Wakim, D., Sigmundsdottir, L., Doubleday, J., Togher, L., McDonald, S., Perdices, M. (2015). *The Risk-of-Bias in N-of-1 Trials (RoBiNT) Scale: An Expanded Manual for the Critical Appraisal of Single-Case Reports*. Sydney: John Walsh Centre for Rehabilitation Research.

2014

Lannin, N., Carr, B., Allaous, J., Mackenzie, B., Falcon, A., Tate, R. (2014). A randomized controlled trial of the effectiveness of handheld computers for improving everyday memory functioning in patients with memory impairments after

acquired brain injury. *Clinical Rehabilitation*, 28(5), 470-481. [More Information]

Tate, R., Wakim, D., Genders, M. (2014). A Systematic Review of the Efficacy of Community-based, Leisure/Social Activity Programmes for People with Traumatic Brain Injury. *Brain Impairment*, 15(3), 157-176. [More Information]

Bayley, M., Tate, R., Douglas, J., Turkstra, L., Ponsford, J., Stergiou-Kita, M., Kua, A., Bragge, P. (2014). INCOG Guidelines for Cognitive Rehabilitation Following Traumatic Brain Injury: Methods and Overview. *Journal of Head Trauma Rehabilitation*, 29(4), 290-306. [More Information]

Ponsford, J., Janzen, S., McIntyre, A., Bayley, M., Velikonja, D., Tate, R. (2014). INCOG Recommendations for Management of Cognition Following Traumatic Brain Injury, Part I: Posttraumatic Amnesia/Delirium. *Journal of Head Trauma Rehabilitation*, 29(4), 307-320. [More Information]

Ponsford, J., Bayley, M., Wiseman-Hakes, C., Togher, L., Velikonja, D., McIntyre, A., Janzen, S., Tate, R. (2014). INCOG Recommendations for Management of Cognition Following Traumatic Brain Injury, Part II: Attention and Information Processing Speed. *Journal of Head Trauma Rehabilitation*, 29(4), 321-337. [More Information]

Tate, R., Kennedy, M., Ponsford, J., Douglas, J., Velikonja, D., Bayley, M., Stergiou-Kita, M. (2014). INCOG Recommendations for Management of Cognition Following Traumatic Brain Injury, Part III: Executive Function and Self-Awareness. *Journal of Head Trauma Rehabilitation*, 29(4), 338-352. [More Information]

Velikonja, D., Tate, R., Ponsford, J., McIntyre, A., Janzen, S., Bayley, M. (2014). INCOG Recommendations for Management of Cognition Following Traumatic Brain Injury, Part V: Memory. *Journal of Head Trauma Rehabilitation*, 29(4), 369-386. [More Information]

Soo, C., Tate, R., Brookes, N. (2014). Psychosocial adjustment following acquired brain injury in childhood and adolescence: Executive, behavioural and emotional contributions. *Brain Injury*, 28(7), 906-914. [More Information]

Bragge, P., Pattuwage, L., Marshall, S., Pitt, V., Piccenna, L., Stergiou-Kita, M., Tate, R., Teasell, R., Wiseman-Hakes, C., Kua, A., et al (2014). Quality of Guidelines for Cognitive Rehabilitation Following Traumatic Brain Injury. *Journal of Head Trauma Rehabilitation*, 29(4), 277-289. [More Information]

Tate, R., Perdices, M., McDonald, S., Togher, L., Rosenkoetter, U. (2014). The design, conduct and report of single-case research: Resources to improve the quality of the neurorehabilitation literature. *Neuropsychological Rehabilitation*, 24(3-4), 315-331. [More Information]

Tate, R., Aird, V., Taylor, C. (2014). Using single-case methodology to treat social-pragmatic communication disorders. In Skye McDonald, Leanne Togher, Chris Code (Eds.), *Social and Communication Disorders Following Traumatic Brain Injury*, (pp. 361-388). London: Psychology Press.

2013

McDonald, S., Togher, L., Tate, R., Randall, R., English, T., Gowland, A. (2013). A randomised controlled trial evaluating a brief intervention for deficits in recognising emotional prosody following severe ABI. *Neuropsychological Rehabilitation*, 23(2), 267-286. [More Information]

Tate, R., Godbee, K., Sigmundsdottir, L. (2013). A systematic review of assessment tools for adults used in traumatic brain injury research and their relationship to the ICF. *NeuroRehabilitation*, 32(4), 729-750. [More Information]

Tate, R., Taylor, C., Aird, V. (2013). Applying Empirical Methods in Clinical Practice: Introducing the Model for Assessing Treatment Effect. *Journal of Head Trauma Rehabilitation*, 28(2), 77-88. [More Information]

McDonald, S., English, T., Randall, R., Longman, T., Togher, L., Tate, R. (2013). Assessing Social Cognition and Pragmatic Language in Adolescents with Traumatic Brain Injuries. *Journal of the International Neuropsychological Society*, 19(5), 528-538. [More Information]

Owensworth, T., Fleming, J., Tate, R., Shum, D., Griffin, J., Schmidt, J., Lane-Brown, A., Kendall, M., Chevignard, M. (2013). Comparison of error-based and errorless learning for people with severe traumatic brain injury: study protocol for a randomized control trial. *Trials*, 14(1), 1-9. [More Information]

Laxe, S., Zasler, N., Selb, M., Tate, R., Tormos, J., Bernabeu, M. (2013). Development of the International Classification of Functioning, Disability and Health core sets for traumatic brain injury: An International consensus process. *Brain Injury*, 27(4), 379-387. [More Information]

Simpson, G., Tate, R. (2013). Introduction to special issue: State of the art reviews on mental health in traumatic brain injury. *Brain Impairment*, 14(1), 1-1. [More Information]

Schultz, R., Tate, R. (2013). Methodological issues in longitudinal research on cognitive recovery after traumatic brain injury: Evidence from a systematic review. *Brain Impairment*, 14(3), 450-474. [More Information]

Tate, R., Perdices, M., Rosenkoetter, U., Wakim, D., Godbee, K., Togher, L., McDonald, S. (2013). Revision of a method quality rating scale for single-case experimental designs and n-of-1 trials: The 15-item Risk of Bias in N-of-1 Trials (RoBiNT) Scale. *Neuropsychological Rehabilitation*, 23(5), 619-638. [More Information]

Information]

Schaafsma, F., Middleton, J., De Wolf, A., Tate, R., Cameron, I. (2013). The association of compensation and long term health status for people with severe traumatic injuries. *Journal of Rehabilitation Medicine*, 45(5), 446-451. [More Information]

Togher, L., McDonald, S., Tate, R., Power, E., Rietdijk, R. (2013). Training communication partners of people with severe traumatic brain injury improves everyday conversations: A multicenter single blind clinical trial. *Journal of Rehabilitation Medicine*, 45(7), 637-645. [More Information]

2012

Togher, L., Power, E., Rietdijk, R., McDonald, S., Tate, R. (2012). An exploration of participant experience of a communication training program for people with traumatic brain injury and their communication partners. *Disability and Rehabilitation*, 34(18), 1562-1574. [More Information]

Hopman, K., Tate, R., McCluskey, M. (2012). Community-Based Rehabilitation Following Brain Injury: Comparison of a Transitional Living Program and a Home-Based Program. *Brain Impairment*, 13(1), 44-61. [More Information]

Togher, L., Power, E., McDonald, S., Tate, R., Rietdijk, R. (2012). Family members can improve the communication of their relative with communication disability. *Independent Living Journal*, 28(1), 25-29.

McDonald, S., Anderson, V., Ponsford, J., Tate, R., Togher, L., Morgan, A., Fleming, J., Ownsworth, T., Douglas, J., Murdoch, B. (2012). Moving Ahead: A New Centre of Research Excellence in Brain Recovery, Focusing on Psychosocial Reintegration Following Traumatic Brain Injury. *Brain Impairment*, 13(2), 256-270. [More Information]

Gertler, P., Tate, R., Cameron, I. (2012). Non-pharmacological interventions for depression in adults and children with traumatic brain injury (Protocol). *Cochrane Database of Systematic Reviews*, 2012 (5), 1-9. [More Information]

Tate, R., Simpson, G., Lane-Brown, A., Soo, C., De Wolf, A., Whiting, D. (2012). Sydney Psychosocial Reintegration Scale (SPRS-2): Meeting the challenge of measuring participation in neurological conditions. *Australian Psychologist*, 47(1), 20-32. [More Information]

Kangas, M., Tate, R., Williams, J., Smee, R. (2012). The effects of radiotherapy on psychosocial and cognitive functioning in adults with a primary brain tumor: a prospective evaluation. *Neuro-Oncology*, 14(12), 1485-1502. [More Information]

De Wolf, A., Tate, R., Lannin, N., Middleton, J., Lane-Brown, A., Cameron, I. (2012). The World Health Organization Disability Assessment Scale, WHODAS II: Reliability and validity in the measurement of activity and participation in a spinal cord injury population. *Journal of Rehabilitation Medicine*, 44(8), 747-755. [More Information]

Information]

2011

Marco, A., McDonald, S., Kelly, M., Tate, R., Johnstone, S. (2011). A meta-analysis of response inhibition and Stroop interference control deficits in adults with traumatic brain injury (TBI). *Journal of Clinical and Experimental Neuropsychology*, 33(4), 471-485. [More Information]

Soo, C., Tate, R., Lane-Brown, A. (2011). A systematic review of acceptance and commitment therapy (ACT) for managing anxiety: Applicability for people with acquired brain injury? *Brain Impairment*, 12(1), 54-70. [More Information]

Lane-Brown, A., Tate, R. (2011). Apathy after traumatic brain injury: An overview of the current state of play. *Brain Impairment*, 12(1), 43-53. [More Information]

McDonald, S., Rosenfeld, J., Henry, J., Togher, L., Tate, R., Bornhofen, C. (2011). Emotion perception and alexithymia in people with severe traumatic brain injury: One disorder or two? a preliminary investigation. *Brain Impairment*, 12(3), 165-178. [More Information]

Hassett, L., Tate, R., Moseley, A., Gillett, L. (2011). Injury severity, age and pre-injury exercise history predict adherence to a home-based exercise programme in adults with traumatic brain injury. *Brain Injury*, 25(7-8), 698-706. [More Information]

Hassett, L., Tate, R., Moseley, A., Gillett, L. (2011). Injury severity, age and pre-injury exercise history predict adherence to a home-based exercise programme in adults with traumatic brain injury. *Brain Injury*, 25(7-8), 698-706. [More Information]

Tate, R., Simpson, G., Soo, C., Lane-Brown, A. (2011). Participation after acquired brain injury: Clinical and psychometric considerations of the Sydney Psychosocial Reintegration Scale (SPRS). *Journal of Rehabilitation Medicine*, 43(7), 609-618. [More Information]

Simpson, G., Tate, R., Whiting, D., Cotter, R. (2011). Suicide Prevention After Traumatic Brain Injury: A Randomized Controlled Trial of a Program for the Psychological Treatment of Hopelessness. *Journal of Head Trauma Rehabilitation*, 26(4), 290-300. [More Information]

McDonald, S., Rushby, J., Li, S., De Sousa, A., Dimoska, A., James, C., Tate, R., Togher, L. (2011). The influence of attention and arousal on emotion perception in adults with severe traumatic brain injury. *International Journal of Psychophysiology*, 82(1), 124-131. [More Information]

Tate, R., Douglas, J. (2011). Use of Reporting Guidelines in Scientific Writing: PRISMA, CONSORT, STROBE, STARD and Other Resources. *Brain Impairment*, 12(1), 1-21.

2010

Tate, R. (2010). *A Compendium of Tests, Scales and Questionnaires: The Practitioner's Guide to Measuring Outcomes after Acquired Brain Impairment*. USA: Psychology Press.

Soo, C., Tate, R., Anderson, V., Waugh, M. (2010). Assessing Care and Support Needs for Children With Acquired Brain Injury: Normative Data for the Paediatric Care and Needs Scale (PCANS). *Brain Impairment*, 11(2), 183-196. [More Information]

Lane-Brown, A., Tate, R. (2010). Evaluation of an Intervention for Apathy After Traumatic Brain Injury: A Multiple-Baseline, Single-Case Experimental Design. *Journal of Head Trauma Rehabilitation*, 25(6), 459-469. [More Information]

McDonald, S., Li, S., De Sousa, A., Rushby, J., Dimoska, A., James, C., Tate, R. (2010). Impaired mimicry response to angry faces following severe traumatic brain injury. *Journal of Clinical and Experimental Neuropsychology*, 33(1), 17-29. [More Information]

De Wolf, A., Lane-Brown, A., Tate, R., Middleton, J., Cameron, I. (2010). Measuring community integration after spinal cord injury: validation of the Sydney psychosocial reintegration scale and community integration measure. *Quality of Life Research*, 19(8), 1185-1193. [More Information]

Togher, L., Power, E., Tate, R., McDonald, S., Rietdijk, R. (2010). Measuring the social interactions of people with traumatic brain injury and their communication partners: The adapted Kagan scales. *Aphasiology*, 24(6-8), 914-927. [More Information]

Dimoska, A., McDonald, S., Pell, M., Tate, R., James, C. (2010). Recognizing vocal expressions of emotion in patients with social skills deficits following traumatic brain injury. *Journal of the International Neuropsychological Society*, 16(2), 369-382. [More Information]

Togher, L., Power, E., McDonald, S., Tate, R., Rietdijk, R. (2010). TBI Express: A communication training program for everyday communication partners of people with traumatic brain injury. *Acquiring Knowledge in Speech, Language and Hearing*, 12(2), 82-84.

Soo, C., Tate, R., Aird, V., Allaous, J., Browne, S., Carr, B., Coulston, C., Diffley, L., Gurka, J., Hummell, J. (2010). Validity and Responsiveness of the Care and Needs Scale for Assessing Support Needs After Traumatic Brain Injury. *Archives of Physical Medicine and Rehabilitation*, 91(6), 905-912. [More Information]

2009

Lane-Brown, A., Tate, R. (2009). Apathy after acquired brain impairment: A systematic review of non-pharmacological interventions. *Neuropsychological Rehabilitation*, 19(4), 481-516. [More Information]

Bernabeu, M., Laxe, S., Lopez, R., Stucki, G., Ward, A.,

Barnes, M., Kostansjsek, N., Reed, G., Tate, R., Whyte, J., et al (2009). Developing Core Sets for Persons With Traumatic Brain Injury Based on the International Classification of Functioning, Disability, and Health. *Neurorehabilitation and Neural Repair*, 23(5), 464-467. [More Information]

Hassett, L., Moseley, A., Tate, R., Harmer, A., Fairbairn, T., Leung, J. (2009). Efficacy of a fitness centre-based exercise programme compared with a home-based exercise programme in traumatic brain injury: a randomized controlled trial. *Journal of Rehabilitation Medicine*, 41(4), 247-255. [More Information]

Lane-Brown, A., Tate, R. (2009). Interventions for apathy after traumatic brain injury. *Cochrane Database of Systematic Reviews*, (2), 1-28. [More Information]

Lane-Brown, A., Tate, R. (2009). Measuring apathy after traumatic brain injury: Psychometric properties of the Apathy Evaluation Scale and the Frontal Systems Behavior Scale. *Brain Injury*, 23(13-14), 999-1007. [More Information]

Perdices, M., Tate, R. (2009). Single-subject designs as a tool for evidence-based clinical practice: Are they unrecognised and undervalued? *Neuropsychological Rehabilitation*, 19(6), 904-927. [More Information]

Togher, L., Schultz, R., Tate, R., McDonald, S., Perdices, M., Smith, K., Winders, K., Savage, S. (2009). The methodological quality of aphasia therapy research: An investigation of group studies using the PsycBITETM evidence-based practice database. *Aphasiology*, 23(6), 694-706. [More Information]

Togher, L., McDonald, S., Tate, R., Power, E., Rietdijk, R. (2009). Training Communication Partners of People with Traumatic Brain Injury: Reporting the Protocol for a Clinical Trial. *Brain Impairment*, 10(2), 188-204. [More Information]

Togher, L., McDonald, S., Tate, R., Power, E., Rietdijk, R. (2009). Training communication partners to improve communication for people with TBI. *Synapse (Australia)*, September, 15-16.

2008

Long, E., McDonald, S., Tate, R., Togher, L., Bornhofen, C. (2008). Assessing Social Skills in People with Very Severe Traumatic Brain Injury: Validity of the Social Performance Survey Schedule (SPSS). *Brain Impairment*, 9(3), 274-281. [More Information]

Soo, C., Tate, R., Williams, L., Waddingham, S., Waugh, M. (2008). Development and validation of the Paediatric Care and Needs Scale (PCANS) for assessing support needs of children and youth with acquired brain injury. *Developmental Neurorehabilitation*, 11(3), 204-214. [More Information]

Hassett, L., Moseley, A., Tate, R., Harmer, A. (2008). Fitness training for cardiorespiratory conditioning after traumatic brain

injury. *Cochrane Database of Systematic Reviews*, 2, 1-53. [More Information]

Tate, R., McDonald, S., Perdices, M., Togher, L., Schultz, R., Savage, S. (2008). Rating the methodological quality of single-subject designs and n-of-1 trials: Introducing the Single-Case Experimental Design (SCED) Scale. *Neuropsychological Rehabilitation*, 18(4), 385-401. [More Information]

McDonald, S., Tate, R., Togher, L., Bornhofen, C., Long, E., Gertler, P., Bowen, R. (2008). Social skills treatment for people with severe, chronic acquired brain injuries: A multi-centre trial. *Archives of Physical Medicine and Rehabilitation*, 89(9), 1648-1659. [More Information]

Togher, L., McDonald, S., Tate, R., Power, E., Rietdijk, R. (2008). The Other Side of the Coin: Training Communication Partners to Improve Communication for people with TBI. *The BIA NSW Summer 2008 Newsletter*.

2007

Nightingale, E., Soo, C., Tate, R. (2007). A systematic review of early prognostic factors for return to work after traumatic brain injury. *Brain Impairment*, 8(2), 101-142.

Simpson, G., Tate, R. (2007). Preventing suicide after traumatic brain injury: implications for general practice. *Medical Journal of Australia*, 187(4), 229-232. [More Information]

Soo, C., Tate, R. (2007). Psychological treatment for anxiety in people with traumatic brain injury. *Cochrane Database of Systematic Reviews*. [More Information]

Soo, C., Tate, R., Hopman, K., Forman, M., Secheny, T., Aird, V., Browne, S., Coulston, C. (2007). Reliability of the Care and Needs Scale for Assessing Support Needs After Traumatic Brain Injury. *Journal of Head Trauma Rehabilitation*, 22(5), 288-295. [More Information]

Soo, C., Tate, R. (2007). Review: Psychological treatment for anxiety in people with traumatic brain injury. *Cochrane Database of Systematic Reviews*, (3), 1-23.

Taylor, C., Aird, V., Tate, R., Lammi, M. (2007). Sequence of recovery during the course of emergence from the minimally conscious state. *Archives of Physical Medicine and Rehabilitation*, 88(4), 521-525. [More Information]

Simpson, G., Tate, R. (2007). Suicidality in people surviving a traumatic brain injury: Prevalence, risk factors and implications for clinical management. *Brain Injury*, 21(13-14), 1335-1351. [More Information]

McCluskey, M., Johnson, M., Tate, R. (2007). The Process of Care Management Following Brain Injury: A Grounded Theory Study. *Brain Impairment*, 8(3), 293-311.

2006

Tate, R., Pfaff, A., Baguley, I., Marosszeky, J., Gurka, J., Hodgkinson, A., King, C., Lane-Brown, A., Hanna, J. (2006). A multicentre, randomised trial examining the effect of test procedures measuring emergence from post-traumatic amnesia. *Journal of Neurology, Neurosurgery and Psychiatry*, 77(7), 841-849. [More Information]

Winstanley, J., Tate, R., Simpson, G., Myles, B. (2006). Early Indicators and Contributors to Psychological Distress in Relatives During Rehabilitation Following Severe Traumatic Brain Injury: Findings From the Brain Injury Outcomes Study. *Journal of Head Trauma Rehabilitation*, 21(6), 453-466. [More Information]

Hassett, L., Moseley, A., Tate, R., Harmer, A. (2006). Fitness training for cardiorespiratory conditioning after traumatic brain injury (Protocol). *Cochrane Database of Systematic Reviews*, 2006 (3), 1-15. [More Information]

McDonald, S., Tate, R., Togher, L., Perdices, M., Moseley, A., Winders, K., Schultz, R., Smith, K. (2006). Improving evidence-based practice in rehabilitation: Introducing PscBITE TM. *Aphasiology*, 20(7), 676-683. [More Information]

Tate, R., Harris, R., Cameron, I., Myles, B., Winstanley, J., Hodgkinson, A., Baguley, I., Harradine, P. (2006). Recovery of impairments after severe traumatic brain injury: findings from a prospective, multicentre study. *Brain Impairment*, 7(1), 1-15.

Perdices, M., Schultz, R., Tate, R., McDonald, S., Togher, L., Savage, S., Winders, K., Smith, K. (2006). The evidence base of neuropsychological rehabilitation in acquired brain impairment (ABI): how good is the research? *Brain Impairment*, 7(2), 119-132.

Kangas, M., Tate, R. (2006). The significance of clumsy gestures in apraxia following a left hemisphere stroke. *Neuropsychological Rehabilitation*, 16(1), 38-65. [More Information]

Tate, R., Moseley, A., Perdices, M., McDonald, S., Togher, L., Schultz, R., Savage, S., Winders, K. (2006). Update on the Cicerone's Systematic Review of Cognitive Rehabilitation: The PscBITE perspective. *Archives of Physical Medicine and Rehabilitation*, 87(March), 446-446. [More Information]

2005

Piguet, O., Grayson, D., Tate, R., Bennett, H., Lye, T., Creasey, H., Brooks, W., Broe, G. (2005). A model of executive functions in very old community dwellers: evidence from The Sydney Older Persons Study. *Cortex*, 41(1), 27-37. [More Information]

Simpson, G., Tate, R. (2005). Clinical features of suicide attempts after traumatic brain injury. *The Journal of Nervous and Mental Disease*, 193(10), 680-685. [More Information]

Tate, R., Broe, G., Cameron, I., Hodgkinson, A., Soo, C. (2005). Pre-Injury, Injury and Early Post-Injury Predictors of Long-Term Functional and Psychosocial Recovery After Severe Traumatic Brain Injury. *Brain Impairment*, 6(2), 75-89.

Lammi, M., Smith, V., Tate, R., Taylor, C. (2005). The Minimally Conscious State and Recovery Potential: A Follow-Up Study 2 to 5 Years After Traumatic Brain Injury. *Archives of Physical Medicine and Rehabilitation*, 86(4), 746-754. [More Information]

2004

Tate, R. (2004). Assessing Support Needs For People With Traumatic Brain Injury: The Care And Needs Scale (CANS). *Brain Injury*, 18(5), 445-460. [More Information]

Kuipers, P., Kendall, M., Fleming, J., Tate, R. (2004). Comparison Of The Sydney Psychosocial Reintegration Scale (SPRS) With The Community Integration Questionnaire (CIQ): Psychometric Properties. *Brain Injury*, 18(2), 161-177. [More Information]

Tate, R., Perdices, M., McDonald, S., Togher, L., Moseley, A., Winders, K., Kangas, M., Schultz, R., Smith, K. (2004). Development Of A Database Of Rehabilitation Therapies For The Psychological Consequences Of Acquired Brain Impairment. *Neuropsychological Rehabilitation*, 14(5), 517-534. [More Information]

Tate, R., Pfaff, A., Veerabangsa, A., Hodgkinson, A. (2004). Measuring Psychosocial Recovery After Brain Injury: Change Versus Competency. *Archives of Physical Medicine and Rehabilitation*, 85(4), 538-545. [More Information]

Harradine, P., Winstanley, J., Tate, R., Cameron, I., Baguley, I., Harris, R. (2004). Severe Traumatic Brain Injury In New South Wales: Comparable Outcomes For Rural And Urban Residents. *Medical Journal of Australia*, 181(3), 130-134.

Tate, R., Strettlles, B., Osoteo, T. (2004). The Clinical Practice Of A Community Rehabilitation Team For People With Acquired Brain Injury. *Brain Impairment*, 5(1), 81-92.

Togher, L., Tate, R., McDonald, S., Perdices, M., Moseley, A. (2004). Which treatment works? Accessing the best available evidence is now easier than you thought!. *Acquiring Knowledge in Speech, Language and Hearing*, 6(2), 85-88.

2003

Tate, R., Douglas, J. (2003). Cognitive rehabilitation: emerging issues and paradigm shifts. *Brain Impairment*, 4(1), iii-v.

Tate, R., Strettlles, B., Osoteo, T. (2003). Enhancing outcomes after traumatic brain injury: a social rehabilitation approach. In Barbara A. Wilson (Eds.), *Neuropsychological Rehabilitation: Theory and Practice*, (pp. 137-169). Lisse, The Netherlands: Swets and Zeitlinger Publishers.

Tate, R. (2003). Impact of pre-injury factors on outcome after severe traumatic brain injury: Does post-traumatic personality change represent an exacerbation of premorbid traits? *Neuropsychological Rehabilitation*, 13(1), 43-64. [More Information]

Mather, F., Tate, R., Hannan, T. (2003). Post-traumatic stress disorder in children following road traffic accidents: a comparison of those with and without mild traumatic brain injury. *Brain Injury*, 17(12), 1077-1087. [More Information]

Middleton, J., Tate, R., Geraghty, T. (2003). Self-Efficacy and Spinal Cord injury : Psychometric Properties of a new scale. *Rehabilitation Psychology*, 48(4), 281-288. [More Information]

2002

McCathie, H., Spence, S., Tate, R. (2002). Adjustment to chronic obstructive pulmonary disease: the importance of psychological factors. *European Respiratory Journal*, 19(1), 1-7.

Tate, R. (2002). Emotional and Social Consequences of Memory Disorders. In AD Baddeley, MD Kopelman, BA Wilson (Eds.), *The Handbook of Memory Disorders*, (pp. 785-808). United States: John Wiley & Sons.

Piguet, O., Grayson, D., Broe, G., Tate, R., Bennett, H., Lye, T., Creasey, H., Ridley, J. (2002). Normal ageing and executive functions in "old-old" community dwellers: Poor performance is not an inevitable outcome. *International Psychogeriatrics*, 14(2), 139-159.

Simpson, G., Tate, R. (2002). Suicidality after traumatic brain injury: demographic, injury and clinical correlates. *Psychological Medicine*, 32(4), 687-697. [More Information]

2001

Tate, R., Perdices, M., Pfaff, A., Jurjevic, L. (2001). Predicting duration of posttraumatic amnesia (PTA) from early PTA measurements. *Journal of Head Trauma Rehabilitation*, 16, 525-542.

Tate, R., Smith, V., Taylor, D., Lammi, M. (2001). Recovery profiles of cognitive-sensory modalities in patients in the minimally conscious state following traumatic brain injury. *Brain Impairment*, 2, 29-38.

Tate, R., Blaszczyński, A., Simpson, G., Ferry, K., Hodgkinson, A. (2001). Social, neuroradiologic, medical, and neuropsychologic correlates of sexually aberrant behavior after traumatic brain injury: a controlled study. *Journal of Head Trauma Rehabilitation*, 16, 556-572.

Norris, M., Tate, R. (2001). The relationship between executive impairments and role functioning in schizophrenia. *Brain and Cognition*, 47, 230-259.