

## 2016

Indurthi Venkata, D., Lewis, T., Ahring, J., Balle, T., Collins, M., Absalom, N. (2016). Ligand binding at the (alpha)4-(alpha)4 agonist-binding site of the (alpha)4(beta)2 nAChR triggers receptor activation through a pre-activated conformational state. *PLoS One*, 11(8), 1-20. <a href="http://dx.doi.org/10.1371/journal.pone.0161154">[More Information]</a>

Shahsavari, A., Gajhede, M., Kastrup, J., Balle, T. (2016). Structural Studies of Nicotinic Acetylcholine Receptors: Using Acetylcholine Binding Protein as a Structural Surrogate. *Basic and Clinical Pharmacology and Toxicology*, 118(6), 399-407. <a href="http://dx.doi.org/10.1111/bcpt.12528">[More Information]</a>

## 2015

Shahsavari, A., Ahring, J., Olsen, J., Krintel, C., Kastrup, J., Balle, T., Gajhede, M. (2015). Acetylcholine-Binding Protein Engineered to Mimic the alpha4-alpha4 Binding Pocket in alpha4beta2 Nicotinic Acetylcholine Receptors Reveals Interface Specific Interactions Important for Binding and Activity. *Molecular Pharmacology*, 88(4), 697-707. <a href="http://dx.doi.org/10.1124/mol.115.098061">[More Information]</a>

De La Fuente Revenga, M., Balle, T., Jensen, A., Fr lund, B. (2015). Conformationally restrained carbamoylcholine homologues. Synthesis, pharmacology at neuronal nicotinic acetylcholine receptors and biostructural considerations. *European Journal of Medicinal Chemistry*, 102, 352-362. <a href="http://dx.doi.org/10.1016/j.ejmech.2015.07.029">[More Information]</a>

Ahring, J., Olsen, J., Nielsen, E., Peters, D., Pedersen, M., Rohde, L., Kastrup, J., Shahsavari, A., Indurthi Venkata, D., Chebib, M., Balle, T., et al (2015). Engineered alpha4beta2 nicotinic acetylcholine receptors as models for measuring agonist binding and effect at the orthosteric low-affinity alpha4-alpha4 interface. *Neuropharmacology*, 92, 135-145. <a href="http://dx.doi.org/10.1016/j.neuropharm.2014.12.035">[More Information]</a>

Bach, T., Jensen, A., Petersen, J., Sorensen, T., Della Volpe, S., Liu, J., Blaazer, A., Van Muijlwijk-Koezen, J., Balle, T., Frolund, B. (2015). Exploration of the molecular architecture of the orthosteric binding site in the alpha4beta2 nicotinic acetylcholine receptor with analogs of 3-(dimethylamino)butyl dimethylcarbamate (DMABC) and 1-(pyridin-3-yl)-1,4-diazepane. *European Journal of Medicinal Chemistry*, 102, 425-444. <a href="http://dx.doi.org/10.1016/j.ejmech.2015.07.024">[More Information]</a>

Shahsavari, A., Balle, T. (2015). From Shellfish Poisoning to Neuroscience. *Structure*, 23(6), 979-980. <a href="http://dx.doi.org/10.1016/j.str.2015.05.008">[More Information]</a>

Krall, J., Balle, T., Krogsgaard-Larsen, N., Sorensen, T., Krogsgaard-Larsen, P., Kristiansen, U., Frolund, B. (2015). GABAA Receptor Partial Agonists and Antagonists: Structure, Binding Mode, and Pharmacology. *Advances in Pharmacology*, 72, 201-227. <a href="http://dx.doi.org/10.1016/bs.apha.2014.10.003">[More Information]</a>

Neumann, S., Shields, N., Balle, T., Chebib, M., Clarkson, A. (2015). Innate Immunity and Inflammation Post-Stroke: An alpha7-Nicotinic Agonist Perspective. *International Journal of Molecular Sciences*, 16(12), 29029-29046. <a href="http://dx.doi.org/10.3390/ijms161226141">[More Information]</a>

Hellyer, S., Indurthi Venkata, D., Balle, T., Runder-Varga, V., Selwood, A., Tyndall, J., Chebib, M., Rhodes, L., Kerr, S. (2015). Pinnatoxins E, F and G target multiple nicotinic receptor subtypes. *Journal of Neurochemistry*, 135(3), 479-491. <a href="http://dx.doi.org/10.1111/jnc.13245">[More Information]</a>

Gallagher, R., Chebib, M., Balle, T., McLeod, M. (2015). Thiol-Reactive Analogues of Galanthamine, Codeine, and Morphine as Potential Probes to Interrogate Allosteric Binding within Nicotinic Acetylcholine Receptors. *Australian Journal of Chemistry*, 68(12), 1834-1841. <a href="http://dx.doi.org/10.1071/CH15475">[More Information]</a>

Petersen, I., Crestey, F., Jensen, A., Indurthi Venkata, D., Pedersen, H., Andreasen, J., Balle, T., Kristensen, J. (2015). Tying up Nicotine: New Selective Competitive Antagonist of the Neuronal Nicotinic Acetylcholine Receptors. *ACS Medicinal Chemistry Letters*, 6(4), 472-475. <a href="http://dx.doi.org/10.1021/acsmchemlett.5b00028">[More Information]</a>

## 2014

Krall, J., Kongstad, K., Nielsen, B., Sorensen, T., Balle, T., Jensen, A., Frolund, B. (2014). 5-(Piperidin-4-yl)-3-Hydroxypyrazole: A Novel Scaffold for Probing the Orthosteric gamma-Aminobutyric Acid Type A Receptor Binding Site. *ChemMedChem: chemistry enabling drug discovery*, 9(11), 2475-2485. <a href="http://dx.doi.org/10.1002/cmdc.201402248">[More Information]</a>

Olsen, J., Balle, T., Gajhede, M., Ahring, J., Kastrup, J. (2014). Molecular Recognition of the Neurotransmitter Acetylcholine by an Acetylcholine Binding Protein Reveals Determinants of Binding to Nicotinic Acetylcholine Receptors. *PLoS One*, 9(3), 1-8. <a href="http://dx.doi.org/10.1371/journal.pone.0091232">[More Information]</a>

Petersen, J., Bergmann, R., Krogsgaard-Larsen, P., Balle, T., Frolund, B. (2014). Probing the Orthosteric Binding Site of GABAA Receptors with Heterocyclic GABA Carboxylic Acid Bioisosteres. *Neurochemical Research*, 39(6), 1005-1015. <a href="http://dx.doi.org/10.1007/s11064-013-1226-6">[More Information]</a>

Krogsgaard-Larsen, N., Harps e, K., Kehler, J., Christoffersen, C., Broesen, P., Balle, T. (2014). Revision of the Classical Dopamine D2 Agonist Pharmacophore Based on an Integrated Medicinal Chemistry, Homology Modelling and Computational Docking Approach. *Neurochemical Research*, 39(10), 1997-2007. <a href="http://dx.doi.org/10.1007/s11064-014-1314-2">[More Information]</a>

Olsen, J., Ahring, J., Kastrup, J., Gajhede, M., Balle, T. (2014). Structural and Functional Studies of the Modulator NS9283

Reveal Agonist-like Mechanism of Action at  $\alpha 4\beta 2$  Nicotinic Acetylcholine Receptors. *The Journal of Biological Chemistry*, 289(36), 24911-24921. <a href="http://dx.doi.org/10.1074/jbc.M114.568097">[More Information]</a>

Petersen, J., Soerensen, T., Damgaard, M., Nielsen, B., Jensen, A., Balle, T., Bergmann, R., FrÅlund, B. (2014). Synthesis and pharmacological evaluation of 6-aminonicotinic acid analogues as novel GABAA receptor agonists. *European Journal of Medicinal Chemistry*, 84, 404-416. <a href="http://dx.doi.org/10.1016/j.ejmech.2014.07.039">[More Information]</a>

## 2013

Bergmann, R., Kongsbak, K., S&oslash;rensen, P., Sander, T., Balle, T. (2013). A unified model of the GABA(A) receptor comprising agonist and benzodiazepine binding sites. *PloS One*, 8(1), 1-13. <a href="http://dx.doi.org/10.1371/journal.pone.0052323">[More Information]</a>

Absalom, N., Quek, G., Lewis, T., Qudah, T., von Arenstorff, I., Ambrus, J., HarpsÅe, K., Karim, N., Balle, T., McLeod, M., Chebib, M. (2013). Covalent trapping of methyllycaconitine at the  $\alpha 4\text{-}\alpha 4$  interface of the  $\alpha 4\beta 2$  nicotinic acetylcholine receptor: antagonist binding site and mode of receptor inhibition revealed. *Journal of Biological Chemistry*, 288(37), 26521-26532. <a href="http://dx.doi.org/10.1074/jbc.M113.475053">[More Information]</a>

Crestey, F., Jensen, A., Borch, M., Andreasen, J., Andersen, J., Balle, T., Kristensen, J. (2013). Design, Synthesis, and Biological Evaluation of Erythrina Alkaloid Analogues as Neuronal Nicotinic Acetylcholine Receptor Antagonists. *Journal of Medicinal Chemistry*, 56(23), 9673-9682. <a href="http://dx.doi.org/10.1021/jm4013592">[More Information]</a>

Jorgensen, M., Jorgensen, P., Christoffersen, C., Jensen, K., Balle, T., Bang-Andersen, B. (2013). Discovery of novel  $\alpha 1$ -adrenoceptor ligands based on the antipsychotic sertindole suitable for labeling as PET ligands. *Bioorganic and Medicinal Chemistry*, 21(1), 196-204. <a href="http://dx.doi.org/10.1016/j.bmc.2012.10.049">[More Information]</a>

Krall, J., Jensen, C., Sorensen, T., Nielsen, B., Jensen, A., Sander, T., Balle, T., Frolund, B. (2013). Exploring the Orthosteric Binding Site of the  $\gamma$ -Aminobutyric Acid Type A Receptor Using 4-(Piperidin-4-yl)-1-hydroxypyrazoles 3- or 5-Imidazolyl Substituted: Design, Synthesis, and Pharmacological Evaluation. *Journal of Medicinal Chemistry*, 56(16), 6536-6540. <a href="http://dx.doi.org/10.1021/jm4006466">[More Information]</a>

HarpsÅe, K., Hald, H., Timmermann, D., Jensen, M., Dyhring, T., Nielsen, E., Peters, D., Balle, T., Gajhede, M., Kastrup, J., et al (2013). Molecular determinants of subtype-selective efficacies of cytosine and the novel compound NS3861 at heteromeric nicotinic acetylcholine receptors. *The Journal of Biological Chemistry*, 288(4), 2559-2570. <a href="http://dx.doi.org/10.1074/jbc.M112.436337">[More Information]</a>

Eildal, J., Hultqvist, G., Balle, T., Stuhr-Hansen, N., Padrah, S., Gianni, S., StrÅmgaard, K., Jemth, P. (2013). Probing the role of backbone hydrogen bonds in protein-peptide interactions by amide-to-ester mutations. *Journal of the American Chemical Society*, 135(35), 12998-13007. <a href="http://dx.doi.org/10.1021/ja402875h">[More Information]</a>

Risgaard, R., Ettrup, A., Balle, T., Dyssegaard, A., Hansen, H., Lehel, S., Madsen, J., Pedersen, H., PÅschl, A., Badolo, L., et al (2013). Radiolabelling and PET brain imaging of the ( $\alpha$ )-adrenoceptor antagonist Lu AE43936. *Nuclear Medicine and Biology*, 40(1), 135-140. <a href="http://dx.doi.org/10.1016/j.nucmedbio.2012.09.010">[More Information]</a>

Airaksinen, A., Finnema, S., Balle, T., Varnas, K., Bang-Andersen, B., Gulyas, B., Farde, L., Halldin, C. (2013). Radiosynthesis and evaluation of a new  $\alpha 1$ -adrenoceptor antagonists as PET radioligands for brain imaging. *Nuclear Medicine and Biology*, 40(6), 747-754. <a href="http://dx.doi.org/10.1016/j.nucmedbio.2013.05.007">[More Information]</a>

Petersen, J., Bergmann, R., Moller, H., Jorgensen, C., Nielsen, B., Kehler, J., Frydenvang, K., Kristensen, J., Balle, T., Jensen, A., et al (2013). Synthesis and biological evaluation of 4-(aminomethyl)-1-hydroxypyrazole analogues of muscimol as  $1\beta$ -aminobutyric acid(a) receptor agonists. *Journal of Medicinal Chemistry*, 56(3), 993-1006. <a href="http://dx.doi.org/10.1021/jm301473k">[More Information]</a>

Ussing, C., Hansen, C., Petersen, J., Jensen, A., Rohde, L., Ahring, P., Nielsen, E., Kastrup, J., Gajhede, M., FrÅlund, B., Balle, T. (2013). Synthesis, pharmacology, and biostructural characterization of novel  $\alpha 4\beta 2$  nicotinic acetylcholine receptor agonists. *Journal of Medicinal Chemistry*, 56(3), 940-951. <a href="http://dx.doi.org/10.1021/jm301409f">[More Information]</a>

Olsen, J., Kastrup, J., Peters, D., Gajhede, M., Balle, T., Ahring, J. (2013). Two Distinct Allosteric Binding Sites at  $\alpha 4\beta 2$  Nicotinic Acetylcholine Receptors Revealed by NS206 and NS9283 Give Unique Insights to Binding Activity-associated Linkage at Cys-loop Receptors. *Journal of Biological Chemistry*, 288(50), 35997-36006. <a href="http://dx.doi.org/10.1074/jbc.M113.498618">[More Information]</a>

## 2012

Tosco, P., Balle, T. (2012). A 3D-QSAR-Driven Approach to Binding Mode and Affinity Prediction. *Journal of Chemical Information and Modeling*, 52(2), 302-307. <a href="http://dx.doi.org/10.1021/ci200411s">[More Information]</a>

Ambrus, J., Halliday, J., Kanizaj, N., Absalom, N., HarpsÅe, K., Balle, T., Chebib, M., McLeod, M. (2012). Covalent attachment of antagonists to the ( $\alpha 7$ ) nicotinic acetylcholine receptor: synthesis and reactivity of substituted maleimides. *Chemical Communications*, 48(53), 6699-6701. <a href="http://dx.doi.org/10.1039/c2cc32442c">[More Information]</a>

Shahsavari, A., Kastrup, J., Nielsen, E., Kristensen, J., Gajhede, M., Balle, T. (2012). Crystal structure of Lymnaea stagnalis AChBP complexed with the potent nAChR antagonist DHIE suggests a unique mode of antagonism. *PloS One*, 7(8), 1-9. <a href="http://dx.doi.org/10.1371/journal.pone.0040757">[More Information]</a>

Trattnig, S., HarpsÅe, K., Thygesen, S., Rahr, L., Ahring, P., Balle, T., Jensen, A. (2012). Discovery of a Novel Allosteric Modulator of 5-HT<sub>3</sub> Receptors: Inhibition and potentiation of cys-loop receptor signaling through a conserved transmembrane intersubunit site. *Journal of Biological Chemistry*, 287(30), 25241-25254. <a href="http://dx.doi.org/10.1074/jbc.M112.360370">[More Information]</a>

Rohde, L., Ahring, P., Jensen, M., Nielsen, E., Peters, D.,

Helgstrand, C., Krintel, C., HarpsÅ, e, K., Gajhede, M., Kastrup, J., et al (2012). Intersubunit Bridge Formation Governs Agonist Efficacy at Nicotinic Acetylcholine (alpha)4(beta)2 Receptors: Unique role of halogen bonding revealed. *Journal of Biological Chemistry*, 287(6), 4248-4259. <a href="http://dx.doi.org/10.1074/jbc.M111.292243">[More Information]</a>

## 2011

Isberg, V., Balle, T., Sander, T., J&oslash;lsh;rgensen, F., Gloriam, D. (2011). G protein-and agonist-bound serotonin 5-HT2A receptor model activated by steered molecular dynamics simulations. *Journal of Chemical Information and Modeling*, 51(2), 315-325. <a href="http://dx.doi.org/10.1021/ci100402f">[More Information]</a>

Sander, T., Fr&oslash;lsh;lund, B., Bruun, A., Ivanov, I., McCammon, J., Balle, T. (2011). New insights into the GABAA receptor structure and orthosteric ligand binding: Receptor modeling guided by experimental data. *Proteins: Structure, Function, and Bioinformatics*, 79(5), 1458-1477. <a href="http://dx.doi.org/10.1002/prot.22975">[More Information]</a>

Tosco, P., Balle, T., Shiri, F. (2011). Open3DALIGN: an open-source software aimed at unsupervised ligand alignment. *Journal of Computer - Aided Molecular Design*, 25(8), 777-783. <a href="http://dx.doi.org/10.1007/s10822-011-9462-9">[More Information]</a>

Tosco, P., Balle, T. (2011). Open3DQSAR: a new open-source software aimed at high-throughput chemometric analysis of molecular interaction fields. *Journal of Molecular Modeling*, 17, 201-208. <a href="http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\_uids=20383726">[More Information]</a>

Tosco, P., Balle, T., Shiri, F. (2011). SDF2XYZ2SDF: how to exploit TINKER power in cheminformatics projects. *Journal of Molecular Modeling*, 17(11), 3021-3023. <a href="http://dx.doi.org/10.1007/s00894-011-1111-7">[More Information]</a>

HarpsÅ, e, K., Ahring, P., Jensen, M., Christensen, J., Peters, D., Balle, T. (2011). Unraveling the High- and Low-Sensitivity Agonist Responses of Nicotinic Acetylcholine Receptors. *The Journal of Neuroscience*, 31(30), 10759-10766. <a href="http://dx.doi.org/10.1523/JNEUROSCI.1509-11.2011">[More Information]</a>

## 2010

Sander, T., Bruun, A., Balle, T. (2010). Docking to flexible nicotinic acetylcholine receptors: A validation study using the acetylcholine binding protein. *Journal of Molecular Graphics and Modelling*, 29(3), 415-424. <a href="http://dx.doi.org/10.1016/j.jmgm.2010.08.004">[More Information]</a>

Kristensen, J., PÅ¼schl, A., Jensen, M., Risgaard, R., Christoffersen, C., Bang-Andersen, B., Balle, T. (2010). Exploring the Neuroleptic Substituent in OctoclothePIN: Potential Ligands for Positron Emission Tomography with Subnanomolar Affinity for alpha1-Adrenoceptors. *Journal of Medicinal Chemistry*, 53(19), 7021-7034. <a href="http://dx.doi.org/10.1021/jm100652h">[More Information]</a>

Jensen, A., Bergmann, M., Sander, T., Balle, T. (2010). Ginkgolide X is a potent antagonist of anionic Cys-loop receptors with a unique selectivity profile at glycine receptors.

*Journal of Biological Chemistry*, 285, 10141-10153. <a href="http://dx.doi.org/10.1074/jbc.M109.079319">[More Information]</a>

Moller, H., Sander, T., Kristensen, J., Nielsen, B., Krall, J., Bergmann, M., Christiansen, B., Balle, T., Jensen, A., Fr&oslash;lsh;lund, B. (2010). Novel 4-(piperidin-4-yl)-1-hydroxypyrazoles as gamma-aminobutyric acid(A) receptor ligands: synthesis, pharmacology, and structure-activity relationships. *Journal of Medicinal Chemistry*, 53(8), 3417-3421. <a href="http://dx.doi.org/10.1021/jm100106r">[More Information]</a>

## 2009

Hansen, C., Jensen, A., Balle, T., Bitsch-Jensen, K., Hassan, M., Liljefors, T., Fr&oslash;lsh;lund, B. (2009). Carbamoylcholine analogs as nicotinic acetylcholine receptor agonists-Structural modifications of 3-(dimethylamino)butyl dimethylcarbamate (DMABC). *Bioorganic & Medicinal Chemistry Letters*, 19(1), 87-91. <a href="http://dx.doi.org/10.1016/j.bmcl.2008.11.011">[More Information]</a>

Tosco, P., Ahring, P., Dyhring, T., Peters, D., HarpsÅ, e, K., Liljefors, T., Balle, T. (2009). Complementary Three-Dimensional Quantitative Structure-Activity Relationship Modeling of Binding Affinity and Functional Potency: A Study on alpha4beta2 Nicotinic Ligands. *Journal of Medicinal Chemistry*, 52(8), 2311-2316. <a href="http://dx.doi.org/10.1021/jm801060h">[More Information]</a>

Tosco, P., Ahring, P., Dyhring, T., Peters, D., Harpsae, K., Liljefors, T., Balle, T. (2009). Complementary three-dimensional quantitative structure-activity relationship modeling of binding affinity and functional potency: a study on alpha4beta2 nicotinic ligands. *Journal of Medicinal Chemistry*, 52(8), 2311-2316. <a href="http://dx.doi.org/10.1021/jm801060h">[More Information]</a>

Armishaw, C., Jensen, A., Balle, T., Clark, R., Harpsae, K., Skonberg, C., Liljefors, T., Stramgaard, K. (2009). Rational design of alpha-conotoxin analogues targeting alpha7 nicotinic acetylcholine receptors: improved antagonistic activity by incorporation of proline derivatives. *The Journal of Biological Chemistry*, 284(14), 9498-9512. <a href="http://dx.doi.org/10.1074/jbc.M806136200">[More Information]</a>

Armishaw, C., Jensen, A., Balle, T., Clark, R., HarpsÅ, e, K., Skonberg, C., Liljefors, T., Stromgaard, K. (2009). Rational design of alpha-conotoxin analogues targeting alpha7 nicotinic acetylcholine receptors: improved antagonistic activity by incorporation of proline derivatives. *Journal of Biological Chemistry*, 284, 9498-9512. <a href="http://dx.doi.org/10.1074/jbc.M806136200">[More Information]</a>

## 2008

Hansen, C., Jensen, A., Christensen, J., Balle, T., Liljefors, T., Fr&oslash;lsh;lund, B. (2008). Novel Acetylcholine and Carbamoylcholine Analogues: Development of a Functionally Selective alpha4beta2 Nicotinic Acetylcholine Receptor Agonist. *Journal of Medicinal Chemistry*, 51(23), 7380-7395. <a href="http://dx.doi.org/10.1021/jm701625v">[More Information]</a>

HarpsÅ, e, K., Liljefors, T., Balle, T. (2008). Prediction of the binding mode of biarylpropylsulfonamide allosteric AMPA receptor modulators based on docking, GRID molecular interaction fields and 3D-QSAR analysis. *Journal of Molecular*

*Graphics and Modelling*, 26(5), 874-883. <a href="http://dx.doi.org/10.1016/j.jmgm.2007.06.002">[More Information]</a>

Sander, T., Liljefors, T., Balle, T. (2008). Prediction of the receptor conformation for iGluR2 agonist binding: QM/MM docking to an extensive conformational ensemble generated using normal mode analysis. *Journal of Molecular Graphics and Modelling*, 26(8), 1259-1268. <a href="http://dx.doi.org/10.1016/j.jmgm.2007.11.006">[More Information]</a>

## 2006

Audouze, K., Nielsen, E., Olsen, G., Ahring, P., Jørgensen, T., Peters, D., Liljefors, T., Balle, T. (2006). New Ligands with Affinity for the alpha4beta2 Subtype of Nicotinic Acetylcholine Receptors. Synthesis, Receptor Binding, and 3D-QSAR Modeling. *Journal of Medicinal Chemistry*, 49, 3159-3171. <a href="http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\_uids=16722635">[More Information]</a>

Balle, T., Begtrup, M., Jaroszewski, J., Liljefors, T., Norrby, P. (2006). Regioselectivity in lithiation of 1-methylpyrazole: experimental, density functional theory and multinuclear NMR study. *Organic and Biomolecular Chemistry*, 4, 1261-1267. <a href="http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\_uids=16557314">[More Information]</a>

## 2004

Balle, T., Halldin, C., Andersen, L., Alifrangis, L., Badolo, L., Jensen, K., Chou, Y., Andersen, K., Perregaard, J., Farde, L. (2004). New Alpha(1)-adrenoceptor antagonists derived from the antipsychotic sertindole - carbon-11 labelling and pet examination of brain uptake in the cynomolgus monkey. *Nuclear Medicine and Biology*, 31, 327-336.

## 2003

Balle, T., Andersen, K., Sørensen, K., Liljefors, T. (2003). Alpha(1) adrenoceptor subtype selectivity. 3D-QSAR models for a new class of alpha(1) adrenoceptor antagonists derived from the novel antipsychotic sertindole. *Journal of Molecular Graphics and Modelling*, 21, 523-534.

Balle, T., Perregaard, J., Ramirez, M., Larsen, A., Sørensen, K., Liljefors, T., Andersen, K. (2003). Synthesis and Structure-Affinity Relationship Investigations of 5-Heteroaryl-Substituted Analogues of the Antipsychotic Sertindole. A New Class of Highly Selective Alpha(1) Adrenoceptor Antagonists. *Journal of Medicinal Chemistry*, 46, 265-283.