

Publications for Anne Moseley

2018

Gonzalez, G., Moseley, A., Maher, C., Nascimento, D., Costa, L., Costa, L. (2018). Methodologic quality and statistical reporting of physical therapy randomized controlled trials relevant to musculoskeletal conditions. *Archives of Physical Medicine and Rehabilitation*, 99(1), 129-136. [More Information]

Moseley, A., Elkins, M. (2018). Physiotherapy Evidence Database (PEDro): 18.6 million questions answered..and counting [Base de datos de Fisioterapia basada en la Evidencia (PEDro): 18,6 millones de preguntas respondidas, y seguimos contando]. *Fisioterapia: revista de salud, discapacidad y terapeutica fisica*, 40(3), 109-111. [More Information]

Yamato, T., Arora, M., Stevens, M., Elkins, M., Moseley, A. (2018). Quality, language, subdiscipline and promotion were associated with article accesses on Physiotherapy Evidence Database (PEDro). *Physiotherapy*, 104(1), 122-128. [More Information]

Yamato, T., Maher, C., Saragiotto, B., Catley, M., Moseley, A. (2018). Rasch analysis suggested that items from the Template for Intervention Description and Replication (TIDieR) checklist can be summed to create a score. *Journal of Clinical Epidemiology*, 101, 28-34. [More Information]

Hassett, L., Wong, S., Sheaves, E., Daher, M., Grady, A., Egan, C., Seeto, C., Hosking, T., Moseley, A. (2018). Time use and physical activity in a specialised brain injury rehabilitation unit: an observational study. *Brain Injury*, 32(7), 850-857. [More Information]

2017

Hoderlein, X., Moseley, A., Elkins, M. (2017). Citation of prior research has increased in introduction and discussion sections with time: A survey of clinical trials in physiotherapy. *Clinical Trials*, 14(4), 372-380. [More Information]

Yamato, T., Maher, C., Saragiotto, B., Abdel Shaheed, C., Moseley, A., Lin, C., Koes, B., McLachlan, A. (2017). Comparison of effect sizes between enriched and nonenriched trials of analgesics for chronic musculoskeletal pain: a systematic review. *British Journal of Clinical Pharmacology*, 83(11), 2347-2355. [More Information]

Beckenkamp, P., Lin, C., Macaskill, P., Michaleff, Z., Maher, C., Moseley, A. (2017). Diagnostic accuracy of the Ottawa Ankle and Midfoot Rules: a systematic review with meta-analysis. *British Journal of Sports Medicine*, 51(6), 504-510. [More Information]

Stevens, M., Moseley, A., Elkins, M., Lin, C., Maher, C. (2017). Evidence-based physiotherapy and the use of PEDro:

Re: Condon C, McGrane N, Mockler D, et al. Ability of physiotherapists to undertake evidence-based practice steps: a scoping review. *Physiotherapy*, 103(3), 337-338. [More Information]

Hassett, L., Moseley, A., Harmer, A. (2017). Fitness training for cardiorespiratory conditioning after traumatic brain injury. *Cochrane Database of Systematic Reviews*, 2017 (12), 1-65. [More Information]

Harvey, L., Katalinic, O., Herbert, R., Moseley, A., Lannin, N., Schurr, K. (2017). Stretch for the treatment and prevention of contracture: an abridged republication of a Cochrane Systematic Review. *Journal of Physiotherapy*, 63(2), 67-75. [More Information]

Harvey, L., Katalinic, O., Herbert, R., Moseley, A., Lannin, N., Schurr, K. (2017). Stretch for the treatment and prevention of contractures. *Cochrane Database of Systematic Reviews*, 2017 (1), 1-181. [More Information]

Yamato, T., Maher, C., Koes, B., Moseley, A. (2017). The PEDro scale had acceptably high convergent validity, construct validity, and interrater reliability in evaluating methodological quality of pharmaceutical trials. *Journal of Clinical Epidemiology*, 86, 176-181. [More Information]

Uzeloto, J., Moseley, A., Elkins, M., Franco, M., Pinto, R., Freire, A., Ramos, E. (2017). The quality of clinical practice guidelines for chronic respiratory diseases and the reliability of the AGREE II: an observational study. *Physiotherapy*, 103(4), 439-445. [More Information]

Yamato, T., Maher, C., Saragiotto, B., Moseley, A., Hoffmann, T., Elkins, M., Hasson, S. (2017). The TIDieR checklist will benefit the physiotherapy profession. *Physiotherapy Theory and Practice*, 33(4), 267-268. [More Information]

2016

Saragiotto, B., Maher, C., Moseley, A., Yamato, T., Koes, B., Sun, X., Hancock, M. (2016). A systematic review reveals that the credibility of subgroup claims in low back pain trials was low. *Journal of Clinical Epidemiology*, 79, 3-9. [More Information]

Sherrington, C., Fairhall, N., Kirkham, C., Clemson, L., Howard, K., Vogler, C., Close, J., Moseley, A., Cameron, I., Mak, J., Sonnabend, D., et al (2016). Exercise and fall prevention self-management to reduce mobility-related disability and falls after fall-related lower limb fracture in older people: protocol for the RESTORE (Recovery Exercises and STepping On after fracture) randomised controlled trial. *BMC Geriatrics*, 16(1), 1-10. [More Information]

Information]

Maas, E., Maher, C., Moseley, A., Annevelink, R., Jagersma, J., Ostelo, R. (2016). Funding is related to the quality, conduct, and reporting of trial reports in musculoskeletal physical therapy: A survey of 210 published trials. *Physiotherapy Theory and Practice*, 32(8), 628-635. [More Information]

Yamato, T., Maher, C., Saragiotto, B., Hoffmann, T., Moseley, A. (2016). How completely are physiotherapy interventions described in reports of randomised trials? *Physiotherapy*, 102(2), 121-126. [More Information]

Yamato, T., Maher, C., Saragiotto, B., Moseley, A., Hoffmann, T., Elkins, M., Petersen, S., Riley, S., Brismee, J. (2016). Improving completeness and transparency of reporting in clinical trials using the template for intervention description and replication (TIDieR) checklist will benefit the physiotherapy profession. *The Journal of Manual and Manipulative Therapy*, 24(4), 183-184. [More Information]

Beckenkamp, P., Lin, C., Engelen, L., Moseley, A. (2016). Reduced physical activity in people following ankle fractures: A longitudinal study. *Journal of Orthopaedic and Sports Physical Therapy*, 46(4), 235-242. [More Information]

Hassett, L., Moseley, A., Harmer, A. (2016). The Aetiology of Reduced Cardiorespiratory Fitness Among Adults with Severe Traumatic Brain Injury and the Relationship with Physical Activity: A Narrative Review. *Brain Impairment*, 17(1), 43-54. [More Information]

Yamato, T., Maher, C., Saragiotto, B., Moseley, A., Hoffmann, T., Elkins, M., Jull, G., Moore, A. (2016). The TIDieR (Template for Intervention, descriptor and replication) checklist will benefit the physiotherapy profession. *Manual Therapy*, 24, v-vi. [More Information]

Yamato, T., Maher, C., Saragiotto, B., Moseley, A., Hoffmann, T., Elkins, M., Jette, A. (2016). The TIDieR Checklist Will Benefit the Physical Therapy Profession. *Physical Therapy*, 96(7), 930-931. [More Information]

Yamato, T., Maher, C., Saragiotto, B., Moseley, A., Hoffmann, T., Elkins, M., Camargo, P. (2016). The TIDieR checklist will benefit the physical therapy profession. *Brazilian Journal of Physical Therapy*, 20(3), 191-193. [More Information]

Yamato, T., Maher, C., Saragiotto, B., Moseley, A., Hoffmann, T., Elkins, M., Feters, L. (2016). The TIDieR checklist will benefit the physical therapy profession. *Pediatric Physical Therapy*, 28(4), 366-367. [More Information]

Yamato, T., Maher, C., Saragiotto, B., Moseley, A., Hoffmann, T., Elkins, M., Abbott, J. (2016). The TIDieR checklist will benefit the physical therapy profession. *Journal of Orthopaedic and Sports Physical Therapy*, 46(6), 402-404. [More

Information]

Yamato, T., Maher, C., Saragiotto, B., Moseley, A., Hoffmann, T., Elkins, M. (2016). The TIDieR checklist will benefit the physiotherapy profession. *Journal of Physiotherapy*, 62(2), 57-58. [More Information]

Yamato, T., Maher, C., Saragiotto, B., Moseley, A., Hoffmann, T., Elkins, M., Brooks, D. (2016). The TIDieR checklist will benefit the physiotherapy profession. *Physiotherapy Canada*, 68(4), 311-314. [More Information]

Stevens, M., Moseley, A., Elkins, M., Lin, C., Maher, C. (2016). What searches do users run on PEDro? An analysis of 893,971 search commands over a 6-month period. *Methods of Information in Medicine*, 55(4), 333-339. [More Information]

2015

Kamper, S., Moseley, A., Herbert, R., Maher, C., Elkins, M., Sherrington, C. (2015). 15 years of tracking physiotherapy evidence on PEDro, where are we now? *British Journal of Sports Medicine*, 49(14), 507-509. [More Information]

Yamato, T., Maher, C., Saragiotto, B., Hoffman, T., Moseley, A. (2015). Do physiotherapy trials adequately report the interventions they test? *Fysioterapeuten*, 6(15), 39-39.

Elkins, M., Moseley, A. (2015). Intention-to-treat analysis. *Journal of Physiotherapy*, 61(3), 165-167. [More Information]

Moseley, A., Beckenkamp, P., Haas, M., Herbert, R., Lin, C. (2015). Rehabilitation after immobilization for ankle fracture: The EXACT randomized clinical trial. *JAMA*, 314(13), 1376-1385. [More Information]

Hassett, L., Moseley, A., Harmer, A., Van Der Ploeg, H. (2015). The Reliability, Validity, and Feasibility of Physical Activity Measurement in Adults With Traumatic Brain Injury: An Observational Study. *Journal of Head Trauma Rehabilitation*, 30(2), E55-E61. [More Information]

Elkins, M., Moseley, A., Pinto, R. (2015). Usage evaluation of the physiotherapy evidence database (PEDro) among Brazilian physical therapists. *Brazilian Journal of Physical Therapy*, 19(4), 320-328. [More Information]

2014

Kamper, S., Moseley, A., Elkins, M. (2014). Clinical trials in sports physiotherapy. Building on five decades of research to produce even better trials: a critical review and tips for improvements. *British Journal of Sports Medicine*, 48(5), 346-348. [More Information]

Saragiotto, B., Costa, L., Oliveira, R., Lopes, A., Moseley, A., Costa, L. (2014). Description of research design of articles published in four Brazilian physical therapy journals. *Brazilian Journal of Physical Therapy*, 18(1), 56-62. <a href="http://dx.doi.org/10.1590/S1413-

35552012005000136">[More Information]

Woodward, L., Clemson, L., Moseley, A., Lord, S., Cameron, I., Sherrington, C. (2014). Most functional outcomes are similar for men and women after hip fracture: a secondary analysis of the enhancing mobility after hip fracture trial. *BMC Geriatrics*, 14, 1-7. [More Information]

Maher, C., Elkins, M., Herbert, R., Moseley, A., Sherrington, C., Kamper, S. (2014). On "Identifying items to assess methodological quality.." Armio-Olivo A, Cummings GC, Fuentes J, et al. *Phys Ther*. 2014;94:1272-1284. *Physical Therapy*, 94(12), 1826-1826. [More Information]

Beckenkamp, P., Lin, C., Chagpar, S., Herbert, R., Van Der Ploeg, H., Moseley, A. (2014). Prognosis of Physical Function Following Ankle Fracture: A Systematic Review With Meta-Analysis. *Journal of Orthopaedic and Sports Physical Therapy*, 44(11), 841-851. [More Information]

Leung, J., Harvey, L., Moseley, A., Whiteside, B., Simpson, M., Stroud, K. (2014). Standing with electrical stimulation and splinting is no better than standing alone for management of ankle plantarflexion contractures in people with traumatic brain injury: a randomised trial. *Journal of Physiotherapy*, 60(4), 201-208. [More Information]

Leung, J., Smith, R., Harvey, L., Moseley, A., Chapparo, J. (2014). The impact of simulated ankle plantarflexion contracture on the knee joint during stance phase of gait: A within-subject study. *Clinical Biomechanics*, 29(4), 423-428. [More Information]

Moseley, A., Elkins, M., Janer-Duncan, L., Hush, J. (2014). The Quality of Reports of Randomized Controlled Trials Varies between Subdisciplines of Physiotherapy. *Physiotherapy Canada*, 66(1), 36-43. [More Information]

2013

Leung, J., Harvey, L., Moseley, A. (2013). An Intensive Programme of Passive Stretch and Motor Training to Manage Severe Knee Contractures after Traumatic Brain Injury: A Case Report. *Physiotherapy Canada*, 65(3), 223-228. [More Information]

Costa, L., Maher, C., Moseley, A., Elkins, M., Shiwa, S., Herbert, R., Sherrington, C. (2013). da Costa and colleagues' criticism of PEDro scores is not supported by the data. *Journal of Clinical Epidemiology*, 66(10), 1192-1193. [More Information]

Elkins, M., Moseley, A., Sherrington, C., Herbert, R., Maher, C. (2013). Growth in the Physiotherapy Evidence Database (PEDro) and use of the PEDro scale. *British Journal of Sports Medicine*, 47(4), 188-189. [More Information]

Shiwa, S., Moseley, A., Maher, C., Pena Costa, L. (2013). Language of publication has a small influence on the quality of reports of controlled trials of physiotherapy interventions.

Journal of Clinical Epidemiology, 66(1), 78-84. [More Information]

Zambelli de Almeida Pinto, R., Elkins, M., Moseley, A., Sherrington, C., Herbert, R., Maher, C., Ferreira, P., Ferreira, M. (2013). Many Randomized Trials of Physical Therapy Interventions Are Not Adequately Registered: A Survey of 200 Published Trials. *Physical Therapy*, 93(3), 299-309. [More Information]

Geha, N., Moseley, A., Elkins, M., Chiavegato, L., Shiwa, S., Costa, L. (2013). The quality and reporting of randomized trials in cardiothoracic physical therapy could be substantially improved. *Respiratory Care*, 58(11), 1899-1906. [More Information]

Campos, T., Beckenkamp, P., Moseley, A. (2013). Usage evaluation of a resource to support evidence-based physiotherapy: the Physiotherapy Evidence Database (PEDro). *Physiotherapy*, 99(3), 252-257. [More Information]

2012

Hassett, L., Moseley, A., Whiteside, B., Barry, S., Jones, T. (2012). Circuit class therapy can provide a fitness training stimulus for adults with severe traumatic brain injury: a randomised trial within an observational study. *Journal of Physiotherapy*, 58(2), 105-112. [More Information]

Leung, J., Harvey, L., Moseley, A., Tse, C., Bryant, J., Wyndham, S., Barry, S. (2012). Electrical stimulation and splinting were not clearly more effective than splinting alone for contracture management after acquired brain injury: a randomised trial. *Journal of Physiotherapy*, 58(4), 231-240. [More Information]

Farag, I., Sherrington, C., Kamper, S., Ferreira, M., Moseley, A., Lord, S., Cameron, I. (2012). Measures of physical functioning after hip fracture: construct validity and responsiveness of performance-based and self-reported measures. *Age and Ageing*, 41(5), 659-664. [More Information]

Hassett, L., Van Der Ploeg, H., Moseley, A., Harmer, A. (2012). People with traumatic brain injury are physically inactive and have reduced cardiorespiratory fitness. *Journal of Science and Medicine in Sport*, 15(6 (December 2012 Supplement)), 94.

Lin, C., Donkers, N., Refshauge, K., Beckenkamp, P., Khera, K., Moseley, A. (2012). Rehabilitation for ankle fractures in adults (Review). *Cochrane Database of Systematic Reviews*, 11, 1-113. [More Information]

Hassett, L., Moseley, A., Harmer, A., Van Der Ploeg, H. (2012). The measurement of physical inactivity and reduced cardiorespiratory fitness in adults with traumatic brain injury (TBI). *Neurorehabilitation and Neural Repair*, 26(6), 779-779.

2011

Michaleff, Z., Costa, L., Moseley, A., Maher, C., Elkins, M., Herbert, R., Sherrington, C. (2011). CENTRAL, PEDro, PubMed, and EMBASE Are the Most Comprehensive

Databases Indexing Randomized Controlled Trials of Physical Therapy Interventions. *Physical Therapy*, 91(2), 190-197. [More Information]

Beckenkamp, P., Lin, C., Herbert, R., Haas, M., Khera, K., Moseley, A., EXACT Team, -. (2011). EXACT: EXercise or Advice after ankle fraCTure. Design of a randomised controlled trial. *BMC Musculoskeletal Disorders*, 12(1), 148-1-148-7. [More Information]

Hassett, L., Tate, R., Moseley, A., Gillett, L. (2011). Injury severity, age and pre-injury exercise history predict adherence to a home-based exercise programme in adults with traumatic brain injury. *Brain Injury*, 25(7-8), 698-706. [More Information]

Hassett, L., Tate, R., Moseley, A., Gillett, L. (2011). Injury severity, age and pre-injury exercise history predict adherence to a home-based exercise programme in adults with traumatic brain injury. *Brain Injury*, 25(7-8), 698-706. [More Information]

Kamper, S., Moseley, A. (2011). Neuromuscular training reduces the risk of lower limb injuries. *British Journal of Sports Medicine*, 45(1), 75-76. [More Information]

Moseley, A., Herbert, R., Maher, C., Sherrington, C., Elkins, M. (2011). Reported Quality of Randomized Controlled Trials of Physiotherapy Interventions Has Improved Over Time. *Journal of Clinical Epidemiology*, 64(6), 594-601. [More Information]

Shiwa, S., Costa, L., da Cunha Menezes Costa, L., Moseley, A., Hespanhol Junior, L., Venancio, R., Ruggero, C., de Oliveira Sato, T., Lopes, A. (2011). Reproducibility of the portuguese version of the PEDro scale [Reprodutibilidade da escala de qualidade PEDro em português]. *Cadernos De Saude Publica*, 27(10), 2063-2067. [More Information]

2010

Sherrington, C., Moseley, A., Herbert, R., Maher, C. (2010). 10 years of evidence to guide physiotherapy interventions: Physiotherapy Evidence Database (PEDro). *British Journal of Sports Medicine*, 44, 836-7. [More Information]

Costa, L., Moseley, A., Sherrington, C., Maher, C., Herbert, R., Elkins, M. (2010). Core Journals That Publish Clinical Trials of Physical Therapy Interventions. *Physical Therapy*, 90(11), 1631-1640. [More Information]

Elkins, M., Maher, C., Herbert, R., Moseley, A., Sherrington, C. (2010). Correlation between the Journal Impact Factor and three other journal citation indices. *Scientometrics*, 85(1), 81-93. [More Information]

Costa, L., Maher, C., Moseley, A., Sherrington, C., Herbert, R., Elkins, M. (2010). Endorsement of trial registration and the CONSORT statement by the Revista Brasileira de Fisioterapia. *BRAZILIAN JOURNAL OF PHYSICAL THERAPY Revista*

Brasileira de Fisioterapia, 14(3), v-vi. [More Information]

Nightingale, E., Sturnieks, D., Sherrington, C., Moseley, A., Cameron, I., Lord, S. (2010). Impaired weight transfer persists at least four months after hip fracture and rehabilitation. *Clinical Rehabilitation*, 24(6), 565-573. [More Information]

Katalinic, O., Harvey, L., Herbert, R., Moseley, A., Lannin, N., Schurr, K. (2010). Stretch for the treatment and prevention of contractures. *Cochrane Database of Systematic Reviews*, 9, 1-105. [More Information]

Macedo, L., Elkins, M., Maher, C., Moseley, A., Herbert, R., Sherrington, C. (2010). There was evidence of convergent and construct validity of Physiotherapy Evidence Database quality scale for physiotherapy trials. *Journal of Clinical Epidemiology*, 63(8), 920-925. [More Information]

Carr, J., Shepherd, R., Moseley, A., Hassett, L. (2010). Traumatic Brain Injury. In Janet Carr and Roberta Shepherd (Eds.), *Neurological Rehabilitation: Optimizing Motor Performance*, (pp. 281-305). Sydney: Churchill Livingstone.

2009

Moseley, A., Elkins, M., Herbert, R., Maher, C., Sherrington, C. (2009). Cochrane reviews used more rigorous methods than non-Cochrane reviews: survey of systematic reviews in physiotherapy. *Journal of Clinical Epidemiology*, 62(10), 1021-1030. [More Information]

Lin, C., Moseley, A., Refshauge, K. (2009). Effects of rehabilitation after ankle fracture: a Cochrane systematic review. *European Journal of Physical and Rehabilitation Medicine*, 45, 431-441. [More Information]

Hassett, L., Moseley, A., Tate, R., Harmer, A., Fairbairn, T., Leung, J. (2009). Efficacy of a fitness centre-based exercise programme compared with a home-based exercise programme in traumatic brain injury: a randomized controlled trial. *Journal of Rehabilitation Medicine*, 41(4), 247-255. [More Information]

Moseley, A., Sherrington, C., Elkins, M., Herbert, R., Maher, C. (2009). Indexing of randomised controlled trials of physiotherapy interventions: a comparison of AMED, CENTRAL, CINAHL, EMBASE, Hooked on Evidence, PEDro, PsycINFO and PubMed. *Physiotherapy*, 95(3), 151-156. [More Information]

Moseley, A., Sherrington, C., Lord, S., Barraclough, E., St George, R., Cameron, I. (2009). Mobility training after hip fracture: a randomised controlled trial. *Age and Ageing*, 38, 74-80. [More Information]

Lin, C., Moseley, A., Herbert, R., Refshauge, K. (2009). Pain and dorsiflexion range of motion predict short- and medium-

term activity limitation in people receiving physiotherapy intervention after ankle fracture: an observational study. *Australian Journal of Physiotherapy*, 55(1), 31-37. [More Information]

Lin, C., Moseley, A., Refshauge, K., Bundy, A. (2009). The Lower Extremity Functional Scale Has Good Clinimetric Properties in People With Ankle Fracture. *Physical Therapy*, 89(6), 580-588. [More Information]

2008

Maher, C., Moseley, A., Sherrington, C., Elkins, M., Herbert, R. (2008). A Description of the Trials, Reviews, and Practice Guidelines Indexed in the PEDro Database. *Physical Therapy*, 88(9), 1068-1077. [More Information]

Lin, C., Haas, M., Moseley, A., Herbert, R., Refshauge, K. (2008). Cost and utilisation of healthcare resources during rehabilitation after ankle fracture are not linked to health insurance, income, gender, or pain: an observational study. *Australian Journal of Physiotherapy*, 54(3), 201-208. [More Information]

Harvey, L., Herbert, R., Glinsky, J., Moseley, A., Bowden, J. (2008). Effects of 6 months of regular passive movements on ankle joint mobility in people with spinal cord injury: a randomized controlled trial. *Spinal Cord*, 47(1), 62-66. [More Information]

Hassett, L., Moseley, A., Tate, R., Harmer, A. (2008). Fitness training for cardiorespiratory conditioning after traumatic brain injury. *Cochrane Database of Systematic Reviews*, 2, 1-53. [More Information]

Lin, C., Moseley, A., Haas, M., Refshauge, K., Herbert, R. (2008). Manual therapy in addition to physiotherapy does not improve clinical or economic outcomes after ankle fracture. *Journal of Rehabilitation Medicine*, 40(6), 433-439. [More Information]

Moseley, A., Descatoire, A., Adams, R. (2008). Observation of high and low passive ankle flexibility in stair descent. *Perceptual and Motor Skills*, 106(1), 328-340. [More Information]

Moseley, A., Herbert, A., Maher, C., Sherrington, C. (2008). PEDro scale can only rate what papers report. *Australian Journal of Physiotherapy*, 54, 288.

Lin, C., Moseley, A., Refshauge, K. (2008). Rehabilitation for ankle fractures in adults (Review). *Cochrane Database of Systematic Reviews*, 16(3), 1-167. [More Information]

Moseley, A., Hassett, L., Leung, J., Clare, J., Herbert, R., Harvey, L. (2008). Serial casting versus positioning for the treatment of elbow contractures in adults with traumatic brain injury: a randomized controlled trial. *Clinical Rehabilitation*, 22(5), 406-417. [More Information]

2007

Nightingale, E., Moseley, A., Herbert, R. (2007). Passive Dorsiflexion Flexibility after Cast Immobilization for Ankle Fracture. *Clinical Orthopaedics and Related Research*, 456(March 2007), 65-69. [More Information]

Elkins, M., Herbert, R., Maher, C., Moseley, A., Sherrington, C. (2007). Re: Response to Critically Appraised Paper, "An energy conservation course decreased fatigue impact and increased some aspects of quality of life at 6 weeks for persons with multiple sclerosis"™. *Australian Occupational Therapy Journal*, 54(1), 83-83. [More Information]

Leung, J., Moseley, A., Fereday, S., Jones, T., Fairbairn, T., Wyndham, S. (2007). The prevalence and characteristics of shoulder pain after traumatic brain injury. *Clinical Rehabilitation*, 21(2), 171-181. [More Information]

Hassett, L., Harmer, A., Moseley, A., Mackey, M. (2007). Validity of the modified 20-metre shuttle test: assessment of cardiorespiratory fitness in people who have sustained a traumatic brain injury. *Brain Injury*, 21(10), 1069-1077. [More Information]

2006

Lin, C., Moseley, A., Refshauge, K., Haas, M., Herbert, R. (2006). Effectiveness of joint mobilisation after cast immobilisation for ankle fracture: a protocol for a randomised controlled trial [ACTRN012605000143628]. *BMC Musculoskeletal Disorders*, 7(46), 1-10. [More Information]

Hassett, L., Moseley, A., Tate, R., Harmer, A. (2006). Fitness training for cardiorespiratory conditioning after traumatic brain injury (Protocol). *Cochrane Database of Systematic Reviews*, 2006 (3), 1-15. [More Information]

McDonald, S., Tate, R., Togher, L., Perdices, M., Moseley, A., Winders, K., Schultz, R., Smith, K. (2006). Improving evidence-based practice in rehabilitation: Introducing PsycBITE™. *Aphasiology*, 20(7), 676-683. [More Information]

Tate, R., Moseley, A., Perdices, M., McDonald, S., Togher, L., Schultz, R., Savage, S., Winders, K. (2006). Update on the Cicerone's Systematic Review of Cognitive Rehabilitation: The PsycBITE perspective. *Archives of Physical Medicine and Rehabilitation*, 87(March), 446-446. [More Information]

2005

Maher, C., Herbert, R., Moseley, A., Sherrington, C., Elkins, J. (2005). Critical appraisal of randomised trials, systematic reviews of randomized trials, and clinical practice guidelines. In Jeffrey Boyling, Gwendolen Dunn (Eds.), *Grieve's Modern Manual Therapy: The Vertebral Column 3rd Ed 2005* Edinburgh. Churchill Livingstone.

Maher, C., Herbert, R., Moseley, A., Sherrington, C., Elkins, M. (2005). Critical appraisal of randomized trials, systematic reviews of randomized trials and clinical practice guidelines. In

Boyling J, Jull G (Eds.), *Grieve's Modern Manual Therapy*, (pp. 603-614). Oxford: Elsevier.

Moseley, A., Herbert, R., Nightingale, E., Taylor, D., Evans, T., Robertson, G., Gupta, S., Penn, J. (2005). Passive stretching does not enhance outcomes in patients with plantarflexion contracture after cast immobilization for ankle fracture: a randomized controlled trial. *Archives of Physical Medicine and Rehabilitation*, 86(6), 1118-1126. [More Information]

Moseley, A., Stark, A., Cameron, I., Pollock, A. (2005). Treadmill training and body weight support for walking after stroke (Review). *Cochrane Database of Systematic Reviews*, (4), 1-79. [More Information]

Moseley, A. (2005). Treadmill training more effective than bobath training in improving walking following stroke. *Australian Journal of Physiotherapy*, 51, 192-192. [More Information]

Elkins, M., Moseley, A. (2005). Was CAP summary faithful? Response. *Australian Journal of Physiotherapy*, 51(4), 266-266. [More Information]

2004

Maher, C., Sherrington, C., Elkins, M., Herbert, R., Moseley, A. (2004). Challenges For Evidence-Based Physical Therapy: Accessing And Interpreting High-Quality Evidence On Therapy. *Physical Therapy*, 84(7), 644-654.

Tate, R., Perdices, M., McDonald, S., Togher, L., Moseley, A., Winders, K., Kangas, M., Schultz, R., Smith, K. (2004). Development Of A Database Of Rehabilitation Therapies For The Psychological Consequences Of Acquired Brain Impairment. *Neuropsychological Rehabilitation*, 14(5), 517-534. [More Information]

Moseley, A., Lanzarone, S., Bosman, J., Van Loo, M., De Bies, R., Hassett, L. (2004). Ecological Validity Of Walking Speed Assessment After Traumatic Brain Injury: A Pilot Study. *Journal of Head Trauma Rehabilitation*, 19(4), 341-348. [More Information]

Van Loo, M., Moseley, A., Bosman, J., De Bies, R., Hassett, L. (2004). Test-Re-Test Reliability Of Walking Speed, Step Length And Step Width Measurement After Traumatic Brain Injury: A Pilot Study. *Brain Injury*, 18(10), 1041-1048. [More Information]

Elkins, M., Moseley, A., Sherrington, C., Herbert, R., Maher, C. (2004). Using evidence in clinical practice. In Kathryn Refshauge, Elizabeth Gass (Eds.), *Musculoskeletal Physiotherapy: Clinical Science and Evidence-Based Practice*, (pp. 257-269). Oxford, UK: Butterworth Heinemann.

Togher, L., Tate, R., McDonald, S., Perdices, M., Moseley, A. (2004). Which treatment works? Accessing the best available evidence is now easier than you thought!. *Acquiring Knowledge in Speech, Language and Hearing*, 6(2), 85-88.

2003

Latham, N., Anderson, C., Lee, A., Bennett, D., Moseley, A., Cameron, I. (2003). A randomized, controlled trial of quadriceps resistance exercise and vitamin D in frail older

people: the Frailty Interventions Trial in Elderly Subjects (FITNESS). *Journal of the American Geriatrics Society*, 51(3), 291-299. [More Information]

Moseley, A. (2003). An interdisciplinary and multifactorial prevention program reduces falls in older people in residential care. *Australian Journal of Physiotherapy*, 11, 223-223.

Herbert, R., Sherrington, C., Moseley, A., Maher, C., Elkins, M. (2003). Evidence-based physical therapy. *Journal of the Japanese Physical Therapy Association*, 11(30), 431-439.

Moseley, A., Crosbie, W., Adams, R. (2003). High- and low-ankle flexibility and motor task performance. *Gait and Posture*, 18(2), 73-80. [More Information]

Leung, J., Moseley, A. (2003). Impact of Ankle-foot Orthoses on Gait and Leg Muscle Activity in Adults with Hemiplegia: Systematic literature review. *Physiotherapy*, 89(1), 39-55. [More Information]

Van Loo, M., Moseley, A., Bosman, J., De Bies, R., Hassett, L. (2003). Inter-rater reliability and concurrent validity of step length and step width measurement after traumatic brain injury. *Disability and Rehabilitation*, 25(21), 1195-1200. [More Information]

Van Loo, M., Moseley, A., Bosman, J., De Bies, R., Hassett, L. (2003). Inter-rater reliability and concurrent validity of walking speed measurement after traumatic brain injury. *Clinical Rehabilitation*, 17(7), 775-779. [More Information]

Moseley, A., Yap, M. (2003). Interrater reliability of the TEMPA for the measurement of upper limb function in adults with traumatic brain injury. *Journal of Head Trauma Rehabilitation*, 18(6), 526-531. [More Information]

Maher, C., Sherrington, C., Herbert, R., Moseley, A., Elkins, M. (2003). Reliability of the PEDro Scale for rating quality of randomized controlled trials. *Physical Therapy*, 83(8), 713-721.

Moseley, A., Stark, A., Cameron, I., Pollock, A. (2003). Treadmill training and body weight support for walking after stroke. *Cochrane Database of Systematic Reviews*, 11, 1-25 + appendices.

2002

Herbert, R., Moseley, A., Butler, J., Gandevia, S. (2002). Change in length of relaxed muscle fascicles and tendons with knee and ankle movement in humans. *Journal of Physiology*, 539(2), 637-645. [More Information]

Maher, C., Sherrington, C., Herbert, R., Moseley, A. (2002). Comment: Ciccone 2002. *Physical Therapy*, 82, 722-723.

Maher, C., Sherrington, C., Herbert, R., Moseley, A. (2002). Dialogue on evidence in practice. *Physical Therapy*, , 722-722.

Moseley, A., Herbert, R., Sherrington, C., Maher, C. (2002). Evidence for physiotherapy practice: A survey of the Physiotherapy Evidence Database (PEDro). *Australian Journal of Physiotherapy*, , 43-49. [More Information]

Moseley, A. (2002). Physical Management and Rehabilitation of Patients with Traumatic Head Injury (2). In Cecily Partridge (Eds.), *Neurological Physiotherapy: Basis Evidence for Practice*, (pp. 92-106). United Kingdom: John Wiley & Sons.

2001

Maher, C., Moseley, A., Sherrington, C., Herbert, R. (2001). Core journals of evidence-based physiotherapy practice. *Physiotherapy Theory and Practice*, 17, 143-151.

Herbert, R., Maher, C., Moseley, A., Sherrington, C. (2001). Effective Physiotherapy. *BMJ: British Medical Journal*, 323, 788-790.

Herbert, R., Maher, C., Moseley, A., Sherrington, C. (2001). Evidence-based practice - imperfect but necessary. *Physiotherapy Theory and Practice*, 17, 201-211.

Sherrington, C., Moseley, A., Herbert, R., Maher, C. (2001). Evidence-based practice editorial. *Physiotherapy Theory and Practice*, 17, 125-126.

Moseley, A., Crosbie, W., Adams, R. (2001). Normative data for passive ankle plantarflexion-dorsiflexion flexibility. *Clinical Biomechanics*, 16, 514-521.

Duong, L., Low, C., Moseley, A., Lee, R., Herbert, R. (2001). Time course of stress relaxation and recovery in human ankles. *Clinical Biomechanics*, 16, 601-607.