

# Publications for David Marpaung

## 2018

Jiang, H., Yan, L., Marpaung, D. (2018). Chip-based arbitrary radio-frequency photonic filter with algorithm-driven reconfigurable resolution. *Optics Letters*, 43(3), 415-418. <a href="http://dx.doi.org/10.1364/OL.43.000415">[More Information]</a>

## 2017

Aryanfar, I., Choudhary, A., Liu, Y., Vu, K., Ma, P., Choi, D., Madden, S., Marpaung, D., Eggleton, B. (2017). 47 dB Net on-chip Brillouin gain for true time delay applications. *2017 Conference on Lasers and Electro-Optics (CLEO) CLEO: Science and Innovations, CLEO\_SI 2017*, Piscataway, NJ: IEEE. <a href="http://dx.doi.org/10.1364/CLEO\_SI.2017.SW1O.8">[More Information]</a>

Choudhary, A., Morrison, B., Aryanfar, I., Shahnia, S., Pagani, M., Liu, Y., Vu, K., Madden, S., Marpaung, D., Eggleton, B. (2017). Advanced Integrated Microwave Signal Processing with Giant On-Chip Brillouin Gain. *Journal of Lightwave Technology*, 35(4), 846-854. <a href="http://dx.doi.org/10.1109/JLT.2016.2613558">[More Information]</a>

Liu, Y., Hotten, J., Choudhary, A., Eggleton, B., Marpaung, D. (2017). All-optimized integrated RF photonic notch filter. *Optics Letters*, 42(22), 4631-4634. <a href="http://dx.doi.org/10.1364/OL.42.004631">[More Information]</a>

Morrison, B., Casas-Bedoya, A., Ren, G., Vu, K., Liu, Y., Zarifi, A., Nguyen, T., Choi, D., Marpaung, D., Madden, S., Eggleton, B., et al (2017). Brillouin lasing in a hybrid silicon chip. *The European Conference on Lasers and Electro-Optics, CLEO\_Europe 2017*, Washington, DC: OSA - The Optical Society.

Aryanfar, I., Marpaung, D., Choudhary, A., Liu, Y., Vu, K., Choi, D., Ma, P., Madden, S., Eggleton, B. (2017). Chip-based Brillouin radio frequency photonic phase shifter and wideband time delay. *Optics Letters*, 42(7), 1313-1316. <a href="http://dx.doi.org/10.1364/OL.42.001313">[More Information]</a>

Morrison, B., Casas-Bedoya, A., Ren, G., Vu, K., Liu, Y., Zarifi, A., Nguyen, T., Choi, D., Marpaung, D., Madden, S., Eggleton, B., et al (2017). Compact Brillouin devices through hybrid integration on silicon. *Optica*, 4(8), 847-854. <a href="http://dx.doi.org/10.1364/OPTICA.4.000847">[More Information]</a>

Giacoumidis, E., Magi, E., Choudhary, A., Marpaung, D., Corcoran, B., Pelusi, M., Eggleton, B. (2017). Enhanced self-coherent optical OFDM using stimulated Brillouin scattering. *2017 Optical Fiber Communications Conference and Exhibition (OFC 2017)*, Washington, DC: OSA (Optical Society America). <a href="http://dx.doi.org/10.1364/OFC.2017.Th4I.2">[More Information]</a>

Liu, Y., Choudhary, A., Marpaung, D., Eggleton, B. (2017). Gigahertz optical tuning of an on-chip radio frequency photonic delay line. *Optica*, 4(4), 418-423. <a href="http://dx.doi.org/10.1364/OPTICA.4.000418">[More Information]</a>

Liu, Y., Choudhary, A., Marpaung, D., Eggleton, B. (2017). Gigahertz tuning of on-chip RF photonic delay line. *2017 Conference on Lasers and Electro-Optics (CLEO) CLEO: Science and Innovations, CLEO\_SI 2017*, Piscataway, NJ: IEEE. <a href="http://dx.doi.org/10.1364/CLEO\_SI.2017.SM1O.3">[More Information]</a>

Choudhary, A., Liu, Y., Morrison, B., Vu, K., Choi, D., Ma, P., Madden, S., Marpaung, D., Eggleton, B. (2017). High-resolution, on-chip RF photonic signal processor using Brillouin gain shaping and RF interference. *Scientific Reports*, 7(1), 1-9. <a href="http://dx.doi.org/10.1038/s41598-017-06270-4">[More Information]</a>

Liu, Y., Marpaung, D., Choudhary, A., Eggleton, B. (2017). Highly selective and reconfigurable Si<sub>3</sub>N<sub>4</sub> RF photonic notch filter with negligible RF losses. *2017 Conference on Lasers and Electro-Optics (CLEO) CLEO: Science and Innovations, CLEO\_SI 2017*, Piscataway, NJ: IEEE. <a href="http://dx.doi.org/10.1364/CLEO\_SI.2017.SM1O.7">[More Information]</a>

Marpaung, D. (2017). Integrated microwave photonic Brillouin processor. *Advanced Photonics 2017: Integrated Photonics Research, Silicon and Nanophotonics*, Washington D.C: Optical Society of America. <a href="http://dx.doi.org/10.1364/PS.2017.PW1D.2">[More Information]</a>

Pelusi, M., Choudhary, A., Inoue, T., Marpaung, D., Eggleton, B., Solis-Trapala, K., Tan, H., Namiki, S. (2017). Low noise frequency comb carriers for 64-QAM via a Brillouin comb amplifier. *Optics Express*, 25(15), 17847-17863. <a href="http://dx.doi.org/10.1364/OE.25.017847">[More Information]</a>

Pelusi, M., Choudhary, A., Inoue, T., Eggleton, B., Marpaung, D., Namiki, S. (2017). Multi-line regeneration of noise limited frequency combs by Brillouin amplification via a self-seeded dispersed pump. *2017 Conference on Lasers and Electro-Optics (CLEO) CLEO: Science and Innovations, CLEO\_SI 2017*, Piscataway, NJ: IEEE. <a href="http://dx.doi.org/10.1364/CLEO\_SI.2017.SM2L.4">[More Information]</a>

Choudhary, A., Pelusi, M., Marpaung, D., Eggleton, B., Inoue, T., Vu, K., Ma, P., Choi, D., Madden, S., Namiki, S. (2017). On-chip Brillouin purification for frequency comb-based coherent optical communications. *Optics Letters*, 42(24), 5074-5077. <a href="http://dx.doi.org/10.1364/OL.42.005074">[More Information]</a>

Choudhary, A., Pelusi, M., Marpaung, D., Inoue, T., Vu, K., Choi, D., Ma, P., Madden, S., Namiki, S., Eggleton, B. (2017). On-chip regeneration of a frequency comb for 64QAM communications. *The European Conference on Lasers and Electro-Optics, CLEO\_Europe 2017*, Washington, DC: OSA - The Optical Society.

Pelusi, M., Choudhary, A., Inoue, T., Marpaung, D., Eggleton, B., Namiki, S. (2017). Regeneration of noise limited frequency comb lines for 64-QAM by Brillouin gain seeded via SSB modulation. *2017 Optical Fiber Communications Conference and Exhibition (OFC 2017)*, Washington, DC: OSA (Optical Society America). <a href="http://dx.doi.org/10.1364/OFC.2017.M3F.4">[More Information]</a>

Information]</a>

Bell, B., Xiong, C., Marpaung, D., McKinstrie, C., Eggleton, B. (2017). Uni-directional wavelength conversion in silicon using four-wave mixing driven by cross-polarized pumps. *Optics Letters*, 42(9), 1668-1671. <a href="http://dx.doi.org/10.1364/OL.42.001668">[More Information]</a>

## 2016

Liu, Y., Choudhary, A., Marpaung, D., Eggleton, B. (2016). Delay amplification in a broadband Brillouin-based microwave photonic delay line. *Australian Conference on Optical Fibre Technology (ACOFT 2016)*, Washington, D.C.: OSA (Optical Society America). <a href="http://dx.doi.org/10.1364/ACOFT.2016.JT4A.5">[More Information]</a>

Liu, Y., Choudhary, A., Marpaung, D., Eggleton, B. (2016). Dynamic optical tuning of an on-chip RF photonic delay line. *Australian Conference on Optical Fibre Technology (ACOFT 2016)*, Washington, D.C.: OSA (Optical Society America). <a href="http://dx.doi.org/10.1364/ACOFT.2016.AM5C.3">[More Information]</a>

Morrison, B., Zhang, Y., Pagani, M., Eggleton, B., Marpaung, D. (2016). Four-wave mixing and nonlinear losses in thick silicon waveguides. *Optics Letters*, 41(11), 2418-2421. <a href="http://dx.doi.org/10.1364/OL.41.002418">[More Information]</a>

Liu, Y., Marpaung, D., Choudhary, A., Eggleton, B. (2016). Lossless and high-resolution RF photonic filter. *2016 IEEE Avionics and Vehicle Fiber-Optics and Photonics Conference (AVFOP 2016)*, Long Beach: (IEEE) Institute of Electrical and Electronics Engineers. <a href="http://dx.doi.org/10.1109/AVFOP.2016.7789927">[More Information]</a>

Liu, Y., Marpaung, D., Choudhary, A., Eggleton, B. (2016). Lossless and high-resolution RF photonic notch filter. *Optics Letters*, 41(22), 5306-5309. <a href="http://dx.doi.org/10.1364/OL.41.005306">[More Information]</a>

Pelusi, M., Choudhary, A., Inoue, T., Marpaung, D., Eggleton, B., Tan, H., Solis-Trapala, K., Namiki, S. (2016). Low noise, regeneration of optical frequency comb-lines for 64QAM enabled by SBS gain. *21st OptoElectronics and Communications Conference (OECC 2016) held jointly with 2016 International Conference on Photonics in Switching (PS 2016)*, Niigata: (IEEE) Institute of Electrical and Electronics Engineers.

Zarifi, A., Casas Bedoya, A., Morrison, B., Zhang, Y., Ren, G., Nguyen, T., Madden, S., Vu, K., Mitchell, A., Wolff, C., Marpaung, D., Eggleton, B. (2016). Nonlinear loss engineering in a silicon-chalcogenide hybrid optical waveguide. *Australian Conference on Optical Fibre Technology (ACOFT 2016)*, Washington, D.C.: OSA (Optical Society America). <a href="http://dx.doi.org/10.1364/NP.2016.NM4A.6">[More Information]</a>

Choudhary, A., Liu, Y., Morrison, B., Aryanfar, I., Marpaung, D., Eggleton, B., Vu, K., Choi, D., Ma, P., Madden, S. (2016). On-chip EIT-like RF photonic signal processor. *2016 IEEE International Topical Meeting on Microwave Photonics (MWP 2016)*, Piscataway: (IEEE) Institute of Electrical and Electronics Engineers. <a href="http://dx.doi.org/10.1038/s41598-017-06270-4">[More Information]</a>

Jiang, H., Yan, L., Marpaung, D. (2016). On-chip Rectangular Microwave Photonic Periodic Filter with Large Bandwidth

Tunability. *2016 Conference on Lasers and Electro-Optics (CLEO 2016)*, San Jose: OSA (Optical Society America).

Marpaung, D., Aryanfar, I., Casas Bedoya, A., Choudhary, A., Jiang, H., Morrison, B., Pagani, M., Shahnia, S., Vu, K., Choi, D., Eggleton, B., et al (2016). On-Chip Stimulated Brillouin Scattering for Microwave Photonic Signal Processing. *2016 Optical Fiber Communication Conference (OFC 2016)*, Anaheim: Optical Society of America.

Choudhary, A., Aryanfar, I., Shahnia, S., Morrison, B., Vu, K., Madden, S., Luther-Davies, B., Marpaung, D., Eggleton, B. (2016). On-chip tunable microwave photonic filters with a reconfigurable bandwidth of up to 440 MHz. *2016 Optical Fiber Communication Conference (OFC 2016)*, Anaheim: Optical Society of America. <a href="http://dx.doi.org/10.1364/OFC.2016.M2B.5">[More Information]</a>

Choudhary, A., Aryanfar, I., Shahnia, S., Morrison, B., Pagani, M., Liu, Y., Vu, K., Madden, S., Luther-Davies, B., Marpaung, D., Eggleton, B. (2016). Reconfigurable and frequency-agile on-chip microwave photonic bandpass and bandstop filters using stimulated Brillouin scattering. *Photonic Fiber and Crystal Devices: Advances in Materials and Innovations in Device Applications X*, Bellingham: SPIE Society of Photo-Optical Instrumentation Engineers. <a href="http://dx.doi.org/10.1117/12.2235672">[More Information]</a>

Aryanfar, I., Choudhary, A., Shahnia, S., Pagani, M., Liu, Y., Vu, K., Madden, S., Luther-Davies, B., Eggleton, B., Marpaung, D. (2016). Reconfigurable microwave bandstop filter based on stimulated Brillouin scattering in a photonic chip. *2016 Conference on Lasers and Electro-Optics (CLEO 2016)*, San Jose: OSA (Optical Society America).

Aryanfar, I., Choudhary, A., Shahnia, S., Pagani, M., Liu, Y., Marpaung, D., Eggleton, B. (2016). Signal interference RF photonic bandstop filter. *Optics Express*, 24(13), 14995-15004. <a href="http://dx.doi.org/10.1364/OE.24.014995">[More Information]</a>

Choudhary, A., Liu, Y., Marpaung, D., Eggleton, B. (2016). Spectral narrowing of RF photonic filters using Brillouin gain shaping and signal interference. *Australian Conference on Optical Fibre Technology (ACOFT 2016)*, Washington, D.C.: OSA (Optical Society America). <a href="http://dx.doi.org/10.1364/ACOFT.2016.AW5C.2">[More Information]</a>

Choudhary, A., Aryanfar, I., Shahnia, S., Morrison, B., Vu, K., Madden, S., Luther-Davis, B., Marpaung, D., Eggleton, B. (2016). Tailoring of the Brillouin gain for on-chip widely tunable and reconfigurable broadband microwave photonic filters. *Optics Letters*, 41(3), 436-439. <a href="http://dx.doi.org/10.1364/OL.41.000436">[More Information]</a>

Casas Bedoya, A., Morrison, B., Pagani, M., Marpaung, D., Eggleton, B. (2016). Tunable microwave notch filter enabled by SBS in silicon. *Latin America Optics and Photonics Conference (LAOP 2016)*, Medellin: OSA (Optical Society America). <a href="http://dx.doi.org/10.1364/LAOP.2016.LTu5D.5">[More Information]</a>

Jiang, H., Marpaung, D., Pagani, M., Vu, K., Choi, D., Madden, S., Yan, L., Eggleton, B. (2016). Wide-range, high-precision multiple microwave frequency measurement using a chip-based photonic Brillouin filter. *Optica*, 3(1), 30-34. <a href="http://dx.doi.org/10.1364/OPTICA.3.000030">[More Information]</a>

## 2015

- Casas Bedoya, A., Morrison, B., Pagani, M., Marpaung, D., Eggleton, B. (2015). CMOS-compatible RF notch filter enabled by SBS in silicon. *2015 Nonlinear Optics (NLO 2015)*, Kauai: OSA (Optical Society America). <a href="http://dx.doi.org/10.1364/NLO.2015.NTh3A.1">[More Information]</a>
- Xiong, C., Zhang, X., Mahendra, A., He, J., Choi, D., Chae, C., Marpaung, D., Leinse, A., Heideman, R., Hoekman, M., Leong, P., Eggleton, B., et al (2015). Compact and reconfigurable silicon nitride time-bin entanglement circuit. *Optica*, 2(8), 724-727. <a href="http://dx.doi.org/10.1364/OPTICA.2.000724">[More Information]</a>
- Marpaung, D., Morrison, B., Pagani, M., Pant, R., Choi, D., Luther-Davies, B., Madden, S., Eggleton, B. (2015). Energy efficient RF signal processing with on-chip stimulated Brillouin scattering. *2015 Advanced Photonics Congress - Integrated Photonics Research, Silicon and Nanophotonics (IPRSN 2015)*, Washington, DC: Optical Society of America. <a href="http://dx.doi.org/10.1364/IPRSN.2015.IT4B.1">[More Information]</a>
- Marpaung, D., Pant, R., Eggleton, B. (2015). Harnessing Nonlinear Optics for Microwave Signal Processing. In Stefan Wabnitz, Benjamin J. Eggleton (Eds.), *All-Optical Signal Processing: Data Communication and Storage Applications*, (pp. 449-467). Cham: Springer. <a href="http://dx.doi.org/10.1007/978-3-319-14992-9\_14">[More Information]</a>
- Kabakova, I., Marpaung, D., Poulton, C., Eggleton, B. (2015). Harnessing on-chip SBS. *Optics and Photonics News*, 26(2), 34-39.
- Pagani, M., Shahnia, S., Morrison, B., Eggleton, B., Marpaung, D. (2015). Highly-stable RF photonic cancellation filter. *2015 International Topical Meeting on Microwave Photonics (MWP 2015)*, Paphos: (IEEE) Institute of Electrical and Electronics Engineers. <a href="http://dx.doi.org/10.1109/MWP.2015.7356714">[More Information]</a>
- Morrison, B., Casas Bedoya, A., Eggleton, B., Marpaung, D. (2015). Impact of Nonlinear Loss on Silicon Microwave Photonic Processors. *2015 European Conference on Lasers and Electro-Optics - European Quantum Electronics Conference*, Washington, D.C: Optical Society of America.
- Shahnia, S., Pagani, M., Morrison, B., Eggleton, B., Marpaung, D. (2015). Independent manipulation of the phase and amplitude of optical sidebands in a highly-stable RF photonic filter. *Optics Express*, 23(18), 23278-23286. <a href="http://dx.doi.org/10.1364/OE.23.023278">[More Information]</a>
- Pagani, M., Morrison, B., Zhang, Y., Casas Bedoya, A., Aalto, T., Harjanne, M., Kapulainen, M., Eggleton, B., Marpaung, D. (2015). Instantaneous Frequency Measurement System Using Four-Wave Mixing in an Ultra-Compact Long Silicon Waveguide. *41st European Conference on Optical Communication (ECOC)*, Piscataway, NJ: (IEEE) Institute of Electrical and Electronics Engineers. <a href="http://dx.doi.org/10.1109/ECOC.2015.7341976">[More Information]</a>
- Marpaung, D., Pagani, M. (2015). Integrated microwave photonics phase shifter using on-chip stimulated Brillouin scattering. *14th International Conference on Optical Communications and Networks (ICOON 2015)*, Piscataway, NJ, USA: (IEEE) Institute of Electrical and Electronics Engineers. <a href="http://dx.doi.org/10.1109/ICOON.2015.7203689">[More Information]</a>
- Roeloffzen, C., Oldenbeuving, R., Timens, R., Van Dijk, P., Taddei, C., Leinse, A., Hoekman, M., Heideman, R., Zhuang, L., Marpaung, D., et al (2015). Integrated optical beamformers. *Optical Fiber Communication Conference (OFC 2015)*, Bellingham: OSA (Optical Society America).
- Pagani, M., Morrison, B., Zhang, Y., Casas Bedoya, A., Aalto, T., Harjanne, M., Kapulainen, M., Eggleton, B., Marpaung, D. (2015). Low-error and broadband microwave frequency measurement in a silicon chip. *Optica*, 2(8), 751-756. <a href="http://dx.doi.org/10.1364/OPTICA.2.000751">[More Information]</a>
- Marpaung, D., Morrison, B., Pagani, M., Pant, R., Choi, D., Luther-Davies, B., Madden, S., Eggleton, B. (2015). Low-power, chip-based stimulated Brillouin scattering microwave photonic filter with ultrahigh selectivity. *Optica*, 2(2), 76-83. <a href="http://dx.doi.org/10.1364/OPTICA.2.000076">[More Information]</a>
- Marpaung, D. (2015). Material platforms for nonlinear integrated microwave photonics. *11th Conference on Lasers and Electro-Optics Pacific Rim (CLEO-PR 2015)*, Washington DC: OSA (Optical Society America). <a href="http://dx.doi.org/10.1109/CLEOPR.2015.7376365">[More Information]</a>
- Jiang, H., Marpaung, D., Pagani, M., Yan, L., Eggleton, B. (2015). Multiple frequencies microwave measurement using a tunable Brillouin RF photonic filter. *11th Conference on Lasers and Electro-Optics Pacific Rim (CLEO-PR 2015)*, Washington DC: OSA (Optical Society America). <a href="http://dx.doi.org/10.1109/CLEOPR.2015.7376366">[More Information]</a>
- Iezekiel, S., Burla, M., Klamkin, J., Marpaung, D., Capmany, J. (2015). RF Engineering Meets Optoelectronics: Progress in Integrated Microwave Photonics. *IEEE Microwave Magazine*, 16(8), 28-45. <a href="http://dx.doi.org/10.1109/MMM.2015.2442932">[More Information]</a>
- Casas Bedoya, A., Morrison, B., Pagani, M., Marpaung, D., Eggleton, B. (2015). Tunable microwave notch filter created by stimulated Brillouin scattering in a silicon chip. *SPIE Micro+Nano Materials, Devices, and Applications Symposium*, Bellingham: SPIE Society of Photo-Optical Instrumentation Engineers. <a href="http://dx.doi.org/10.1117/12.2202488">[More Information]</a>
- Pagani, M., Marpaung, D., Choi, D., Madden, S., Luther-Davies, B., Eggleton, B. (2015). Tunable microwave photonic phase shifter using on-chip stimulated Brillouin scattering. *CLEO: Science and Innovations (CLEO-SI 2015)*, Bellingham, Washington: Optical Society of America. <a href="http://dx.doi.org/10.1364/CLEO\_SI.2015.STh3F.4">[More Information]</a>
- Casas Bedoya, A., Morrison, B., Pagani, M., Marpaung, D., Eggleton, B. (2015). Tunable narrowband microwave photonic filter created by stimulated Brillouin scattering from a silicon nanowire. *Optics Letters*, 40(17), 4154-4157. <a href="http://dx.doi.org/10.1364/OL.40.004154">[More Information]</a>
- Casas Bedoya, A., Morrison, B., Pagani, M., Marpaung, D., Eggleton, B. (2015). Ultra-narrowband tunable microwave filter created by stimulated Brillouin scattering in a Silicon chip. *Frontiers in Optics 2015: The 99th OSA Annual Meeting and Exhibit/Laser Science XXXI*, Washington: The Optical Society.

Pagani, M., Marpaung, D., Morrison, B., Eggleton, B. (2014). Bandwidth tunable, high suppression RF photonic filter with improved insertion loss. *CLEO: Science and Innovations (CLEO\_SI 2014)*, San Jose, California: Optical Society of America. <a href="http://dx.doi.org/10.1364/CLEO\_SI.2014.STu2G.7">[More Information]</a>

Kabakova, I., Marpaung, D., Poulton, C., Eggleton, B. (2014). Driving acoustic waves optically on a chip. *Australian Physics*, 51(3), 84-88.

Burla, M., Marpaung, D., Zhuang, L., Khan, M., Leinse, A., Beeker, W., Hoekman, M., Heideman, R., Roeloffzen, C. (2014). Multiwavelength-Integrated Optical Beamformer Based on Wavelength Division Multiplexing for 2-D Phased Array Antennas. *Journal of Lightwave Technology*, 32(20), 3509-3520. <a href="http://dx.doi.org/10.1109/JLT.2014.2332426">[More Information]</a>

Marpaung, D., Pagani, M., Morrison, B., Eggleton, B. (2014). Nonlinear Integrated Microwave Photonics. *Journal of Lightwave Technology*, 32(20), 3421-3427. <a href="http://dx.doi.org/10.1109/JLT.2014.2306676">[More Information]</a>

Pant, R., Marpaung, D., Kabakova, I., Morrison, B., Poulton, C., Eggleton, B. (2014). On-chip stimulated Brillouin Scattering for microwave signal processing and generation. *Laser and Photonics Reviews*, 8(5), 653-666. <a href="http://dx.doi.org/10.1002/lpor.201300154">[More Information]</a>

Pagani, M., Marpaung, D., Choi, D., Madden, S., Luther-Davies, B., Eggleton, B. (2014). On-chip wideband tunable RF photonic phase shifter based on stimulated Brillouin scattering. *19th OptoElectronics and Communications Conference, OECC 2014 and the 39th Australian Conference on Optical Fibre Technology, ACOFT 2014*, Barton, ACT: Engineers Australia.

Morrison, B., Marpaung, D., Pant, R., Li, E., Choi, D., Madden, S., Luther-Davies, B., Eggleton, B. (2014). Tunable microwave photonic notch filter using on-chip stimulated Brillouin scattering. *Optics Communications*, 313, 85-89. <a href="http://dx.doi.org/10.1016/j.optcom.2013.09.065">[More Information]</a>

Pagani, M., Marpaung, D., Choi, D., Madden, S., Luther-Davies, B., Eggleton, B. (2014). Tunable wideband microwave photonic phase shifter using on-chip stimulated Brillouin scattering. *Optics Express*, 22(23), 28810-28818. <a href="http://dx.doi.org/10.1364/OE.22.028810">[More Information]</a>

Marpaung, D., Morrison, B., Pagani, M., Pant, R., Eggleton, B. (2014). Ultra-high suppression microwave photonic bandstop filters. *Science Bulletin*, 59(22), 2684-2692. <a href="http://dx.doi.org/10.1007/s11434-014-0426-z">[More Information]</a>

Pagani, M., Marpaung, D., Eggleton, B. (2014). Ultra-wideband microwave photonic phase shifter with configurable amplitude response. *Optics Letters*, 39(20), 5854-5857. <a href="http://dx.doi.org/10.1364/OL.39.005854">[More Information]</a>

Pagani, M., Marpaung, D., Eggleton, B. (2014). Ultra-wideband RF photonic phase shifter with 360-degree tunable phase and configurable amplitude response. *2014 International Topical Meeting on Microwave Photonics (MWP 2014) and the 9th Asia-Pacific Microwave Photonics Conference (APMP 2014)*, Tokyo, Japan: (IEEE) Institute of Electrical and Electronics Engineers. <a href="http://dx.doi.org/10.1109/MWP.2014.6994579">[More

Information]</a>

Marpaung, D., Morrison, B., Pant, R., Roeloffzen, C., Leinse, A., Hoekman, M., Heideman, R., Eggleton, B. (2014). Ultrahigh suppression and reconfigurable RF photonic notch filter using a silicon nitride ring resonator. *CLEO: Science and Innovations (CLEO\_SI 2014)*, San Jose, California: Optical Society of America.

## 2013

Marpaung, D., Morrison, B., Pant, R., Choi, D., Madden, S., Luther-Davies, B., Eggleton, B. (2013). A tunable RF photonic notch filter with record 55 dB suppression using sub-1 dB on-chip Brillouin gain. *Frontiers in Optics 2013 (FIO 2013)*, Washington DC, USA: The Optical Society. <a href="http://dx.doi.org/10.1364/FIO.2013.FW6B.9">[More Information]</a>

Marpaung, D., Morrison, B., Pant, R., Eggleton, B. (2013). Frequency agile microwave photonic notch filter with anomalously high stopband rejection. *Optics Letters*, 38(21), 4300-4303. <a href="http://dx.doi.org/10.1364/OL.38.004300">[More Information]</a>

Marpaung, D., Roeloffzen, C., Heideman, R., Leinse, A., Sales, S., Capmany, J. (2013). Integrated microwave photonics. *Laser and Photonics Reviews*, 7(4), 506-538. <a href="http://dx.doi.org/10.1002/lpor.201200032">[More Information]</a>

Burla, M., Marpaung, D., Zhuang, L., Leinse, A., Hoekman, M., Heideman, R., Roeloffzen, C. (2013). Integrated photonic Ku-band beamformer chip with continuous amplitude and delay control. *IEEE Photonics Technology Letters*, 25(12), 1145-1148. <a href="http://dx.doi.org/10.1109/LPT.2013.2257723">[More Information]</a>

Marpaung, D., Pant, R., Morrison, B., Li, E., Choi, D., Madden, S., Luther-Davies, B., Eggleton, B. (2013). Microwave Photonic Notch Filter using On-Chip Stimulated Brillouin Scattering. *2013 Conference on Lasers and Electro-Optics Pacific Rim (CLEO-PR)*, Kyoto, Japan: (IEEE) Institute of Electrical and Electronics Engineers. <a href="http://dx.doi.org/10.1109/CLEOPR.2013.6600320">[More Information]</a>

Marpaung, D., Eggleton, B. (2013). Nonlinear integrated microwave photonics. *IEEE International Topical Meeting on Microwave Photonics (MWP 2013)*, Piscataway, New Jersey: (IEEE) Institute of Electrical and Electronics Engineers. <a href="http://dx.doi.org/10.1109/MWP.2013.6724025">[More Information]</a>

Marpaung, D. (2013). On-Chip Photonic-Assisted Instantaneous Microwave Frequency Measurement System. *IEEE Photonics Technology Letters*, 25(9), 837-840. <a href="http://dx.doi.org/10.1109/LPT.2013.2253602">[More Information]</a>

Eggleton, B., Poulton, C., Marpaung, D., Morrison, B., Kabakova, I., Choi, D., Madden, S., Luther-Davies, B., Pant, R. (2013). On-chip stimulated Brillouin scattering and its applications. *Active Photonic Materials V*, Bellingham, Washington: SPIE - International Society for Optical Engineering. <a href="http://dx.doi.org/10.1117/12.2025231">[More Information]</a>

Burla, M., Zhuang, L., Marpaung, D., Khan, M., Leinse, A., Beeker, W., Hoekman, M., Heideman, R., Roeloffzen, C. (2013). On-chip, CMOS-compatible, hardware-compressive integrated photonic beamformer based on WDM. *IEEE*

*International Topical Meeting on Microwave Photonics (MWP 2013)*, Piscataway, New Jersey: (IEEE) Institute of Electrical and Electronics Engineers. <a href="http://dx.doi.org/10.1109/MWP.2013.6724014">[More Information]</a>

Khan, M., Bernhardt, E., Marpaung, D., Burla, M., de Ridder, R., Worhoff, K., Pollnau, M., Roeloffzen, C. (2013). Performance analysis of an optically generated local oscillator (LO) signal for Ku-band phased array antenna.

Tan, K., Marpaung, D., Pant, R., Gao, F., Li, E., Wang, J., Choi, D., Madden, S., Luther-Davies, B., Sun, J., Eggleton, B. (2013). Photonic-chip-based all-optical ultra-wideband pulse generation via XPM and birefringence in a chalcogenide waveguide. *Optics Express*, 21(2), 2003-2011. <a href="http://dx.doi.org/10.1364/OE.21.002003">[More Information]</a>

Marpaung, D., Morrison, B., Pant, R., Roeloffzen, C., Leinse, A., Hoekman, M., Heideman, R., Eggleton, B. (2013). Si<sub>3</sub>N<sub>4</sub> ring resonator-based microwave photonic notch filter with an ultrahigh peak rejection. *Optics Express*, 21(20), 23286-23294. <a href="http://dx.doi.org/10.1364/OE.21.023286">[More Information]</a>

Roeloffzen, C., Zhuang, L., Taddei, C., Leinse, A., Heideman, R., Van Dijk, P., Oldenbeuving, R., Marpaung, D., Burla, M., Boller, K. (2013). Silicon nitride microwave photonic circuits. *Optics Express*, 21(19), 22937-22961. <a href="http://dx.doi.org/10.1364/OE.21.022937">[More Information]</a>

## 2012

Burla, M., Marpaung, D., Zhuang, L., Khan, M., Roeloffzen, C., Leinse, A., Hoekman, M., Heideman, R. (2012). CMOS-compatible integrated optical delay line for broadband Ku-band satellite communications. *2012 IEEE International Topical Meeting on Microwave Photonics (MWP)*, Piscataway, New Jersey, United States of America: (IEEE) Institute of Electrical and Electronics Engineers. <a href="http://dx.doi.org/10.1109/MWP.2012.6474071">[More Information]</a>

Khan, M., Bernhardt, E., Marpaung, D., Burla, M., de Ridder, R., Worhoff, K., Pollnau, M., Roeloffzen, C. (2012). Dual-Frequency Distributed Feedback Laser with an Optical Frequency Locked Loop for Stable Microwave Signal Generation. *IEEE Photonics Technology Letters*, 24(16), 1431-1433. <a href="http://dx.doi.org/10.1109/LPT.2012.2205379">[More Information]</a>

Khan, M., Bernhardt, E., Marpaung, D., Burla, M., de Ridder, R., Worhoff, K., Pollnau, M., Roeloffzen, C. (2012). Highly Stable Microwave Carrier Generation Using Dual-Frequency Distribution Feedback Laser. *2012 IEEE International Topical Meeting on Microwave Photonics (MWP)*, Piscataway, New Jersey, United States of America: (IEEE) Institute of Electrical and Electronics Engineers. <a href="http://dx.doi.org/10.1109/MWP.2012.6474091">[More Information]</a>

Marpaung, D., Roeloffzen, C. (2012). Integrated microwave photonics for phase modulated systems. *2012 IEEE Photonics Conference (IPC)*, Burlingame: (IEEE) Institute of Electrical and Electronics Engineers. <a href="http://dx.doi.org/10.1109/IPCon.2012.6358500">[More Information]</a>

Marpaung, D., Roeloffzen, C. (2012). On-chip Frequency Discriminator for Microwave Photonics Signal Processing. *Progress in Electromagnetics Research Symposium, PIERS 2012*, Cambridge: The Electromagnetics Academy.

Zhuang, L., Marpaung, D., Burla, M., Khan, M., Roeloffzen, C., Beeker, W., Leinse, A., Heideman, R. (2012). On-chip microwave signal processors in low-loss, high-index-contrast Si<sub>3</sub>N<sub>4</sub>/SiO<sub>2</sub> waveguides. *16th European Conference on Integrated Optics (ECIO)*, Barcelona, Spain: University of Twente.

Burla, M., Roeloffzen, C., Zhuang, L., Marpaung, D., Khan, M., Maat, P., Dijkstra, K., Leinse, A., Hoekman, M., Heideman, R. (2012). System integration and radiation pattern measurements of a phased array antenna employing an integrated photonic beamformer for radio astronomy applications. *Applied Optics*, 51(7), 789-802. <a href="http://dx.doi.org/10.1364/AO.51.000789">[More Information]</a>

Leinse, A., Heideman, R., Beeker, W., Brunnink, C., Roeloffzen, C., Zhuang, L., Marpaung, D., Burla, M. (2012). TriPLeX<sup>®</sup> photonic platform technology. *16th European Conference on Integrated Optics (ECIO)*, Barcelona, Spain: University of Twente.

## 2011

Khan, M., Marpaung, D., Burla, M., Roeloffzen, C. (2011). A novel measurement technique to estimate the RF beat-linewidth of free-running heterodyning system using a photonic discriminator. *2011 IEEE International Topical Meeting on Microwave Photonics (MWP 2011) and 2011 Asia Pacific Microwave Photonics Conference (APMP 2011)*, Piscataway, NJ, USA: (IEEE) Institute of Electrical and Electronics Engineers. <a href="http://dx.doi.org/10.1109/MWP.2011.6088736">[More Information]</a>

Noharet, B., Wang, Q., Platt, D., Junique, S., Marpaung, D., Roeloffzen, C. (2011). Arrays of surface-normal electroabsorption modulators for the generation and signal processing of microwave photonics signals. *2011 IEEE International Topical Meeting on Microwave Photonics (MWP 2011) and 2011 Asia Pacific Microwave Photonics Conference (APMP 2011)*, Piscataway, NJ, USA: (IEEE) Institute of Electrical and Electronics Engineers. <a href="http://dx.doi.org/10.1109/MWP.2011.6088725">[More Information]</a>

Marpaung, D., Roeloffzen, C., Beeker, W., Noharet, B., Verpoorte, J., Baggen, R. (2011). Development of a broadband and squint-free Ku-band phased array antenna system for airborne satellite communications. In Simon Plass (Eds.), *Future Aeronautical Communications*, (pp. 201-224). Rijeka, Croatia: InTech.

Zhuang, L., Marpaung, D., Burla, M., Boot, R., Hulzinga, A., Beeker, W., Van Dijk, P., Roeloffzen, C. (2011). Development of an integrated photonic beamformer for electronically-steered Ku-band phased array antenna. *2011 IEEE Avionics, Fibre-Optics and Photonics Technology Conference (AVFOP)*, San Diego, California, USA: IEEE Photonics Society. <a href="http://dx.doi.org/10.1109/AVFOP.2011.6082117">[More Information]</a>

Verpoorte, J., Schippers, H., Jorna, P., Hulzinga, A., Roeloffzen, C., Marpaung, D., Sanadgol, B., Baggen, R., Wang, Q., Noharet, B., et al (2011). Development of the SANDRA antenna for airborne satellite communication. *2011 IEEE Aerospace Conference*, Piscataway, New Jersey, United States of America: IEEE. <a href="http://dx.doi.org/10.1109/AERO.2011.5747324">[More Information]</a>

Marpaung, D., Chevalier, L., Burla, M., Roeloffzen, C. (2011). Impulse radio ultrawideband pulse shaper based on a

programmable photonic chip frequency discriminator. *Optics Express*, 19(25), 24838-24848. <a href="http://dx.doi.org/10.1364/OE.19.024838">[More Information]</a>

Khan, M., Marpaung, D., Burla, M., Roeloffzen, C., Bernhardt, E., de Ridder, R. (2011). Investigation on the performance of an optically generated RF local oscillator signal in Ku-band DVB-S systems. *2011 XXXth URSI General Assembly and Scientific Symposium*, Piscataway, New Jersey, United States of America: IEEE. <a href="http://dx.doi.org/10.1109/URSIGASS.2011.6050670">[More Information]</a>

Zhuang, L., Marpaung, D., Burla, M., Roeloffzen, C., Beeker, W., Leinse, A., Van Dijk, P. (2011). Low-loss and programmable integrated photonic beamformer for electronically-steered broadband phased array antennas. *2011 IEEE Photonics Conference (PHO 2011)*, Arlington, Virginia, USA: (IEEE) Institute of Electrical and Electronics Engineers. <a href="http://dx.doi.org/10.1109/PHO.2011.6110463">[More Information]</a>

Zhuang, L., Marpaung, D., Burla, M., Beeker, W., Leinse, A., Roeloffzen, C. (2011). Low-loss, high-index-contrast Si<sub>3</sub>N<sub>4</sub>/SiO<sub>2</sub> optical waveguides for optical delay lines in microwave photonics signal processing. *Optics Express*, 19(23), 23162-23170. <a href="http://dx.doi.org/10.1364/OE.19.023162">[More Information]</a>

Burla, M., Marpaung, D., Zhuang, L., Roeloffzen, C., Khan, M., Leinse, A., Hoekman, M., Heideman, R. (2011). On-chip CMOS compatible reconfigurable optical delay line with separate carrier tuning for microwave photonic signal processing. *Optics Express*, 19(22), 21475-21484. <a href="http://dx.doi.org/10.1364/OE.19.021475">[More Information]</a>

Marpaung, D., Zhuang, L., Burla, M., Roeloffzen, C., Noharet, B., Wang, Q., Beeker, W., Leinse, A., Heideman, R. (2011). Photonic integration and components development for a Ku-band phased array antenna system. *2011 IEEE International Topical Meeting on Microwave Photonics (MWP 2011) and 2011 Asia Pacific Microwave Photonics Conference (APMP 2011)*, Piscataway, NJ, USA: (IEEE) Institute of Electrical and Electronics Engineers. <a href="http://dx.doi.org/10.1109/MWP.2011.6088770">[More Information]</a>

Burla, M., Khan, M., Marpaung, D., Zhuang, L., Roeloffzen, C., Leinse, A., Hoekman, M., Heideman, R. (2011). Separate carrier tuning scheme for integrated optical delay lines in photonic beamformers. *2011 IEEE International Topical Meeting on Microwave Photonics (MWP 2011) and 2011 Asia Pacific Microwave Photonics Conference (APMP 2011)*, Piscataway, NJ, USA: (IEEE) Institute of Electrical and Electronics Engineers. <a href="http://dx.doi.org/10.1109/MWP.2011.6088670">[More Information]</a>

Marpaung, D., Zhuang, L., Burla, M., Roeloffzen, C., Verpoorte, J., Schippers, H., Hulzinga, A., Jorna, P., Beeker, W., Leinse, A., et al (2011). Towards a broadband and squint-free Ku-band phased array antenna system for airborne satellite communications. *5th European Conference on Antennas and Propagation (EUCAP) 2011*, Piscataway, New Jersey: IEEE.

Leinse, A., Heideman, R., Klein, E., Dekker, R., Roeloffzen, C., Marpaung, D. (2011). TriPleX(TM) platform technology for photonic integration: Applications from UV through NIR to IR. *2011 ICO International Conference on Information Photonics*, Piscataway, New Jersey, United States of America: IEEE. <a href="http://dx.doi.org/10.1109/ICO-IP.2011.5953782">[More

Information]</a>

## 2010

Burla, M., Roeloffzen, C., Marpaung, D., Khan, M., Van Etten, W. (2010). A novel design procedure for minimum rf phase error in optical ring resonator-based integrated optical beamformers for phased array antennas. *2010 Annual Symposium of the IEEE Photonics Benelux Chapter*, Piscataway, New Jersey, United States of America: IEEE.

Marpaung, D., Roeloffzen, C., Leinse, A., Hoekman, M. (2010). A Novel Microwave Photonic Link employing Cascaded Ring Resonators as Balanced Optical Discriminators. *2010 Annual Symposium of the IEEE Photonics Benelux Chapter*, Piscataway, New Jersey, United States of America: IEEE.

Marpaung, D., Roeloffzen, C., Leinse, A., Hoekman, M. (2010). A photonic chip based frequency discriminator for a high performance microwave photonic link. *Optics Express*, 18(26), 27359-27370. <a href="http://dx.doi.org/10.1364/OE.18.027359">[More Information]</a>

Marpaung, D., Roeloffzen, C., Timens, R., Leinse, A., Hoekman, M. (2010). Design and Realization of an Integrated Optical Frequency Modulation Discriminator for a High Performance Microwave Photonic Link. *2010 IEEE International Topical Meeting on Microwave Photonics (MWP 2010)*, Piscataway, New Jersey, United States of America: (IEEE) Institute of Electrical and Electronics Engineers. <a href="http://dx.doi.org/10.1109/MWP.2010.5664192">[More Information]</a>

Meijerink, A., Roeloffzen, C., Meijerink, R., Zhuang, L., Marpaung, D., Bentum, M., Burla, M., Verpoorte, J., Jorna, P., Hulzinga, A., et al (2010). Novel ring resonator-based integrated photonic beamformer for broadband phased array receive antennas - Part I: Design and performance analysis. *Journal of Lightwave Technology*, 28(1), 3-18. <a href="http://dx.doi.org/10.1109/JLT.2009.2029705">[More Information]</a>

Zhuang, L., Roeloffzen, C., Meijerink, A., Burla, M., Marpaung, D., Leinse, A., Hoekman, M., Heideman, R., Van Etten, W. (2010). Novel Ring Resonator-Based Integrated Photonic Beamformer for Broadband Phased Array Receive Antennas - Part II: Experimental Prototype. *Journal of Lightwave Technology*, 28(1), 19-31. <a href="http://dx.doi.org/10.1109/JLT.2009.2032137">[More Information]</a>

Verpoorte, J., Schippers, H., Roeloffzen, C., Marpaung, D. (2010). Smart Antennas in aerospace applications. *20th International URSI Symposium on Electromagnetic Theory EMTS 2010*, Piscataway, New Jersey, United States of America: IEEE. <a href="http://dx.doi.org/10.1109/URSI-EMTS.2010.5637077">[More Information]</a>

Burla, M., Khan, M., Marpaung, D., Roeloffzen, C., Maat, P., Dijkstra, K., Leinse, A., Hoekman, M., Heideman, R. (2010). Squint-free beamsteering demonstration using a photonic integrated beamformer based on optical ring resonators. *2010 IEEE International Topical Meeting on Microwave Photonics (MWP 2010)*, Piscataway, New Jersey, United States of America: (IEEE) Institute of Electrical and Electronics Engineers. <a href="http://dx.doi.org/10.1109/MWP.2010.5664134">[More Information]</a>

## 2009

Marpaung, D., Roeloffzen, C., Maat, P., Dijkstra, K., Van Etten, W. (2009). Analysis of gain, noise figure and dynamic

range of an analog photonic link employing a low-biased Mach-Zehnder modulator. *14th Annual Symposium of the IEEE Photonics Benelux Chapter 2009*, Brussels, Belgium: Academic & Scientific Publishers.

Schippers, H., Verpoorte, J., Jorna, P., Hulzinga, A., Zhuang, L., Meijerink, A., Roeloffzen, C., Marpaung, D., Van Etten, W., Heideman, R., et al (2009). Broadband optical beam forming for airborne phased array antenna. *IEEE Aerospace Conference 2009*, Big Sky, Montana, USA: IEEE. <a href="http://dx.doi.org/10.1109/AERO.2009.4839363">[More Information]</a>

Marpaung, D., Roeloffzen, C., Van Etten, W. (2009). Enhanced dynamic range in a directly modulated analog photonic link. *IEEE Photonics Technology Letters*, 21(24), 1810-1812. <a href="http://dx.doi.org/10.1109/LPT.2009.2033811">[More Information]</a>

Burla, M., Garcia, A., Zhuang, L., Meijerink, A., Roeloffzen, C., Marpaung, D., Khan, M., Van Etten, W. (2009). Optical phase synchronization in coherent optical beamformers for phased array receive antennas. *22nd Annual Meeting of the IEEE Lasers and Electro-Optics Society (LEOS 2009)*, Piscataway, New Jersey, United States of America: IEEE. <a href="http://dx.doi.org/10.1109/LEOS.2009.5343380">[More Information]</a>

Marpaung, D., Roeloffzen, C., Van Etten, W. (2009). Performance comparison of two analog photonic links employing a pair of directly modulated lasers and a balanced photodetector. *22nd Annual Meeting of the IEEE Lasers and Electro-Optics Society (LEOS 2009)*, Piscataway, New Jersey, United States of America: IEEE. <a href="http://dx.doi.org/10.1109/LEOS.2009.5343125">[More Information]</a>

Khan, M., Burla, M., Roeloffzen, C., Marpaung, D., Van Etten, W. (2009). Phase noise analysis of an RF local oscillator signal generated by optical heterodyning of two lasers. *14th Annual Symposium of the IEEE Photonics Benelux Chapter 2009*, Brussels, Belgium: Academic & Scientific Publishers.

Marpaung, D., Roeloffzen, C., Van Etten, W. (2009). Push-pull modulated analog photonic link with enhanced SFDR. *International Topical Meeting on Microwave Photonics MWP 2009*, USA: (IEEE) Institute of Electrical and Electronics Engineers.

Zhuang, L., Burla, M., Roeloffzen, C., Meijerink, A., Marpaung, D., Khan, M., Van Etten, W., Leinse, A., Hoekman, M., Heideman, R. (2009). RF-to-RF characterization of a phased array receive antenna steering system using a novel ring resonator-based integrated photonic beamformer. *International Topical Meeting on Microwave Photonics MWP 2009*, USA: (IEEE) Institute of Electrical and Electronics Engineers.

## 2008

Marpaung, D., Roeloffzen, C., Van Etten, W. (2008). A broadband high dynamic range analog photonic link using push-pull directly-modulated semiconductor lasers. *IEEE MTT-S International Microwave Symposium (IMS 2008)*, Piscataway, NJ: IEEE. <a href="http://dx.doi.org/10.1109/MWSYM.2008.4633214">[More Information]</a>

Schippers, H., Verpoorte, J., Jorna, P., Hulzinga, A., Meijerink, A., Roeloffzen, C., Zhuang, L., Marpaung, D., Van Etten, W., Heideman, R., et al (2008). Broadband conformal phased array with optical beam forming for airborne satellite communication. *IEEE Aerospace Conference 2008*, Big Sky, Montana, USA: IEEE. <a href="http://dx.doi.org/10.1109/AERO.2008.4526305">[More Information]</a>

Zhuang, L., Meijerink, A., Roeloffzen, C., Marpaung, D., Heideman, R., Hoekman, M., Leinse, A., Van Etten, W. (2008). Broadband phased array antenna steering by means of coherent signal combining in an integrated ring resonator-based optical beamformer. *13th Annual Symposium of the IEEE/LEOS Benelux Chapter*, The Netherlands: IEEE.

Timens, R., Marpaung, D., Roeloffzen, C., Van Etten, W. (2008). Design and Simulation of an Integrated Optical Ring-Resonator Based Frequency Discriminator for Analog Optical Links. *13th Annual Symposium of the IEEE/LEOS Benelux Chapter*, The Netherlands: IEEE.

Van't Klooster, J., Roeloffzen, C., Meijerink, A., Zhuang, L., Marpaung, D., Van Etten, W., Heideman, R., Leinse, A., Schippers, H., Verpoorte, J., et al (2008). Design of a Ring Resonator-Based Optical Beam Forming Network for Phased Array Receive Antennas. *30th ESA Antenna Workshop on Antennas for Earth Observation, Science, Telecommunication and Navigation Space Missions*, Noordwijk, The Netherlands: European Space Agency.

Schippers, H., Verpoorte, J., Jorna, P., Hulzinga, A., Meijerink, A., Roeloffzen, C., Zhuang, L., Marpaung, D., Van Etten, W., Heideman, R., et al (2008). Dual-frequency phased array antennas with optical beamforming for airborne satellite communication. *30th ESA Antenna Workshop on Antennas for Earth Observation, Science, Telecommunication and Navigation Space Missions*, Noordwijk, The Netherlands: European Space Agency.

Schippers, H., Verpoorte, J., Jorna, P., Hulzinga, A., Zhuang, L., Meijerink, A., Roeloffzen, C., Marpaung, D., Van Etten, W., Heideman, R., et al (2008). Enhancement of Multioctave Dynamic Range in a Push-Pull Modulated Analog Photonic Link. *13th Annual Symposium of the IEEE/LEOS Benelux Chapter*, The Netherlands: IEEE.

Roeloffzen, C., Meijerink, A., Zhuang, L., Marpaung, D., Heideman, R., Leinse, A., Hoekman, M., Van Etten, W. (2008). Integrated photonic beamer employing continuously tunable ring resonator-based delays in CMOS-compatible LPCVD waveguide technology. *Optoelectronic Materials and Devices III*, Bellingham: SPIE Society of Photo-Optical Instrumentation Engineers.

Zhuang, L., Meijerink, A., Roeloffzen, C., Marpaung, D., Heideman, R., Hoekman, M., Leinse, A., Van Etten, W. (2008). Novel ring resonator-based optical beamformer for broadband phased array receive antennas. *21st Annual Meeting of the IEEE Lasers and Electro-Optics Society 2008 (LEOS 2008)*, Piscataway, New Jersey, United States of America: IEEE. <a href="http://dx.doi.org/10.1109/LEOS.2008.4688467">[More Information]</a>