

Publications for Emmanuel Stamatakis

2017

Cheng, S., Alison, J., Dennis, S., Stamatakis, E., Spencer, L., McNamara, R., Sims, S., McKeough, Z. (2017). A behaviour change intervention to reduce sedentary time in people with chronic obstructive pulmonary disease: Protocol for a randomised controlled trial. *Journal of Physiotherapy*, 63(3), 182-182. [More Information]

Strong, A., Stoutenberg, M., Hobson-Powell, A., Hargreaves, M., Beeler, H., Stamatakis, E. (2017). An evaluation of physical activity training in Australian medical school curricula. *Journal of Science and Medicine in Sport*, 20(6), 534-538. [More Information]

O'Donovan, G., Lee, I., Hamer, M., Stamatakis, E. (2017). Association of "weekend warrior" and other leisure time physical activity patterns with risks for all-cause, cardiovascular disease, and cancer mortality. *JAMA Internal Medicine*, 177(3), 335-342. [More Information]

Freeston, J., Gale, J., Mavros, Y., Bennie, J., Pedisic, Z., Bauman, A., Stamatakis, E. (2017). Associations between multiple indicators of socio-economic status and muscle-strengthening activity participation in a nationally representative population sample of Australian adults. *Preventive Medicine*, 102, 44-48. [More Information]

Bakrania, K., Edwardson, C., Khunti, K., Henson, J., Stamatakis, E., Hamer, M., Davies, M., Yates, T. (2017). Associations of objectively measured moderate-to-vigorous-intensity physical activity and sedentary time with all-cause mortality in a population of adults at high risk of type 2 diabetes mellitus. *Preventive Medicine Reports*, 5, 285-288. [More Information]

Perreault, K., Bauman, A., Johnson, N., Britton, A., Ranguel, V., Stamatakis, E. (2017). Does physical activity moderate the association between alcohol drinking and all-cause, cancer and cardiovascular diseases mortality? A pooled analysis of eight British population cohorts. *British Journal of Sports Medicine*, 51, 651-657. [More Information]

Torske, M., Krokstad, S., Stamatakis, E., Bauman, A. (2017). Dog ownership and all-cause mortality in a population cohort in Norway: The HUNT study. *PloS One*, 12(6), 1-11. [More Information]

Vassallo, A., Hiller, C., Stamatakis, E., Pappas, E. (2017). Epidemiology of dance-related injuries presenting to emergency departments in the United States, 2000-2013. *Medical Problems of Performing Artists*, 32(3), 170-175. [More Information]

Hamer, M., O'Donovan, G., Stensel, D., Stamatakis, E. (2017). Normal-weight central obesity and risk for mortality. *Annals of Internal Medicine*, 166(12), 917-918. [More Information]

Batty, G., Russ, T., Stamatakis, E., Kivimaki, M. (2017). Psychological distress in relation to site specific cancer mortality: Pooling of unpublished data from 16 prospective cohort studies. *BMJ*, 356 article in press(j108). [More Information]

Li, I., Mackey, M., Foley, B., Pappas, E., Edwards, K., Chau, J., Engelen, L., Voukelatos, A., Whelan, A., Bauman, A., Stamatakis, E., et al (2017). Reducing Office Workers' Sitting Time at Work Using Sit-Stand Protocols: Results From a Pilot Randomized Controlled Trial. *Journal of Occupational and Environmental Medicine*, 59(6), 543-549. [More Information]

O'Donovan, G., Hamer, M., Stamatakis, E. (2017). Relationships between exercise, smoking habit and mortality in more than 100,000 adults. *International Journal of Cancer*, 140(8), 1819-1827. [More Information]

Stamatakis, E., Pulsford, R., Brunner, E., Britton, A., Bauman, A., Biddle, S., Hillsdon, M. (2017). Sitting behaviour is not associated with incident diabetes over 13 years: The Whitehall II cohort study. *British Journal of Sports Medicine*, 51(10), 818-823. [More Information]

Hamer, M., Biddle, S., Stamatakis, E. (2017). Weekend warrior physical activity pattern and common mental disorder: A population wide study of 108,011 British adults. *International Journal of Behavioral Nutrition and Physical Activity*, 14(1), 1-6. [More Information]

2016

Norris, E., Hamer, M., Stamatakis, E. (2016). Active Video Games in Schools and Effects on Physical Activity and Health: A Systematic Review. *The Journal of Pediatrics*, 172, 40-46.e5. [More Information]

Batty, G., Bell, S., Stamatakis, E., Kivimaki, M. (2016). Association of systemic inflammation with risk of completed suicide in the general population. *JAMA Psychiatry*, 73(9), 993-995. [More Information]

Kantomaa, M., Stamatakis, E., Kankaanpaa, A., Katjantie, E., Taanila, A., Tammelin, T. (2016). Associations of Physical Activity and Sedentary Behavior With Adolescent Academic Achievement. *Journal of Research on Adolescence*, 26(3), 432-442. [More Information]

Vassallo, A., Hiller, C., Stamatakis, E., Pappas, E. (2016). Dance-related foot and ankle injuries presenting to United States Emergency Departments. *Foot and Ankle Surgery*, 22(2), 23-23. [More Information]

Merom, D., Ding, D., Stamatakis, E. (2016). Dancing participation and cardiovascular disease mortality: A pooled analysis of 11 population based British cohorts. *American Journal of Preventive Medicine*, 50(6), 756-760. [More Information]

Stockton, J., Duke-Williams, O., Stamatakis, E., Mindell, J., Brunner, E., Shelton, N. (2016). Development of a novel walkability index for London, United Kingdom: Cross-sectional application to the Whitehall II Study. *BMC Public Health*, 16(1), 1-12. [More Information]

O'Donovan, G., Bakrania, K., Ghouri, N., Yates, T., Gray, L., Hamer, M., Stamatakis, E., Khunti, K., Davies, M., Sattar, N., et al (2016). Non-exercise equations to estimate fitness in white European and South Asian men. *Medicine and Science in Sports and Exercise*, 48(5), 854-859. [More Information]

Norris, E., Dunsmuir, S., Duke-Williams, O., Stamatakis, E., Shelton, N. (2016). Protocol for the 'Virtual Traveller' cluster-randomised controlled trial: A behaviour change intervention to increase physical activity in primary-school Maths and English lessons. *BMJ Open*, 6(6), 1-9. [More Information]

Batty, G., Stamatakis, E., Bell, S. (2016). Psychological distress and risk of accidental death in the general population. *Epidemiology*, 27(6), e38-e40. [More Information]

Bennie, J., Pedisic, Z., Van Uffelen, J., Gale, J., Banting, L., Vergeer, I., Stamatakis, E., Bauman, A., Biddle, S. (2016). The descriptive epidemiology of total physical activity, muscle-strengthening exercises and sedentary behaviour among Australian adults - results from the National Nutrition and Physical Activity Survey. *BMC Public Health*, 16(1), 1-13. [More Information]

Biddle, S., Bennie, J., Bauman, A., Chau, J., Dunstan, D., Owen, N., Stamatakis, E., Van Uffelen, J. (2016). Too much sitting and all-cause mortality: Is there a causal link? *BMC Public Health*, 16(1), 1-10. [More Information]

2015

Knott, C., Coombs, N., Stamatakis, E., Biddulph, J. (2015). All cause mortality and the case for age specific alcohol consumption guidelines: pooled analyses of up to 10 population based cohorts. *BMJ*, 350, 1-13. [More Information]

Stamatakis, E., Rogers, K., Ding, D., Berrigan, D., Chau, J., Hamer, M., Bauman, A. (2015). All-cause mortality effects of replacing sedentary time with physical activity and sleeping using an isotemporal substitution model: a prospective study of 201,129 mid-aged and older adults. *International Journal of Behavioral Nutrition and Physical Activity*, 12(1), 1-10. [More Information]

Russ, T., Kivimaki, M., Morling, J., Starr, J., Stamatakis, E., Batty, G. (2015). Association between psychological distress and liver disease mortality: a meta-analysis of individual study participants. *Gastroenterology*, 148(5), 958-966.e4. [More Information]

Coombs, N., Stamatakis, E. (2015). Associations between objectively assessed and questionnaire-based sedentary behaviour with BMI-defined obesity among general population children and adolescents living in England. *BMJ Open*, 5(6), 1-7. [More Information]

Pulsford, R., Stamatakis, E., Britton, A., Brunner, E., Hillsdon, M. (2015). Associations of sitting behaviours with all-cause mortality over a 16-year follow-up: the Whitehall II study. *International Journal of Epidemiology*, 44(6), 1909-1916. [More Information]

Bell, S., Russ, T., Kivimaki, M., Stamatakis, E., Batty, G. (2015). Dose-response association between psychological distress and risk of completed suicide in the general population. *JAMA Psychiatry*, 72(12), 1254-1256. [More Information]

Gebel, K., Ding, D., Chey, T., Stamatakis, E., Brown, W., Bauman, A. (2015). Effect of moderate to vigorous physical activity on all-cause mortality in middle-aged and older Australians. *JAMA Internal Medicine*, 175(6), 970-977. [More Information]

McCartney, G., Russ, T., Walsh, D., Lewsey, J., Smith, M., Smith, G., Stamatakis, E., Batty, G. (2015). Explaining the excess mortality in Scotland compared with England: pooling of 18 cohort studies. *Journal of Epidemiology and Community Health*, 69(1), 20-27. [More Information]

Kantomaa, M., Tammelin, T., Ebeling, H., Stamatakis, E., Taanila, A. (2015). High levels of physical activity and cardiorespiratory fitness are associated with good self-rated health in adolescents. *Journal of Physical Activity and Health*, 12(2), 266-272. [More Information]

Rey-Lopez, J., de Rezende, L., de Sa, T., Stamatakis, E. (2015). Is the metabolically healthy obese phenotype an irrelevant artefact for public health? *American Journal of Epidemiology*, 182(9), 737-741. [More Information]

Coombs, G., Stamatakis, E., Jay, O. (2015). Isolating the independent influence of body fat on thermoregulatory response to exercise. *European Journal of Applied Physiology*, 115(7), 1601-1602. [More Information]

Chastin, S., Egerton, T., Leask, C., Stamatakis, E. (2015). Meta-Analysis of the Relationship Between Breaks in Sedentary Behavior and Cardiometabolic Health. *Obesity*, 23(9), 1800-1810. [More Information]

Chastin, S., Egerton, T., Leask, C., Stamatakis, E. (2015). Meta-Analysis of the Relationship Between Breaks in Sedentary Behavior and Cardiometabolic Health. *Obesity*, 23(9), 1800-1810. [More Information]

Stoutenberg, M., Stasi, S., Stamatakis, E., Danek, D., Dufour, T., Trillk, J., Blair, S. (2015). Physical Activity Training in U.S. Medical Schools: Preparing Future Physicians to Engage in Primary Prevention. *The Physician and Sportsmedicine*, 43(4), 388-394. [More Information]

e Information]

Coombs, N., Stamatakis, E., Lee, I. (2015). Physical inactivity among older adults: Implications for life expectancy among non-overweight and overweight or obese individuals. *Obesity Research & Clinical Practice*, 9(2), 175-179. [More Information]

Norris, E., Shelton, N., Dunsmuir, S., Duke-Williams, O., Stamatakis, E. (2015). Physically active lessons as physical activity and educational interventions: A systematic review of methods and results. *Preventive Medicine*, 72, 116-125. [More Information]

Hamer, M., Smith, L., Stamatakis, E. (2015). Prospective association of TV viewing with acute phase reactants and coagulation markers: English longitudinal study of ageing. *Atherosclerosis*, 239(2), 322-327. [More Information]

Russ, T., Starr, J., Stamatakis, E., Kivimaki, M., Batty, G. (2015). Pulmonary function as a risk factor for dementia death: An individual participant meta-analysis of six UK general population cohort studies. *Journal of Epidemiology and Community Health*, 69, 550-556. [More Information]

Rey-Lopez, J., de Rezende, L., de Sa, T., Stamatakis, E. (2015). Rey-Lopez et al. Respond to "The Metabolically Healthy Obesity Phenotype". *American Journal of Epidemiology*, 182(9), 745-746. [More Information]

Stamatakis, E., Coombs, N., Tilling, K., Mattocks, C., Cooper, A., Hardy, L., Lawlor, D. (2015). Sedentary time in late childhood and cardiometabolic risk in adolescence. *Pediatrics*, 135(6), e1432-e1441. [More Information]

Norris, E., Shelton, N., Dunsmuir, S., Duke-Williams, O., Stamatakis, E. (2015). Teacher and pupil perspectives on the use of Virtual Field Trips as physically active lessons. *BMC Research Notes*, 8(1), 1-7. [More Information]

Zhu, J., Coombs, N., Stamatakis, E. (2015). Temporal trends in socioeconomic inequalities in obesity prevalence among working-age adults in Scotland between 1995 and 2011: A population-based repeated cross-sectional study. *BMJ Open*, 5(6), 1-10. [More Information]

Ding, D., Rogers, K., Van Der Ploeg, H., Stamatakis, E., Bauman, A. (2015). Traditional and emerging lifestyle risk behaviors and all-cause mortality in middle-aged and older adults: Evidence from a large population-based Australian cohort. *PLoS Medicine*, 12(12), 1-21. [More Information]

Milton, K., Gale, J., Stamatakis, E., Bauman, A. (2015). Trends in prolonged sitting time among European adults: 27 country analysis. *Preventive Medicine*, 77(11), 11-16. [More Information]

Norris, E., Shelton, N., Dunsmuir, S., Duke-Williams, O., Stamatakis, E. (2015). Virtual field trips as physically active lessons for children: A pilot study. *BMC Public Health*, 15(1),

1-9. [More Information]

2014

Scholes, S., Coombs, N., Pedisic, Z., Mindell, J., Bauman, A., Rowlands, A., Stamatakis, E. (2014). Age- and sex-specific criterion validity of the health survey for England physical activity and sedentary behaviour assessment questionnaire as compared with accelerometry. *American Journal of Epidemiology*, 179(12), 1493-1502. [More Information]

Hagger-Johnson, G., Hamer, M., Stamatakis, E., Bell, J., Shahab, L., Batty, G. (2014). Association between sitting time in midlife and common mental disorder symptoms: Whitehall II prospective cohort study. *Journal of Psychiatric Research*, 57(1), 182-184. [More Information]

Hamer, M., Coombs, N., Stamatakis, E. (2014). Associations between objectively assessed and self-reported sedentary time with mental health in adults: an analysis of data from the Health Survey for England. *BMJ Open*, 4(3), 1-7. [More Information]

Stamatakis, E., Grunseit, A., Coombs, N., Ding, D., Chau, J., Phongsavan, P., Bauman, A. (2014). Associations between socio-economic position and sedentary behaviour in a large population sample of Australian middle and older-aged adults: The Social, Economic, and Environmental Factor (SEEF) Study. *Preventive Medicine*, 63, 72-80. [More Information]

Anokye, N., Stamatakis, E. (2014). Different conceptual constructs for modelling sedentary behaviour and physical activity: the impact on the correlates of behaviour. *BMC Research Notes*, 7(921), 1-7. [More Information]

Hamer, M., Stamatakis, E., Steptoe, A. (2014). Effects of Substituting Sedentary Time with Physical Activity on Metabolic Risk. *Medicine and Science in Sports and Exercise*, 46(10), 1946-1950. [More Information]

Russ, T., Kivimaki, M., Starr, J., Stamatakis, E., Batty, G. (2014). Height in relation to dementia death: individual participant meta-analysis of 18 UK prospective cohort studies. *British Journal of Psychiatry*, 205(5), 348-354. [More Information]

Pedisic, Z., Ding, D., Grunseit, A., Chau, J., Banks, E., Stamatakis, E., Jalaludin, B., Bauman, A. (2014). High sitting time or obesity: Which came first? Bidirectional association in a longitudinal study of 31,787 Australian adults. *Obesity*, 22(10), 2126-2130. [More Information]

Weiler, R., Allardyce, S., Whyte, G., Stamatakis, E. (2014). Is the lack of physical activity strategy for children complicit mass child neglect? *British Journal of Sports Medicine*, 48(13), 1010-1013. [More Information]

Mindell, J., Coombs, N., Stamatakis, E. (2014). Measuring physical activity in children and adolescents for dietary surveys:

practicalities, problems and pitfalls. *Proceedings of the Nutrition Society*, 73(2), 218-225. [More Information]

Batty, G., Russ, T., Starr, J., Stamatakis, E., Kivimaki, M. (2014). Modifiable cardiovascular disease risk factors as predictors of dementia death: Pooling of ten cohort studies. *Journal of Negative Results in BioMedicine*, 13(1), 1-4. [More Information]

Batty, G., Russ, T., Starr, J., Stamatakis, E., Kivimaki, M. (2014). Modifiable cardiovascular disease risk factors as predictors of dementia death: pooling of ten general population-based cohort studies. *Journal of Negative Results in BioMedicine*, 13(1), 1-4. [More Information]

Stamatakis, E., Coombs, N., Rowlands, A., Shelton, N., Hillsdon, M. (2014). Objectively-assessed and self-reported sedentary time in relation to multiple socioeconomic status indicators among adults in England: a cross-sectional study. *BMJ Open*, 4(11), 1-10. [More Information]

Sadarangani, K., Hamer, M., Mindell, J., Coombs, N., Stamatakis, E. (2014). Physical Activity and Risk of All-Cause and Cardiovascular Disease Mortality in Diabetic Adults From Great Britain: Pooled Analysis of 10 Population-Based Cohorts. *Diabetes Care*, 37(4), 1016-1023. [More Information]

Hamer, M., Stamatakis, E. (2014). Prospective study of sedentary behavior, risk of depression, and cognitive impairment. *Medicine and Science in Sports and Exercise*, 46(4), 718-723. [More Information]

Batty, G., Russ, T., Stamatakis, E., Kivimaki, M. (2014). Psychological distress and risk of peripheral vascular disease, abdominal aortic aneurysm, and heart failure: Pooling of sixteen cohort studies. *Atherosclerosis*, 236(2), 385-388. [More Information]

Van Der Ploeg, H., Chey, T., Ding, D., Chau, J., Stamatakis, E., Bauman, A. (2014). Standing time and all-cause mortality in a large cohort of Australian adults. *Preventive Medicine*, 69, 187-191. [More Information]

Hamer, M., Weiler, R., Stamatakis, E. (2014). Watching sport on television, physical activity, and risk of obesity in older adults. *BMC Public Health*, 14(1), 1-4. [More Information]

Ding, D., Stamatakis, E. (2014). Yoga practice in England 1997-2008: prevalence, temporal trends, and correlates of participation. *BMC Research Notes*, 7(1), 1-4. [More Information]

2013

Stamatakis, E., Hamer, M., O'Donovan, G., Batty, G., Kivimaki, M. (2013). A non-exercise testing method for estimating cardiorespiratory fitness: associations with all-cause and cardiovascular mortality in a pooled analysis of eight

population-based cohorts. *European Heart Journal*, 34(10), 750-758. [More Information]

Stamatakis, E., Chau, J., Pedisic, Z., Bauman, A., Macniven, R., Coombs, N., Hamer, M. (2013). Are Sitting Occupations Associated with Increased All-Cause, Cancer, and Cardiovascular Disease Mortality Risk? A Pooled Analysis of Seven British Population Cohorts. *PLoS One*, 8(9), 1-10. [More Information]

Tielemans, S., Soedamah-Muthu, S., De Neve, M., Toeller, M., Chaturvedi, N., Fuller, J., Stamatakis, E. (2013). Association of physical activity with all cause mortality and incident and prevalent cardiovascular disease among patients with type 1 diabetes: the EURODIAB Prospective Complications Study. *Diabetologia*, 56(1), 82-91. [More Information]

Stamatakis, E., Coombs, N., Jago, R., Gama, A., Mourao, I., Nogueira, H., Rosado, V., Padez, C. (2013). Associations between indicators of screen time and adiposity indices in Portuguese children. *Preventive Medicine*, 56(5), 299-303. [More Information]

Ingle, L., Carroll, S., Stamatakis, E., Hamer, M. (2013). Benefit of adding lifestyle-related risk factors for prediction of cardiovascular death among cardiac patients. *International Journal of Cardiology*, 163(2), 196-200. [More Information]

Coombs, N., Shelton, N., Rowlands, A., Stamatakis, E. (2013). Children's and adolescents' sedentary behaviour in relation to socioeconomic position. *Journal of Epidemiology and Community Health*, 67(10), 868-874. [More Information]

Chau, J., Grunseit, A., Chey, T., Stamatakis, E., Brown, W., Matthews, C., Bauman, A., Van Der Ploeg, H. (2013). Daily Sitting Time and All-Cause Mortality: A Meta-Analysis. *PLoS One*, 8(11), 1-14. [More Information]

Russ, T., Hamer, M., Stamatakis, E., Starr, J., Batty, G., Kivimaki, M. (2013). Does the Framingham cardiovascular disease risk score also have predictive utility for dementia death? An individual participant meta-analysis of 11,887 men and women. *Atherosclerosis*, 228(1), 256-258. [More Information]

Kengne, A., Czernichow, S., Stamatakis, E., Hamer, M., Batty, G. (2013). Fibrinogen and Future Cardiovascular Disease in People with Diabetes: Aetiological Associations and Risk Prediction Using Individual Participant data from Nine Community-based Prospective Cohort Studies. *Diabetes and Vascular Disease Research*, 10(2), 143-151. [More Information]

Soedamah-Muthu, S., De Neve, M., Shelton, N., Tielemans, S., Stamatakis, E. (2013). Joint associations of alcohol consumption and physical activity with all-cause and cardiovascular mortality. *American Journal of Cardiology*, 112(3), 380-386. [More Information]

O'Donovan, G., Hillsdon, M., Ukoumunne, O., Stamatakis, E., Hamer, M. (2013). Objectively measured physical activity, cardiorespiratory fitness and cardiometabolic risk factors in the Health Survey for England. *Preventive Medicine*, 57(3), 201-205. [More Information]

Hamer, M., Stamatakis, E. (2013). Overweight and obese cardiac patients have better prognosis despite reporting worse perceived health and more conventional risk factors. *Preventive Medicine*, 57(1), 12-16. [More Information]

Kantomaa, M., Stamatakis, E., Kankaanpää, A., Kaakinen, M., Rodriguez, A., Taanila, A., Ahonen, T., Jarvelin, M., Tammelin, T. (2013). Physical activity and obesity mediate the association between childhood motor function and adolescents academic achievement. *Proceedings of the National Academy of Sciences of the United States of America (PNAS)*, 110(5), 1917-1922. [More Information]

Hamer, M., Stamatakis, E. (2013). Response: Selection bias in cohorts of cases. *Preventive Medicine*, 57(3), 249-249. [More Information]

Hamer, M., Stamatakis, E. (2013). Screen-Based Sedentary Behavior, Physical Activity, and Muscle Strength in the English Longitudinal Study of Ageing. *PLoS One*, 8(6), 1-5. [More Information]

Pulsford, R., Stamatakis, E., Britton, A., Brunner, E., Hillsdon, M. (2013). Sitting Behavior and Obesity: Evidence from the Whitehall II Study. *American Journal of Preventive Medicine*, 44(2), 132-138. [More Information]

Russ, T., Stamatakis, E., Hamer, M., Starr, J., Kivimaki, M., Batty, G. (2013). Socioeconomic Status as a Risk Factor for Dementia Death: An Individual Participant Meta-analysis of 86 508 Men and Women from the United Kingdom. *British Journal of Psychiatry*, 203(1), 10-17. [More Information]

Lazzarino, A., Stamatakis, E. (2013). The Combined Association of Psychological Distress and Socio-Economic Status with All-Cause Mortality: A National Cohort Study. *JAMA Internal Medicine*, 173(1), 22-27. [More Information]

Stamatakis, E., Nnoaham, K., Foster, C., Scarborough, P. (2013). The influence of global heating on discretionary physical activity: An important and overlooked consequence of climate change. *Journal of Physical Activity and Health*, 10(6), 765-768.

Bennie, J., Chau, J., Van Der Ploeg, H., Stamatakis, E., Do, A., Bauman, A. (2013). The prevalence and correlates of sitting in European adults - a comparison of 32 Eurobarometer-participating countries. *International Journal of Behavioral Nutrition and Physical Activity*, 10(1), 1-13. [More Information]

Stamatakis, E., Coombs, N., Jago, R., Gama, A., Mourao, I., Nogueira, H., Rosado, V., Padez, C. (2013). Type-Specific Screen Time Associations with Cardiovascular Risk Markers in

Children. *American Journal of Preventive Medicine*, 44(5), 481-488. [More Information]

Stamatakis, E., Weiler, R., Ioannidis, J. (2013). Undue industry influences that distort healthcare research, strategy, expenditure and practice: A review. *European Journal of Clinical Investigation*, 43(5), 469-475. [More Information]

2012

Kengne, A., Czernichow, S., Hamer, M., Batty, G., Stamatakis, E. (2012). Anaemia, Haemoglobin Level and Cause-Specific Mortality in People With and Without Diabetes. *PLoS One*, 7(8), 1-8. [More Information]

Russ, T., Stamatakis, E., Hamer, M., Starr, J., Kivimaki, M., Batty, G. (2012). Association between psychological distress and mortality: individual participant pooled analysis of 10 prospective cohort studies. *British Medical Journal*, 345(7871), 1-14. [More Information]

Kengne, A., Batty, G., Hamer, M., Stamatakis, E., Czernichow, S. (2012). Association of C-reactive protein with cardiovascular disease mortality according to diabetes status: pooled analyses of 25,979 participants from four UK prospective cohort studies. *Diabetes Care*, 35(2), 396-403. [More Information]

Stamatakis, E., Davis, M., Stathi, A., Hamer, M. (2012). Associations between multiple indicators of objectively-measured and self-reported sedentary behaviour and cardiometabolic risk in older adults. *Preventive Medicine*, 54(1), 82-87. [More Information]

Mindell, J., Biddulph, J., Hirani, V., Stamatakis, E., Craig, R., Nunn, S., Shelton, N. (2012). Cohort Profile: The Health Survey for England. *International Journal of Epidemiology*, 41(6), 1585-1593. [More Information]

Stamatakis, E., Hamer, M., Mishra, G. (2012). Early adulthood television viewing and cardiometabolic risk profiles in early middle age: results from a population, prospective cohort study. *Diabetologia*, 55(2), 311-320. [More Information]

Kengne, A., Czernichow, S., Stamatakis, E., Hamer, M., Batty, G. (2012). Gamma-glutamyltransferase and risk of cardiovascular disease mortality in people with and without diabetes: pooling of three British Health Surveys. *Journal of Hepatology*, 57(5), 1083-1089. [More Information]

Hamer, M., Stamatakis, E. (2012). Low-Dose Physical Activity Attenuates Cardiovascular Disease Mortality in Men and Women with Clustered Metabolic Risk Factors. *Circulation: Cardiovascular Quality and Outcomes*, 5(4), 494-499. [More Information]

Weiler, R., Feldschreiber, P., Stamatakis, E. (2012). Medico-legal neglect? The case for physical activity promotion and

exercise medicine. *British Journal of Sports Medicine*, 46(4), 228-232. [More Information]

Hamer, M., Stamatakis, E. (2012). Metabolically Healthy Obesity and Risk of All-Cause and Cardiovascular Disease Mortality. *Journal of Clinical Endocrinology and Metabolism*, 97(7), 2482-2488. [More Information]

Jago, R., Stamatakis, E., Gama, A., Carvalhal, I., Nogueira, H., Rosado, V., Padez, C. (2012). Parent and Child Screen-Viewing Time and Home Media Environment. *American Journal of Preventive Medicine*, 43(2), 150-158. [More Information]

Hamer, M., Ingle, L., Carroll, S., Stamatakis, E. (2012). Physical Activity and Cardiovascular Mortality Risk: Possible Protective Mechanisms? *Medicine and Science in Sports and Exercise*, 44(1), 84-88. [More Information]

Weiler, R., Chew, S., Coombs, N., Hamer, M., Stamatakis, E. (2012). Physical activity education in the undergraduate curricula of all UK medical schools. Are tomorrow's doctors equipped to follow clinical guidelines? *British Journal of Sports Medicine*, 46(14), 1024-1026. [More Information]

Hamer, M., Kivimaki, M., Stamatakis, E., Batty, G. (2012). Psychological distress as a risk factor for death from cerebrovascular disease. *CMAJ*, 184(13), 1461-1466. [More Information]

Stamatakis, E., Hamer, M., Tilling, K., Lawlor, D. (2012). Sedentary Time in Relation to Cardio-metabolic Risk Factors: Differential Associations for Self-Report Versus Accelerometry in Working Age Adults. *International Journal of Epidemiology*, 41(5), 1328-1337. [More Information]

Stamatakis, E., Hamer, M. (2012). The Extent to Which Adiposity Markers Explain the Association Between Sedentary Behavior and Cardiometabolic Risk Factors. *Obesity*, 20(1), 229-232. [More Information]

Stamatakis, E. (2012). We need to move away from relying on drugs to prevent lifestyle induced chronic disease. *BMJ: British Medical Journal*, 344(7857), 1-1. [More Information]

2011

Williams, E., Stamatakis, E., Chandola, T., Hamer, M. (2011). Assessment of physical activity levels in South Asians in the UK: findings from the Health Survey for England. *Journal of Epidemiology and Community Health*, 65(6), 517-521. [More Information]

Czernichow, S., Kengne, A., Stamatakis, E., Hamer, M., Batty, G. (2011). Body mass index, waist circumference and waist-hip ratio: which is the better discriminator of cardiovascular disease mortality risk? Evidence from an individual-participant meta-analysis of 82 864 participants from nine cohort studies. *Obesity Reviews*, 12(9), 660-687. [More Information]

Hamer, M., Batty, G., Stamatakis, E., Kivimaki, M. (2011). Comparison of risk factors for fatal stroke and ischemic heart disease: A prospective follow up of the Health Survey for England. *Atherosclerosis*, 219(2), 807-810. [More Information]

Roibas, A., Stamatakis, E., Black, K. (2011). *Design for Sport*. London: Gower Publishing Company.

Hamer, M., Ford, T., Stamatakis, E., Dockray, S., Batty, G. (2011). Objectively measured second hand smoke exposure and mental health in children: Evidence from the Scottish Health Survey. *Archives of Pediatrics & Adolescent Medicine*, 165(4), 326-331. [More Information]

Williams, E., Stamatakis, E., Chandola, T., Hamer, M. (2011). Physical activity behaviour and coronary heart disease mortality among South Asian people in the UK: an observational longitudinal study. *Heart*, 97(8), 655-659. [More Information]

Hamer, M., Batty, G., Kivimaki, M., Stamatakis, E. (2011). Physical Functional Health and Risk of Future Cardiovascular Disease: The Scottish Health Survey. *Archives of Internal Medicine*, 171(6), 593-594. [More Information]

Weiler, R., Stamatakis, E., Blair, S. (2011). Physical inactivity is associated with earlier mortality – the evidence is incontrovertible. *British Journal of General Practice*, 61(593), 719-720. [More Information]

Russ, T., Hamer, M., Stamatakis, E., Starr, J., Batty, G. (2011). Psychological Distress as a Risk Factor for Dementia Death. *Archives of Internal Medicine*, 171(20), 1858-1859. [More Information]

Stamatakis, E., Hamer, M., Dunstan, D. (2011). Screen-based entertainment time, all-cause mortality, and cardiovascular events: population-based study with ongoing mortality and hospital events follow-up. *Journal of the American College of Cardiology*, 57(3), 292-299. [More Information]

Stamatakis, E., Hamer, M. (2011). Sedentary behaviour: re-defining its meaning and its links to chronic disease. *British Journal of Hospital Medicine*, 72(4), 192-195.

Black, K., Roibas, A., Stamatakis, E. (2011). Sport in question. *New Design*, 901, 24-27.

Hamer, M., Kengne, A., Batty, G., Cooke, D., Stamatakis, E. (2011). Temporal trends in diabetes prevalence and key diabetes risk factors in Scotland, 2003-2008. *Diabetic Medicine*, 28(5), 595-598. [More Information]

Roibas, A., Stamatakis, E., Black, K. (2011). The case for socially responsible design for sports. In Anxo Cereijo Roibas, Emmanuel Stamatakis and Ken Black (Eds.), *Design for Sport*, (pp. 3-11). London: Gower Publishing Company. [More Information]

Roibas, A., Stamatakis, E., Black, K. (2011). The case for socially responsible design for sports. In Anxo Cereijo Roibas, Emmanuel Stamatakis and Ken Black (Eds.), *Design for Sport*, (pp. 3-11). London: Gower Publishing Company. [More Information]

Armstrong, G., Stamatakis, E., Cambell, N. (2011). The Sporting legacy of Olympic Games and Major Sport Events: Reality Reconsidered. In Anxo Cereijo Roibas, Emmanuel Stamatakis and Ken Black (Eds.), *Design for Sport*, (pp. 307-333). London: Gower Publishing Company.

2010

Hamer, M., Chida, Y., Stamatakis, E. (2010). Association of Very Highly Elevated C-Reactive Protein Concentration with Cardiovascular Events and All Cause Mortality. *Clinical Chemistry Online*, 56(1), 132-135. [More Information]

Stamatakis, E., Wardle, J., Cole, T. (2010). Childhood obesity and overweight prevalence trends in England: evidence for growing socioeconomic disparities. *International Journal of Obesity*, 34(1), 41-47. [More Information]

Hamer, M., Batty, G., Stamatakis, E., Kivimaki, M. (2010). Hypertension Awareness and Psychological Distress. *Hypertension*, 56(3), 547-550. [More Information]

Roth, M., Stamatakis, E. (2010). Linking young people's knowledge of people health guidelines to physical activity levels in England. *Pediatric Exercise Science*, 22(3), 467-476.

Demakakos, P., Hamer, M., Stamatakis, E., Steptoe, A. (2010). Low-intensity physical activity is associated with reduced risk of incident type 2 diabetes in older adults: evidence from the English Longitudinal Study of Ageing. *Diabetologia*, 53(9), 1877-1885. [More Information]

Hamer, M., Stamatakis, E. (2010). Objectively assessed physical activity, fitness and subjective wellbeing. *Mental Health and Physical Activity*, 3(2), 67-71. [More Information]

Hamer, M., Stamatakis, E., Batty, G. (2010). Objectively assessed second hand smoke exposure and mental health in adults: cross-sectional and prospective evidence from the Scottish Health Survey. *Archives of General Psychiatry*, 67(8), 850-855. [More Information]

Hamer, M., Stamatakis, E., Kivimaki, M., Lowe, G., Batty, G. (2010). Objectively measured second hand smoke exposure and risk of cardiovascular disease: what is the mediating role of inflammatory and haemostatic factors? *Journal of the American College of Cardiology*, 56(1), 18-23. [More Information]

Cattaneo, A., Monasta, L., Stamatakis, E., Lioret, S., Castetbon, K., Frenken, F., Manios, Y., Moschonis, G., Savva, S., Zaborskis, A., et al (2010). Overweight and obesity in infants and pre-school children in the European Union: a review of existing data. *Obesity Reviews*, 11(5), 389-398. [More Information]

Hamer, M., Mishra, G., Davis, M., Stamatakis, E. (2010). Physical activity and healthy ageing. *Journal of Physical Activity and Health*, 7(Supp 3), S316-S317.

Weiler, R., Stamatakis, E. (2010). Physical activity in the United Kingdom: A unique crossroad? *British Journal of Sports Medicine*, 44, 912-914. [More Information]

Stamatakis, E. (2010). Physical functioning and coronary heart disease development: is physical activity the missing link? *International Journal of Epidemiology*, 39(4), 1004-1005. [More Information]

Stamatakis, E., Weiler, R. (2010). Prevention of cardiovascular disease: why do we neglect the most potent intervention? *Heart*, 96(4), 261-262. [More Information]

Hamer, M., Stamatakis, E., Kivimaki, M., Kengne, A., Batty, D. (2010). Psychological Distress, Glycated Hemoglobin, and Mortality in Adults With and Without Diabetes. *Psychosomatic Medicine*, 72(9), 882-886. [More Information]

Hamer, M., Batty, G., Stamatakis, E., Kivimaki, M. (2010). Response to Knowing Hypertension Awareness and Psychological Distress in Primary Prevention. *Hypertension*, 56, e174-e174. [More Information]

Hamer, M., Stamatakis, E., Kivimaki, M., Lowe, G., Batty, G. (2010). Secondhand Smoke Exposure and Protective Effects. *Journal of the American College of Cardiology*, 56(23), 1962-1963. [More Information]

Weiler, R., Stamatakis, E., Blair, S. (2010). Should health policy focus on increasing physical activity rather than treating obesity? Yes. *BMJ: British Medical Journal*, 340(7757), 1170-1171. [More Information]

Goris, J., Petersen, S., Stamatakis, E., Veerman, L. (2010). Television food advertising and the prevalence of childhood overweight and obesity: a multi-country comparison. *Public Health Nutrition*, 13(7), 1003-1012. [More Information]

Hamer, M., Stamatakis, E., Mishra, G. (2010). Television- and Screen-Based Activity and Mental Well-Being in Adults. *American Journal of Preventive Medicine*, 38(4), 375-380. [More Information]

O'Donovan, G., Blazeovich, A., Boreham, C., Cooper, A., Crank, H., Ekelund, U., Fox, K., Gately, P., Giles-Corti, B., Gill, J., et al (2010). The ABC of Physical Activity for Health: A consensus statement from the British Association of Sport and Exercise Sciences. *Journal of Sports Sciences*, 28(6), 573-591. [More Information]

Hamer, M., Batty, G., Stamatakis, E., Kivimaki, M. (2010). The combined influence of hypertension and common mental disorder on all-cause and cardiovascular disease mortality. *Journal of Hypertension*, 28(12), 2401-2406. [More Information]

Stamatakis, E., Zaninotto, P., Falaschetti, E., Mindell, J., Head, J. (2010). Time trends in childhood and adolescent obesity in England from 1995 to 2007 and projections of prevalence to 2015. *Journal of Epidemiology and Community Health*, 64(2), 167-174. [More Information]

2009

Stamatakis, E., Hamer, M., Primatesta, P. (2009). Cardiovascular medication, physical activity and mortality: cross-sectional population study with ongoing mortality follow-up. *Heart*, 95(6), 448-453. [More Information]

Hamer, M., Stamatakis, E., Steptoe, A. (2009). Does-response relationship between physical activity and mental health: the Scottish Health Survey. *British Journal of Sports Medicine*, 43(14), 1111-1114. [More Information]

Molloy, G., Stamatakis, E., Randall, G., Hamer, M. (2009). Marital status, gender and cardiovascular mortality: Behavioural, psychological distress and metabolic explanations. *Physiology and Behavior*, 69(2), 223-228. [More Information]

Stamatakis, E., Hirani, V., Rennie, K. (2009). Moderate-to-vigorous physical activity and sedentary behaviours in relation to body mass index-defined and waist circumference-defined obesity. *British Journal of Nutrition*, 101(5), 765-773. [More Information]

Hamer, M., Stamatakis, E. (2009). Physical activity and mortality in men and women with diagnosed cardiovascular disease. *European Journal of Preventive Cardiology*, 16(2), 156-160. [More Information]

Hamer, M., Stamatakis, E. (2009). Physical Activity and Risk of Cardiovascular Disease Events: Inflammatory and Metabolic Mechanisms. *Medicine and Science in Sports and Exercise*, 41(6), 1206-1211. [More Information]

Stamatakis, E., Hamer, M., Lawlor, D. (2009). Physical activity, mortality and cardiovascular disease: is domestic physical activity beneficial? The Scottish Health Survey -- 1995, 1998, and 2003. *American Journal of Epidemiology*, 169(10), 1191-1200. [More Information]

Hamer, M., Stamatakis, E., Mishra, G. (2009). Psychological Distress, Television Viewing, and Physical Activity in Children Aged 4 to 12 Years. *Pediatrics*, 123(5), 1263-1268. [More Information]

Stamatakis, E., Hillsdon, M., Mishra, G., Hamer, M., Marmot, M. (2009). Television viewing and other screen-based entertainment in relation to multiple socioeconomic status indicators and area deprivation: the Scottish Health Survey 2003. *Journal of Epidemiology and Community Health*, 63(9), 734-740. [More Information]

Hamer, M., Stamatakis, E., Saxton, J. (2009). The impact of physical activity on all-cause mortality in men and women after a cancer diagnosis. *Cancer Causes and Control*, 20(2), 225-231. [More Information]

Hamer, M., Chida, Y., Stamatakis, E. (2009). The role of conventional and novel mechanisms in explaining increased risk of cardiovascular events in offspring with positive parental history. *Journal of Hypertension*, 7(10), 1966-1971. [More Information]

Zaninotto, P., Head, J., Stamatakis, E., Wardle, H., Mindell, J. (2009). Trends in obesity among adults in England from 1993 to 2004 by age and social class and projections of prevalence to 2012. *Journal of Epidemiology and Community Health*, 63(2), 140-146. [More Information]

Hamer, M., Chida, Y., Stamatakis, E. (2009). Utility of C-reactive Protein for Cardiovascular Risk Stratification across Three Age Groups in Subjects without Existing Cardiovascular Diseases. *American Journal of Cardiology*, 104(4), 538-542. [More Information]

2008

Hamer, M., Stamatakis, E. (2008). Inflammation as an intermediate pathway in the association between psychosocial stress and obesity. *Physiology and Behavior*, 94(4), 536-539. [More Information]

Hamer, M., Stamatakis, E. (2008). Physical Activity and Cardiovascular Disease: Directions for Future Research. *The Open Sports Sciences Journal*, 1, 1-2.

Hamer, M., Stamatakis, E., Steptoe, A. (2008). Psychiatric hospital admissions, behavioural risk factors, and all cause mortality: The Scottish Health Survey. *Archives of Internal Medicine*, 168(22), 2474-2479. [More Information]

Hamer, M., Molloy, G., Stamatakis, E. (2008). Psychological distress as a risk factor for CVD events: Pathophysiological and behavioral mechanisms. *Journal of the American College of Cardiology*, 52(25), 2156-2162. [More Information]

Stamatakis, E., Chaudhury, M. (2008). Temporal trends in adults' sports participation patterns in England between 1997 and 2006: the Health Survey for England. *British Journal of Sports Medicine*, 42(11), 601-608. [More Information]

Hamer, M., Stamatakis, E. (2008). The accumulative effects of modifiable risk factors on inflammation and haemostasis. *Brain, Behavior, and Immunity*, 22(7), 1041-1043. [More Information]