

## Publications for Emmanuel Stamatakis

### 2018

Cheng, S., McKeough, Z., Alison, J., Dennis, S., Hamer, M., Stamatakis, E. (2018). Associations of total and type-specific physical activity with mortality in chronic obstructive pulmonary disease: a population-based cohort study. *BMC Public Health*, 18:268. <a href="http://dx.doi.org/10.1186/s12889-018-5167-5">[More Information]</a>

Ding, D., Bauman, A., Sherrington, C., McGreevy, P., Edwards, K., Stamatakis, E. (2018). Dog Ownership and Mortality in England: A Pooled Analysis of Six Population-based Cohorts. *American Journal of Preventive Medicine*, 54(2), 289-293. <a href="http://dx.doi.org/10.1016/j.amepre.2017.09.012">[More Information]</a>

Vassallo, A., Hiller, C., Pappas, E., Stamatakis, E. (2018). Temporal trends in dancing among adults between 1994 and 2012: The Health Survey for England. *Preventive Medicine*, 52, 200-208. <a href="http://dx.doi.org/10.1016/j.yjmed.2017.11.005">[More Information]</a>

### 2017

Cheng, S., Alison, J., Dennis, S., Stamatakis, E., Spencer, L., McNamara, R., Sims, S., McKeough, Z. (2017). A behaviour change intervention to reduce sedentary time in people with chronic obstructive pulmonary disease: Protocol for a randomised controlled trial. *Journal of Physiotherapy*, 63(3), 182-182. <a href="http://dx.doi.org/10.1016/j.jphys.2017.04.001">[More Information]</a>

Benvenuti, M., da Silva Alves, E., Michael, S., Ding, D., Stamatakis, E., Edwards, K. (2017). A single session of hatha yoga improves stress reactivity and recovery after an acute psychological stress task-A counterbalanced, randomized crossover trial in healthy individuals. *Complementary Therapies in Medicine*, 35, 120-126. <a href="http://dx.doi.org/10.1016/j.ctim.2017.10.009">[More Information]</a>

Strong, A., Stoutenberg, M., Hobson-Powell, A., Hargreaves, M., Beeler, H., Stamatakis, E. (2017). An evaluation of physical activity training in Australian medical school curricula. *Journal of Science and Medicine in Sport*, 20(6), 534-538. <a href="http://dx.doi.org/10.1016/j.jsams.2016.10.011">[More Information]</a>

O'Donovan, G., Lee, I., Hamer, M., Stamatakis, E. (2017). Association of "weekend warrior" and other leisure time physical activity patterns with risks for all-cause, cardiovascular disease, and cancer mortality. *JAMA Internal Medicine*, 177(3), 335-342. <a href="http://dx.doi.org/10.1001/jamainternmed.2016.8014">[More Information]</a>

Freeston, J., Gale, J., Mavros, Y., Bennie, J., Pedisic, Z., Bauman, A., Stamatakis, E. (2017). Associations between multiple indicators of socio-economic status and muscle-strengthening activity participation in a nationally representative population sample of Australian adults. *Preventive Medicine*, 102, 44-48. <a href="http://dx.doi.org/10.1016/j.yjmed.2017.06.020">[More Information]</a>

Bakrania, K., Edwardson, C., Khunti, K., Henson, J., Stamatakis, E., Hamer, M., Davies, M., Yates, T. (2017). Associations of objectively measured moderate-to-vigorous-intensity physical activity and sedentary time with all-cause mortality in a population of adults at high risk of type 2 diabetes mellitus. *Preventive Medicine Reports*, 5, 285-288. <a href="http://dx.doi.org/10.1016/j.pmedr.2017.01.013">[More Information]</a>

Oja, P., Kelly, P., Pedisic, Z., Titze, S., Bauman, A., Foster, C., Hamer, M., Hillsdon, M., Stamatakis, E. (2017). Associations of specific types of sports and exercise with all-cause and cardiovascular-disease mortality: a cohort study of 80 306 British adults. *British Journal of Sports Medicine*, 51(10), 812-817. <a href="http://dx.doi.org/10.1136/bjsports-2016-096822">[More Information]</a>

Perreault, K., Bauman, A., Johnson, N., Britton, A., Rangul, V., Stamatakis, E. (2017). Does physical activity moderate the association between alcohol drinking and all-cause, cancer and cardiovascular diseases mortality? A pooled analysis of eight British population cohorts. *British Journal of Sports Medicine*, 51, 651-657. <a href="http://dx.doi.org/10.1136/bjsports-2016-096194">[More Information]</a>

Stamatakis, E., Lee, I., Bennie, J., Freeston, J., Hamer, M., O'Donovan, G., Ding, D., Bauman, A., Mavros, Y. (2017). Does strength promoting exercise confer unique health benefits? A pooled analysis of eleven population cohorts with all-cause, cancer, and cardiovascular mortality endpoints. *American Journal of Epidemiology*, Article in press. <a href="http://dx.doi.org/10.1093/aje/kwx345">[More Information]</a>

Torske, M., Krokstad, S., Stamatakis, E., Bauman, A. (2017). Dog ownership and all-cause mortality in a population cohort in Norway: The HUNT study. *PloS One*, 12(6), 1-11. <a href="http://dx.doi.org/10.1371/journal.pone.0179832">[More Information]</a>

Vassallo, A., Hiller, C., Stamatakis, E., Pappas, E. (2017). Epidemiology of dance-related injuries presenting to emergency departments in the United States, 2000-2013. *Medical Problems of Performing Artists*, 32(3), 170-175. <a href="http://dx.doi.org/10.21091/mppa.2017.3028">[More Information]</a>

Oja, P., Kelly, P., Pedisic, Z., Titze, S., Bauman, A., Foster, C., Hamer, M., Hillsdon, M., Stamatakis, E. (2017). Infographic: Health benefits of specific types of sports. *British Journal of Sports Medicine*, 51(10), 824-824. <a href="http://dx.doi.org/10.1136/bjsports-2016-097343">[More Information]</a>

O'Donovan, G., Hamer, M., Stamatakis, E. (2017). Is Weekend-Only Physical Activity Enough to Compensate for a Sedentary Lifestyle?-Reply. *JAMA Internal Medicine*, 177(8), 1224-1225. <a href="http://dx.doi.org/10.1001/jamainternmed.2017.2386">[More Information]</a>

Stamatakis, E., Murray, A. (2017). Launch of new series: Bright Spots, Physical Activity Investments that Work. *British Journal of Sports Medicine*, 51(19), 1388-1388. <a href="http://dx.doi.org/10.1136/bjsports-2017-098096">[More Information]</a>

Hamer, M., O'Donovan, G., Stensel, D., Stamatakis, E. (2017).

Normal-weight central obesity and risk for mortality. *Annals of Internal Medicine*, 166(12), 917-918. <a href="http://dx.doi.org/10.7326/L17-0022">[More Information]</a>

Batty, G., Russ, T., Stamatakis, E., Kivimaki, M. (2017). Psychological distress in relation to site specific cancer mortality: Pooling of unpublished data from 16 prospective cohort studies. *BMJ*, 356(j108). <a href="http://dx.doi.org/10.1136/bmj.j108">[More Information]</a>

Li, I., Mackey, M., Foley, B., Pappas, E., Edwards, K., Chau, J., Engelen, L., Voukelatos, A., Whelan, A., Bauman, A., Stamatakis, E., et al (2017). Reducing Office Workers' Sitting Time at Work Using Sit-Stand Protocols: Results From a Pilot Randomized Controlled Trial. *Journal of Occupational and Environmental Medicine*, 59(6), 543-549. <a href="http://dx.doi.org/10.1097/JOM.0000000000001018">[More Information]</a>

O'Donovan, G., Hamer, M., Stamatakis, E. (2017). Relationships between exercise, smoking habit and mortality in more than 100,000 adults. *International Journal of Cancer*, 140(8), 1819-1827. <a href="http://dx.doi.org/10.1002/ijc.30611">[More Information]</a>

Stamatakis, E., Pulsford, R., Brunner, E., Britton, A., Bauman, A., Biddle, S., Hillsdon, M. (2017). Sitting behaviour is not associated with incident diabetes over 13 years: The Whitehall II cohort study. *British Journal of Sports Medicine*, 51(10), 818-823. <a href="http://dx.doi.org/10.1136/bjsports-2016-096723">[More Information]</a>

Hamer, M., O'Donovan, G., Lee, M., Stamatakis, E. (2017). The 'weekend warrior' physical activity pattern: How little is enough? *British Journal of Sports Medicine*, 51(19), 1384-1385. <a href="http://dx.doi.org/10.1136/bjsports-2017-097538">[More Information]</a>

O'Donovan, G., Stensel, D., Hamer, M., Stamatakis, E. (2017). The association between leisure-time physical activity, low HDL-cholesterol and mortality in a pooled analysis of nine population-based cohorts. *European Journal of Epidemiology*, 32(7), 559-566. <a href="http://dx.doi.org/10.1007/s10654-017-0280-9">[More Information]</a>

Stamatakis, E., Kelly, P., Titze, S., Pedisic, Z., Bauman, A., Foster, C., Hamer, M., Hillsdon, M., Oja, P. (2017). The associations between participation in certain sports and lower mortality are not explained by affluence and other socioeconomic factors. *British Journal of Sports Medicine*, 51(21), 1514-1515. <a href="http://dx.doi.org/10.1136/bjsports-2016-097411">[More Information]</a>

Hamer, M., Stamatakis, E. (2017). U-Shaped Association Between Body Mass Index and Psychological Distress in a Population Sample of 114,218 British Adults. *Mayo Clinic Proceedings*, 92(12), 1865-1866. <a href="http://dx.doi.org/10.1016/j.mayocp.2017.09.014">[More Information]</a>

Hamer, M., Biddle, S., Stamatakis, E. (2017). Weekend warrior physical activity pattern and common mental disorder: A population wide study of 108,011 British adults. *International Journal of Behavioral Nutrition and Physical Activity*, 14(1), 1-6. <a href="http://dx.doi.org/10.1186/s12966-017-0549-0">[More Information]</a>

## 2016

Norris, E., Hamer, M., Stamatakis, E. (2016). Active Video Games in Schools and Effects on Physical Activity and Health: A Systematic Review. *The Journal of Pediatrics*, 172, 40-46.e5.

<a href="http://dx.doi.org/10.1016/j.jpeds.2016.02.001">[More Information]</a>

Batty, G., Bell, S., Stamatakis, E., Kivimaki, M. (2016). Association of systemic inflammation with risk of completed suicide in the general population. *JAMA Psychiatry*, 73(9), 993-995. <a href="http://dx.doi.org/10.1001/jamapsychiatry.2016.1805">[More Information]</a>

Kantomaa, M., Stamatakis, E., Kankaanpaa, A., Katjantie, E., Taanila, A., Tammelin, T. (2016). Associations of Physical Activity and Sedentary Behavior With Adolescent Academic Achievement. *Journal of Research on Adolescence*, 26(3), 432-442. <a href="http://dx.doi.org/10.1111/jora.12203">[More Information]</a>

Vassallo, A., Hiller, C., Stamatakis, E., Pappas, E. (2016). Dance-related foot and ankle injuries presenting to United States Emergency Departments. *Foot and Ankle Surgery*, 22(2), 23-23. <a href="http://dx.doi.org/10.1016/j.fas.2016.05.044">[More Information]</a>

Merom, D., Ding, D., Stamatakis, E. (2016). Dancing participation and cardiovascular disease mortality: A pooled analysis of 11 population based British cohorts. *American Journal of Preventive Medicine*, 50(6), 756-760. <a href="http://dx.doi.org/10.1016/j.amepre.2016.01.004">[More Information]</a>

Stockton, J., Duke-Williams, O., Stamatakis, E., Mindell, J., Brunner, E., Shelton, N. (2016). Development of a novel walkability index for London, United Kingdom: Cross-sectional application to the Whitehall II Study. *BMC Public Health*, 16(1), 1-12. <a href="http://dx.doi.org/10.1186/s12889-016-3012-2">[More Information]</a>

O'Donovan, G., Bakrania, K., Ghouri, N., Yates, T., Gray, L., Hamer, M., Stamatakis, E., Khunti, K., Davies, M., Sattar, N., et al (2016). Non-exercise equations to estimate fitness in white European and South Asian men. *Medicine and Science in Sports and Exercise*, 48(5), 854-859. <a href="http://dx.doi.org/10.1249/MSS.0000000000000836">[More Information]</a>

Norris, E., Dunsmuir, S., Duke-Williams, O., Stamatakis, E., Shelton, N. (2016). Protocol for the 'Virtual Traveller' cluster-randomised controlled trial: A behaviour change intervention to increase physical activity in primary-school Maths and English lessons. *BMJ Open*, 6(6), 1-9. <a href="http://dx.doi.org/10.1136/bmjopen-2016-011982">[More Information]</a>

Batty, G., Stamatakis, E., Bell, S. (2016). Psychological distress and risk of accidental death in the general population. *Epidemiology*, 27(6), e38-e40. <a href="http://dx.doi.org/10.1097/EDE.0000000000000543">[More Information]</a>

Bennie, J., Pedisic, Z., Van Uffelen, J., Gale, J., Banting, L., Vergeer, I., Stamatakis, E., Bauman, A., Biddle, S. (2016). The descriptive epidemiology of total physical activity, muscle-strengthening exercises and sedentary behaviour among Australian adults - results from the National Nutrition and Physical Activity Survey. *BMC Public Health*, 16(1), 1-13. <a href="http://dx.doi.org/10.1186/s12889-016-2736-3">[More Information]</a>

Biddle, S., Bennie, J., Bauman, A., Chau, J., Dunstan, D., Owen, N., Stamatakis, E., Van Uffelen, J. (2016). Too much sitting and all-cause mortality: Is there a causal link? *BMC Public Health*, 16(1), 1-10. <a href="http://dx.doi.org/10.1186/s12889-016-3307-3">[More Information]</a>

- Knott, C., Coombs, N., Stamatakis, E., Biddulph, J. (2015). All cause mortality and the case for age specific alcohol consumption guidelines: pooled analyses of up to 10 population based cohorts. *BMJ*, 350, 1-13. <a href="http://dx.doi.org/10.1136/bmj.h384">[More Information]</a>
- Stamatakis, E., Rogers, K., Ding, D., Berrigan, D., Chau, J., Hamer, M., Bauman, A. (2015). All-cause mortality effects of replacing sedentary time with physical activity and sleeping using an isotemporal substitution model: a prospective study of 201,129 mid-aged and older adults. *International Journal of Behavioral Nutrition and Physical Activity*, 12(1), 1-10. <a href="http://dx.doi.org/10.1186/s12966-015-0280-7">[More Information]</a>
- Russ, T., Kivimaki, M., Morling, J., Starr, J., Stamatakis, E., Batty, G. (2015). Association between psychological distress and liver disease mortality: a meta-analysis of individual study participants. *Gastroenterology*, 148(5), 958-966.e4. <a href="http://dx.doi.org/10.1053/j.gastro.2015.02.004">[More Information]</a>
- Coombs, N., Stamatakis, E. (2015). Associations between objectively assessed and questionnaire-based sedentary behaviour with BMI-defined obesity among general population children and adolescents living in England. *BMJ Open*, 5(6), 1-7. <a href="http://dx.doi.org/10.1136/bmjopen-2014-007172">[More Information]</a>
- Pulsford, R., Stamatakis, E., Britton, A., Brunner, E., Hillsdon, M. (2015). Associations of sitting behaviours with all-cause mortality over a 16-year follow-up: the Whitehall II study. *International Journal of Epidemiology*, 44(6), 1909-1916. <a href="http://dx.doi.org/10.1093/ije/dyv191">[More Information]</a>
- Bell, S., Russ, T., Kivimaki, M., Stamatakis, E., Batty, G. (2015). Dose-response association between psychological distress and risk of completed suicide in the general population. *JAMA Psychiatry*, 72(12), 1254-1256. <a href="http://dx.doi.org/10.1001/jamapsychiatry.2015.2107">[More Information]</a>
- Gebel, K., Ding, D., Chey, T., Stamatakis, E., Brown, W., Bauman, A. (2015). Effect of moderate to vigorous physical activity on all-cause mortality in middle-aged and older Australians. *JAMA Internal Medicine*, 175(6), 970-977. <a href="http://dx.doi.org/10.1001/jamainternmed.2015.0541">[More Information]</a>
- McCartney, G., Russ, T., Walsh, D., Lewsey, J., Smith, M., Smith, G., Stamatakis, E., Batty, G. (2015). Explaining the excess mortality in Scotland compared with England: pooling of 18 cohort studies. *Journal of Epidemiology and Community Health*, 69(1), 20-27. <a href="http://dx.doi.org/10.1136/jech-2014-204185">[More Information]</a>
- Kantomaa, M., Tammelin, T., Ebeling, H., Stamatakis, E., Taanila, A. (2015). High levels of physical activity and cardiorespiratory fitness are associated with good self-rated health in adolescents. *Journal of Physical Activity and Health*, 12(2), 266-272. <a href="http://dx.doi.org/10.1123/jpah.2013-0062">[More Information]</a>
- Rey-Lopez, J., de Rezende, L., de Sa, T., Stamatakis, E. (2015). Is the metabolically healthy obese phenotype an irrelevant artefact for public health? *American Journal of Epidemiology*, 182(9), 737-741. <a href="http://dx.doi.org/10.1093/aje/kwv177">[More Information]</a>
- Coombs, G., Stamatakis, E., Jay, O. (2015). Isolating the independent influence of body fat on thermoregulatory response to exercise. *European Journal of Applied Physiology*, 115(7), 1601-1602. <a href="http://dx.doi.org/10.1007/s00421-015-3122-z">[More Information]</a>
- Chastin, S., Egerton, T., Leask, C., Stamatakis, E. (2015). Meta-Analysis of the Relationship Between Breaks in Sedentary Behavior and Cardiometabolic Health. *Obesity*, 23(9), 1800-1810. <a href="http://dx.doi.org/10.1002/oby.21180">[More Information]</a>
- Chastin, S., Egerton, T., Leask, C., Stamatakis, E. (2015). Meta-Analysis of the Relationship Between Breaks in Sedentary Behavior and Cardiometabolic Health. *Obesity*, 23(9), 1800-1810. <a href="http://dx.doi.org/10.1002/oby.21180">[More Information]</a>
- Stoutenberg, M., Stasi, S., Stamatakis, E., Danek, D., Dufour, T., Trillk, J., Blair, S. (2015). Physical Activity Training in U.S. Medical Schools: Preparing Future Physicians to Engage in Primary Prevention. *The Physician and Sportsmedicine*, 43(4), 388-394. <a href="http://dx.doi.org/10.1080/00913847.2015.1084868">[More Information]</a>
- Coombs, N., Stamatakis, E., Lee, I. (2015). Physical inactivity among older adults: Implications for life expectancy among non-overweight and overweight or obese individuals. *Obesity Research & Clinical Practice*, 9(2), 175-179. <a href="http://dx.doi.org/10.1016/j.orcp.2014.11.004">[More Information]</a>
- Norris, E., Shelton, N., Dunsmuir, S., Duke-Williams, O., Stamatakis, E. (2015). Physically active lessons as physical activity and educational interventions: A systematic review of methods and results. *Preventive Medicine*, 72, 116-125. <a href="http://dx.doi.org/10.1016/j.ypmed.2014.12.027">[More Information]</a>
- Hamer, M., Smith, L., Stamatakis, E. (2015). Prospective association of TV viewing with acute phase reactants and coagulation markers: English longitudinal study of ageing. *Atherosclerosis*, 239(2), 322-327. <a href="http://dx.doi.org/10.1016/j.atherosclerosis.2015.02.009">[More Information]</a>
- Russ, T., Starr, J., Stamatakis, E., Kivimaki, M., Batty, G. (2015). Pulmonary function as a risk factor for dementia death: An individual participant meta-analysis of six UK general population cohort studies. *Journal of Epidemiology and Community Health*, 69, 550-556. <a href="http://dx.doi.org/10.1136/jech-2014-204959">[More Information]</a>
- Rey-Lopez, J., de Rezende, L., de Sa, T., Stamatakis, E. (2015). Rey-Lopez et al. Respond to "The Metabolically Healthy Obesity Phenotype". *American Journal of Epidemiology*, 182(9), 745-746. <a href="http://dx.doi.org/10.1093/aje/kwv179">[More Information]</a>
- Stamatakis, E., Coombs, N., Tilling, K., Mattocks, C., Cooper, A., Hardy, L., Lawlor, D. (2015). Sedentary time in late childhood and cardiometabolic risk in adolescence. *Pediatrics*, 135(6), e1432-e1441. <a href="http://dx.doi.org/10.1542/peds.2014-3750">[More Information]</a>
- Norris, E., Shelton, N., Dunsmuir, S., Duke-Williams, O., Stamatakis, E. (2015). Teacher and pupil perspectives on the use of Virtual Field Trips as physically active lessons. *BMC Research Notes*, 8(1), 1-7. <a href="http://dx.doi.org/10.1186/s13104-015-1698-3">[More Information]</a>
- Zhu, J., Coombs, N., Stamatakis, E. (2015). Temporal trends in socioeconomic inequalities in obesity prevalence among

working-age adults in Scotland between 1995 and 2011: A population-based repeated cross-sectional study. *BMJ Open*, 5(6), 1-10. <a href="http://dx.doi.org/10.1136/bmjopen-2014-006739">[More Information]</a>

Ding, D., Rogers, K., Van Der Ploeg, H., Stamatakis, E., Bauman, A. (2015). Traditional and emerging lifestyle risk behaviors and all-cause mortality in middle-aged and older adults: Evidence from a large population-based Australian cohort. *PLoS Medicine*, 12(12), 1-21. <a href="http://dx.doi.org/10.1371/journal.pmed.1001917">[More Information]</a>

Milton, K., Gale, J., Stamatakis, E., Bauman, A. (2015). Trends in prolonged sitting time among European adults: 27 country analysis. *Preventive Medicine*, 77(11), 11-16. <a href="http://dx.doi.org/10.1016/j.ypmed.2015.04.016">[More Information]</a>

Norris, E., Shelton, N., Dunsmuir, S., Duke-Williams, O., Stamatakis, E. (2015). Virtual field trips as physically active lessons for children: A pilot study. *BMC Public Health*, 15(1), 1-9. <a href="http://dx.doi.org/10.1186/s12889-015-1706-5">[More Information]</a>

## 2014

Scholes, S., Coombs, N., Pedisic, Z., Mindell, J., Bauman, A., Rowlands, A., Stamatakis, E. (2014). Age- and sex-specific criterion validity of the health survey for England physical activity and sedentary behaviour assessment questionnaire as compared with accelerometry. *American Journal of Epidemiology*, 179(12), 1493-1502. <a href="http://dx.doi.org/10.1093/aje/kwu087">[More Information]</a>

Hagger-Johnson, G., Hamer, M., Stamatakis, E., Bell, J., Shahab, L., Batty, G. (2014). Association between sitting time in midlife and common mental disorder symptoms: Whitehall II prospective cohort study. *Journal of Psychiatric Research*, 57(1), 182-184. <a href="http://dx.doi.org/10.1016/j.jpsychires.2014.04.023">[More Information]</a>

Hamer, M., Coombs, N., Stamatakis, E. (2014). Associations between objectively assessed and self-reported sedentary time with mental health in adults: an analysis of data from the Health Survey for England. *BMJ Open*, 4(3), 1-7. <a href="http://dx.doi.org/10.1136/bmjopen-2013-004580">[More Information]</a>

Stamatakis, E., Grunseit, A., Coombs, N., Ding, D., Chau, J., Phongsavan, P., Bauman, A. (2014). Associations between socio-economic position and sedentary behaviour in a large population sample of Australian middle and older-aged adults: The Social, Economic, and Environmental Factor (SEEF) Study. *Preventive Medicine*, 63, 72-80. <a href="http://dx.doi.org/10.1016/j.ypmed.2014.03.009">[More Information]</a>

Anokye, N., Stamatakis, E. (2014). Different conceptual constructs for modelling sedentary behaviour and physical activity: the impact on the correlates of behaviour. *BMC Research Notes*, 7(921), 1-7. <a href="http://dx.doi.org/10.1186/1756-0500-7-921">[More Information]</a>

Hamer, M., Stamatakis, E., Steptoe, A. (2014). Effects of Substituting Sedentary Time with Physical Activity on Metabolic Risk. *Medicine and Science in Sports and Exercise*, 46(10), 1946-1950. <a href="http://dx.doi.org/10.1249/MSS.0000000000000317">[More Information]</a>

Russ, T., Kivimaki, M., Starr, J., Stamatakis, E., Batty, G.

(2014). Height in relation to dementia death: individual participant meta-analysis of 18 UK prospective cohort studies. *British Journal of Psychiatry*, 205(5), 348-354. <a href="http://dx.doi.org/10.1192/bjp.bp.113.142984">[More Information]</a>

Pedisic, Z., Ding, D., Grunseit, A., Chau, J., Banks, E., Stamatakis, E., Jalaludin, B., Bauman, A. (2014). High sitting time or obesity: Which came first? Bidirectional association in a longitudinal study of 31,787 Australian adults. *Obesity*, 22(10), 2126-2130. <a href="http://dx.doi.org/10.1002/oby.20817">[More Information]</a>

Weiler, R., Allardyce, S., Whyte, G., Stamatakis, E. (2014). Is the lack of physical activity strategy for children complicit mass child neglect? *British Journal of Sports Medicine*, 48(13), 1010-1013. <a href="http://dx.doi.org/10.1136/bjsports-2013-093018">[More Information]</a>

Mindell, J., Coombs, N., Stamatakis, E. (2014). Measuring physical activity in children and adolescents for dietary surveys: practicalities, problems and pitfalls. *Proceedings of the Nutrition Society*, 73(2), 218-225. <a href="http://dx.doi.org/10.1017/S0029665113003820">[More Information]</a>

Batty, G., Russ, T., Starr, J., Stamatakis, E., Kivimaki, M. (2014). Modifiable cardiovascular disease risk factors as predictors of dementia death: Pooling of ten cohort studies. *Journal of Negative Results in BioMedicine*, 13(1), 1-4. <a href="http://dx.doi.org/10.1186/1477-5751-13-8">[More Information]</a>

Batty, G., Russ, T., Starr, J., Stamatakis, E., Kivimaki, M. (2014). Modifiable cardiovascular disease risk factors as predictors of dementia death: pooling of ten general population-based cohort studies. *Journal of Negative Results in BioMedicine*, 13(1), 1-4. <a href="http://dx.doi.org/10.1186/1477-5751-13-8">[More Information]</a>

Stamatakis, E., Coombs, N., Rowlands, A., Shelton, N., Hillsdon, M. (2014). Objectively-assessed and self-reported sedentary time in relation to multiple socioeconomic status indicators among adults in England: a cross-sectional study. *BMJ Open*, 4(11), 1-10. <a href="http://dx.doi.org/10.1136/bmjopen-2014-006034">[More Information]</a>

Sadarangani, K., Hamer, M., Mindell, J., Coombs, N., Stamatakis, E. (2014). Physical Activity and Risk of All-Cause and Cardiovascular Disease Mortality in Diabetic Adults From Great Britain: Pooled Analysis of 10 Population-Based Cohorts. *Diabetes Care*, 37(4), 1016-1023. <a href="http://dx.doi.org/10.2337/dc13-1816">[More Information]</a>

Hamer, M., Stamatakis, E. (2014). Prospective study of sedentary behavior, risk of depression, and cognitive impairment. *Medicine and Science in Sports and Exercise*, 46(4), 718-723. <a href="http://dx.doi.org/10.1249/MSS.0000000000000156">[More Information]</a>

Batty, G., Russ, T., Stamatakis, E., Kivimaki, M. (2014). Psychological distress and risk of peripheral vascular disease, abdominal aortic aneurysm, and heart failure: Pooling of sixteen cohort studies. *Atherosclerosis*, 236(2), 385-388. <a href="http://dx.doi.org/10.1016/j.atherosclerosis.2014.06.025">[More Information]</a>

Van Der Ploeg, H., Chey, T., Ding, D., Chau, J., Stamatakis, E., Bauman, A. (2014). Standing time and all-cause mortality in a large cohort of Australian adults. *Preventive Medicine*, 69, 187-

191. <a href="http://dx.doi.org/10.1016/j.ypmed.2014.10.004">[More Information]</a>

Hamer, M., Weiler, R., Stamatakis, E. (2014). Watching sport on television, physical activity, and risk of obesity in older adults. *BMC Public Health*, 14(1), 1-4. <a href="http://dx.doi.org/10.1186/1471-2458-14-10">[More Information]</a>

Ding, D., Stamatakis, E. (2014). Yoga practice in England 1997-2008: prevalence, temporal trends, and correlates of participation. *BMC Research Notes*, 7(1), 1-4. <a href="http://dx.doi.org/10.1186/1756-0500-7-172">[More Information]</a>

## 2013

Stamatakis, E., Hamer, M., O'Donovan, G., Batty, G., Kivimaki, M. (2013). A non-exercise testing method for estimating cardiorespiratory fitness: associations with all-cause and cardiovascular mortality in a pooled analysis of eight population-based cohorts. *European Heart Journal*, 34(10), 750-758. <a href="http://dx.doi.org/10.1093/eurheartj/ehs097">[More Information]</a>

Stamatakis, E., Chau, J., Pedisic, Z., Bauman, A., Macniven, R., Coombs, N., Hamer, M. (2013). Are Sitting Occupations Associated with Increased All-Cause, Cancer, and Cardiovascular Disease Mortality Risk? A Pooled Analysis of Seven British Population Cohorts. *PLoS One*, 8(9), 1-10. <a href="http://dx.doi.org/10.1371/journal.pone.0073753">[More Information]</a>

Tielemans, S., Soedamah-Muthu, S., De Neve, M., Toeller, M., Chaturvedi, N., Fuller, J., Stamatakis, E. (2013). Association of physical activity with all cause mortality and incident and prevalent cardiovascular disease among patients with type 1 diabetes: the EURODIAB Prospective Complications Study. *Diabetologia*, 56(1), 82-91. <a href="http://dx.doi.org/10.1007/s00125-012-2743-6">[More Information]</a>

Stamatakis, E., Coombs, N., Jago, R., Gama, A., Mourao, I., Nogueira, H., Rosado, V., Padez, C. (2013). Associations between indicators of screen time and adiposity indices in Portuguese children. *Preventive Medicine*, 56(5), 299-303. <a href="http://dx.doi.org/10.1016/j.ypmed.2013.02.006">[More Information]</a>

Ingle, L., Carroll, S., Stamatakis, E., Hamer, M. (2013). Benefit of adding lifestyle-related risk factors for prediction of cardiovascular death among cardiac patients. *International Journal of Cardiology*, 163(2), 196-200. <a href="http://dx.doi.org/10.1016/j.ijcard.2011.06.001">[More Information]</a>

Coombs, N., Shelton, N., Rowlands, A., Stamatakis, E. (2013). Children's and adolescents' sedentary behaviour in relation to socioeconomic position. *Journal of Epidemiology and Community Health*, 67(10), 868-874. <a href="http://dx.doi.org/10.1136/jech-2013-202609">[More Information]</a>

Chau, J., Grunseit, A., Chey, T., Stamatakis, E., Brown, W., Matthews, C., Bauman, A., Van Der Ploeg, H. (2013). Daily Sitting Time and All-Cause Mortality: A Meta-Analysis. *PLoS One*, 8(11), 1-14. <a href="http://dx.doi.org/10.1371/journal.pone.0080000">[More Information]</a>

Russ, T., Hamer, M., Stamatakis, E., Starr, J., Batty, G., Kivimaki, M. (2013). Does the Framingham cardiovascular disease risk score also have predictive utility for dementia

death? An individual participant meta-analysis of 11,887 men and women. *Atherosclerosis*, 228(1), 256-258. <a href="http://dx.doi.org/10.1016/j.atherosclerosis.2013.02.020">[More Information]</a>

Kengne, A., Czernichow, S., Stamatakis, E., Hamer, M., Batty, G. (2013). Fibrinogen and Future Cardiovascular Disease in People with Diabetes: Aetiological Associations and Risk Prediction Using Individual Participant data from Nine Community-based Prospective Cohort Studies. *Diabetes and Vascular Disease Research*, 10(2), 143-151. <a href="http://dx.doi.org/10.1177/1479164112451588">[More Information]</a>

Soedamah-Muthu, S., De Neve, M., Shelton, N., Tielemans, S., Stamatakis, E. (2013). Joint associations of alcohol consumption and physical activity with all-cause and cardiovascular mortality. *American Journal of Cardiology*, 112(3), 380-386. <a href="http://dx.doi.org/10.1016/j.amjcard.2013.03.040">[More Information]</a>

O'Donovan, G., Hillsdon, M., Ukoumunne, O., Stamatakis, E., Hamer, M. (2013). Objectively measured physical activity, cardiorespiratory fitness and cardiometabolic risk factors in the Health Survey for England. *Preventive Medicine*, 57(3), 201-205. <a href="http://dx.doi.org/10.1016/j.ypmed.2013.05.022">[More Information]</a>

Hamer, M., Stamatakis, E. (2013). Overweight and obese cardiac patients have better prognosis despite reporting worse perceived health and more conventional risk factors. *Preventive Medicine*, 57(1), 12-16. <a href="http://dx.doi.org/10.1016/j.ypmed.2013.02.012">[More Information]</a>

Kantomaa, M., Stamatakis, E., Kankaanpaa, A., Kaakinen, M., Rodriguez, A., Taanila, A., Ahonen, T., Jarvelin, M., Tammelin, T. (2013). Physical activity and obesity mediate the association between childhood motor function and adolescents academic achievement. *Proceedings of the National Academy of Sciences of the United States of America (PNAS)*, 110(5), 1917-1922. <a href="http://dx.doi.org/10.1073/pnas.1214574110">[More Information]</a>

Hamer, M., Stamatakis, E. (2013). Response: Selection bias in cohorts of cases. *Preventive Medicine*, 57(3), 249-249. <a href="http://dx.doi.org/10.1016/j.ypmed.2013.06.018">[More Information]</a>

Hamer, M., Stamatakis, E. (2013). Screen-Based Sedentary Behavior, Physical Activity, and Muscle Strength in the English Longitudinal Study of Ageing. *PLoS One*, 8(6), 1-5. <a href="http://dx.doi.org/10.1371/journal.pone.0066222">[More Information]</a>

Pulsford, R., Stamatakis, E., Britton, A., Brunner, E., Hillsdon, M. (2013). Sitting Behavior and Obesity: Evidence from the Whitehall II Study. *American Journal of Preventive Medicine*, 44(2), 132-138. <a href="http://dx.doi.org/10.1016/j.amepre.2012.10.009">[More Information]</a>

Russ, T., Stamatakis, E., Hamer, M., Starr, J., Kivimaki, M., Batty, G. (2013). Socioeconomic Status as a Risk Factor for Dementia Death: An Individual Participant Meta-analysis of 86 508 Men and Women from the United Kingdom. *British Journal of Psychiatry*, 203(1), 10-17. <a href="http://dx.doi.org/10.1192/bjp.bp.112.119479">[More Information]</a>

Lazzarino, A., Stamatakis, E. (2013). The Combined Association of Psychological Distress and Socio-Economic

Status with All-Cause Mortality: A National Cohort Study. *JAMA Internal Medicine*, 173(1), 22-27. <a href="http://dx.doi.org/10.1001/2013.jamainternmed.951">[More Information]</a>

Stamatakis, E., Nnoaham, K., Foster, C., Scarborough, P. (2013). The influence of global heating on discretionary physical activity: An important and overlooked consequence of climate change. *Journal of Physical Activity and Health*, 10(6), 765-768.

Bennie, J., Chau, J., Van Der Ploeg, H., Stamatakis, E., Do, A., Bauman, A. (2013). The prevalence and correlates of sitting in European adults - a comparison of 32 Eurobarometer-participating countries. *International Journal of Behavioral Nutrition and Physical Activity*, 10(1), 1-13. <a href="http://dx.doi.org/10.1186/1479-5868-10-107">[More Information]</a>

Stamatakis, E., Coombs, N., Jago, R., Gama, A., Mourao, I., Nogueira, H., Rosado, V., Padez, C. (2013). Type-Specific Screen Time Associations with Cardiovascular Risk Markers in Children. *American Journal of Preventive Medicine*, 44(5), 481-488. <a href="http://dx.doi.org/10.1016/j.amepre.2013.01.020">[More Information]</a>

Stamatakis, E., Weiler, R., Ioannidis, J. (2013). Undue industry influences that distort healthcare research, strategy, expenditure and practice: A review. *European Journal of Clinical Investigation*, 43(5), 469-475. <a href="http://dx.doi.org/10.1111/eci.12074">[More Information]</a>

## 2012

Kengne, A., Czernichow, S., Hamer, M., Batty, G., Stamatakis, E. (2012). Anaemia, Haemoglobin Level and Cause-Specific Mortality in People With and Without Diabetes. *PLoS One*, 7(8), 1-8. <a href="http://dx.doi.org/10.1371/journal.pone.0041875">[More Information]</a>

Russ, T., Stamatakis, E., Hamer, M., Starr, J., Kivimaki, M., Batty, G. (2012). Association between psychological distress and mortality: individual participant pooled analysis of 10 prospective cohort studies. *BMJ*, 345(7871), 1-14. <a href="http://dx.doi.org/10.1136/bmj.e4933">[More Information]</a>

Kengne, A., Batty, G., Hamer, M., Stamatakis, E., Czernichow, S. (2012). Association of C-reactive protein with cardiovascular disease mortality according to diabetes status: pooled analyses of 25,979 participants from four UK prospective cohort studies. *Diabetes Care*, 35(2), 396-403. <a href="http://dx.doi.org/10.2337/dc11-1588">[More Information]</a>

Stamatakis, E., Davis, M., Stathi, A., Hamer, M. (2012). Associations between multiple indicators of objectively-measured and self-reported sedentary behaviour and cardiometabolic risk in older adults. *Preventive Medicine*, 54(1), 82-87. <a href="http://dx.doi.org/10.1016/j.ypmed.2011.10.009">[More Information]</a>

Mindell, J., Biddulph, J., Hirani, V., Stamatakis, E., Craig, R., Nunn, S., Shelton, N. (2012). Cohort Profile: The Health Survey for England. *International Journal of Epidemiology*, 41(6), 1585-1593. <a href="http://dx.doi.org/10.1093/ije/dyr199">[More Information]</a>

Stamatakis, E., Hamer, M., Mishra, G. (2012). Early adulthood television viewing and cardiometabolic risk profiles in early

middle age: results from a population, prospective cohort study. *Diabetologia*, 55(2), 311-320. <a href="http://dx.doi.org/10.1007/s00125-011-2358-3">[More Information]</a>

Kengne, A., Czernichow, S., Stamatakis, E., Hamer, M., Batty, G. (2012). Gamma-glutamyltransferase and risk of cardiovascular disease mortality in people with and without diabetes: pooling of three British Health Surveys. *Journal of Hepatology*, 57(5), 1083-1089. <a href="http://dx.doi.org/10.1016/j.jhep.2012.06.034">[More Information]</a>

Hamer, M., Stamatakis, E. (2012). Low-Dose Physical Activity Attenuates Cardiovascular Disease Mortality in Men and Women with Clustered Metabolic Risk Factors. *Circulation: Cardiovascular Quality and Outcomes*, 5(4), 494-499. <a href="http://dx.doi.org/10.1161/CIRCOUTCOMES.112.965434">[More Information]</a>

Weiler, R., Feldschreiber, P., Stamatakis, E. (2012). Medico-legal neglect? The case for physical activity promotion and exercise medicine. *British Journal of Sports Medicine*, 46(4), 228-232. <a href="http://dx.doi.org/10.1136/bjism.2011.084186">[More Information]</a>

Hamer, M., Stamatakis, E. (2012). Metabolically Healthy Obesity and Risk of All-Cause and Cardiovascular Disease Mortality. *The Journal of Clinical Endocrinology and Metabolism*, 97(7), 2482-2488. <a href="http://dx.doi.org/10.1210/jc.2011-3475">[More Information]</a>

Jago, R., Stamatakis, E., Gama, A., Carvalhal, I., Nogueira, H., Rosado, V., Padez, C. (2012). Parent and Child Screen-Viewing Time and Home Media Environment. *American Journal of Preventive Medicine*, 43(2), 150-158. <a href="http://dx.doi.org/10.1016/j.amepre.2012.04.012">[More Information]</a>

Hamer, M., Ingle, L., Carroll, S., Stamatakis, E. (2012). Physical Activity and Cardiovascular Mortality Risk: Possible Protective Mechanisms? *Medicine and Science in Sports and Exercise*, 44(1), 84-88. <a href="http://dx.doi.org/10.1249/MSS.0b013e3182251077">[More Information]</a>

Weiler, R., Chew, S., Coombs, N., Hamer, M., Stamatakis, E. (2012). Physical activity education in the undergraduate curricula of all UK medical schools. Are tomorrow's doctors equipped to follow clinical guidelines? *British Journal of Sports Medicine*, 46(14), 1024-1026. <a href="http://dx.doi.org/10.1136/bjsports-2012-091380">[More Information]</a>

Hamer, M., Kivimaki, M., Stamatakis, E., Batty, G. (2012). Psychological distress as a risk factor for death from cerebrovascular disease. *CMAJ*, 184(13), 1461-1466. <a href="http://dx.doi.org/10.1503/cmaj.111719">[More Information]</a>

Stamatakis, E., Hamer, M., Tilling, K., Lawlor, D. (2012). Sedentary Time in Relation to Cardio-metabolic Risk Factors: Differential Associations for Self-Report Versus Accelerometry in Working Age Adults. *International Journal of Epidemiology*, 41(5), 1328-1337. <a href="http://dx.doi.org/10.1093/ije/dys077">[More Information]</a>

Stamatakis, E., Hamer, M. (2012). The Extent to Which Adiposity Markers Explain the Association Between Sedentary Behavior and Cardiometabolic Risk Factors. *Obesity*, 20(1), 229-232. <a href="http://dx.doi.org/10.1038/oby.2011.209">[More Information]</a>

Information]

Stamatakis, E. (2012). We need to move away from relying on drugs to prevent lifestyle induced chronic disease. *BMJ*, 344(7857), 1-1. <a href="http://dx.doi.org/10.1136/bmj.e3214">[More Information]

## 2011

Williams, E., Stamatakis, E., Chandola, T., Hamer, M. (2011). Assessment of physical activity levels in South Asians in the UK: findings from the Health Survey for England. *Journal of Epidemiology and Community Health*, 65(6), 517-521. <a href="http://dx.doi.org/10.1136/jech.2009.102509">[More Information]

Czernichow, S., Kengne, A., Stamatakis, E., Hamer, M., Batty, G. (2011). Body mass index, waist circumference and waist-hip ratio: which is the better discriminator of cardiovascular disease mortality risk? Evidence from an individual-participant meta-analysis of 82 864 participants from nine cohort studies. *Obesity Reviews*, 12(9), 660-687. <a href="http://dx.doi.org/10.1111/j.1467-789X.2011.00879.x">[More Information]

Hamer, M., Batty, G., Stamatakis, E., Kivimaki, M. (2011). Comparison of risk factors for fatal stroke and ischemic heart disease: A prospective follow up of the Health Survey for England. *Atherosclerosis*, 219(2), 807-810. <a href="http://dx.doi.org/10.1016/j.atherosclerosis.2011.08.016">[More Information]

Roibas, A., Stamatakis, E., Black, K. (2011). *Design for Sport*. London: Gower Publishing Company.

Hamer, M., Ford, T., Stamatakis, E., Dockray, S., Batty, G. (2011). Objectively measured second hand smoke exposure and mental health in children: Evidence from the Scottish Health Survey. *Archives of Pediatrics & Adolescent Medicine*, 165(4), 326-331. <a href="http://dx.doi.org/10.1001/archpediatrics.2010.243">[More Information]

Williams, E., Stamatakis, E., Chandola, T., Hamer, M. (2011). Physical activity behaviour and coronary heart disease mortality among South Asian people in the UK: an observational longitudinal study. *Heart*, 97(8), 655-659. <a href="http://dx.doi.org/10.1136/hrt.2010.201012">[More Information]

Hamer, M., Batty, G., Kivimaki, M., Stamatakis, E. (2011). Physical Functional Health and Risk of Future Cardiovascular Disease: The Scottish Health Survey. *Archives of Internal Medicine*, 171(6), 593-594. <a href="http://dx.doi.org/10.1001/archinternmed.2011.86">[More Information]

Weiler, R., Stamatakis, E., Blair, S. (2011). Physical inactivity is associated with earlier mortality – the evidence is incontrovertible. *British Journal of General Practice*, 61(593), 719-720. <a href="http://dx.doi.org/10.3399/bjgp11X613061">[More Information]

Russ, T., Hamer, M., Stamatakis, E., Starr, J., Batty, G. (2011). Psychological Distress as a Risk Factor for Dementia Death. *Archives of Internal Medicine*, 171(20), 1858-1859. <a href="http://dx.doi.org/10.1001/archinternmed.2011.521">[More Information]

Stamatakis, E., Hamer, M., Dunstan, D. (2011). Screen-based entertainment time, all-cause mortality, and cardiovascular events: population-based study with ongoing mortality and hospital events follow-up. *Journal of the American College of Cardiology*, 57(3), 292-299. <a href="http://dx.doi.org/10.1016/j.jacc.2010.05.065">[More Information]

Stamatakis, E., Hamer, M. (2011). Sedentary behaviour: re-defining its meaning and its links to chronic disease. *British Journal of Hospital Medicine*, 72(4), 192-195.

Black, K., Roibas, A., Stamatakis, E. (2011). Sport in question. *New Design*, 901, 24-27.

Hamer, M., Kengne, A., Batty, G., Cooke, D., Stamatakis, E. (2011). Temporal trends in diabetes prevalence and key diabetes risk factors in Scotland, 2003-2008. *Diabetic Medicine*, 28(5), 595-598. <a href="http://dx.doi.org/10.1111/j.1464-5491.2011.03254.x">[More Information]

Roibas, A., Stamatakis, E., Black, K. (2011). The case for socially responsible design for sports. In Anxo Cereijo Roibas, Emmanuel Stamatakis and Ken Black (Eds.), *Design for Sport*, (pp. 3-11). London: Gower Publishing Company. <a href="http://dx.doi.org/10.4324/9781315258140">[More Information]

Armstrong, G., Stamatakis, E., Cambell, N. (2011). The Sporting legacy of Olympic Games and Major Sport Events: Reality Reconsidered. In Anxo Cereijo Roibas, Emmanuel Stamatakis and Ken Black (Eds.), *Design for Sport*, (pp. 307-333). London: Gower Publishing Company.

## 2010

Hamer, M., Chida, Y., Stamatakis, E. (2010). Association of Very Highly Elevated C-Reactive Protein Concentration with Cardiovascular Events and All Cause Mortality. *Clinical Chemistry Online*, 56(1), 132-135. <a href="http://dx.doi.org/10.1373/clinchem.2009.130740">[More Information]

Stamatakis, E., Wardle, J., Cole, T. (2010). Childhood obesity and overweight prevalence trends in England: evidence for growing socioeconomic disparities. *International Journal of Obesity*, 34(1), 41-47. <a href="http://dx.doi.org/10.1038/ijo.2009.217">[More Information]

Hamer, M., Batty, G., Stamatakis, E., Kivimaki, M. (2010). Hypertension Awareness and Psychological Distress. *Hypertension*, 56(3), 547-550. <a href="http://dx.doi.org/10.1161/HYPERTENSIONAHA.110.153775">[More Information]

Roth, M., Stamatakis, E. (2010). Linking young people's knowledge of people health guidelines to physical activity levels in England. *Pediatric Exercise Science*, 22(3), 467-476.

Demakakos, P., Hamer, M., Stamatakis, E., Steptoe, A. (2010). Low-intensity physical activity is associated with reduced risk of incident type 2 diabetes in older adults: evidence from the English Longitudinal Study of Ageing. *Diabetologia*, 53(9), 1877-1885. <a href="http://dx.doi.org/10.1007/s00125-010-1785-x">[More Information]

Hamer, M., Stamatakis, E. (2010). Objectively assessed physical activity, fitness and subjective wellbeing. *Mental Health and Physical Activity*, 3(2), 67-71. <a href="http://dx.doi.org/10.1016/j.mhpa.2010.09.001">[More Information]

Hamer, M., Stamatakis, E., Batty, G. (2010). Objectively assessed second hand smoke exposure and mental health in adults: cross-sectional and prospective evidence from the Scottish Health Survey. *Archives of General Psychiatry*, 67(8), 850-855. <a href="http://dx.doi.org/10.1001/archgenpsychiatry.2010.76">[More Information]



Hamer, M., Stamatakis, E., Kivimaki, M., Lowe, G., Batty, G. (2010). Objectively measured second hand smoke exposure and risk of cardiovascular disease: what is the mediating role of inflammatory and haemostatic factors? *Journal of the American College of Cardiology*, 56(1), 18-23. <a href="http://dx.doi.org/10.1016/j.jacc.2010.03.032">[More Information]</a>

Cattaneo, A., Monasta, L., Stamatakis, E., Lioret, S., Castetbon, K., Frenken, F., Manios, Y., Moschonis, G., Savva, S., Zaborskis, A., et al (2010). Overweight and obesity in infants and pre-school children in the European Union: a review of existing data. *Obesity Reviews*, 11(5), 389-398. <a href="http://dx.doi.org/10.1111/j.1467-789X.2009.00639.x">[More Information]</a>

Hamer, M., Mishra, G., Davis, M., Stamatakis, E. (2010). Physical activity and healthy ageing. *Journal of Physical Activity and Health*, 7(Supp 3), S316-S317.

Weiler, R., Stamatakis, E. (2010). Physical activity in the United Kingdom: A unique crossroad? *British Journal of Sports Medicine*, 44, 912-914. <a href="http://dx.doi.org/10.1136/bjism.2010.073726">[More Information]</a>

Stamatakis, E. (2010). Physical functioning and coronary heart disease development: is physical activity the missing link? *International Journal of Epidemiology*, 39(4), 1004-1005. <a href="http://dx.doi.org/10.1093/ije/dyq086">[More Information]</a>

Stamatakis, E., Weiler, R. (2010). Prevention of cardiovascular disease: why do we neglect the most potent intervention? *Heart*, 96(4), 261-262. <a href="http://dx.doi.org/10.1136/hrt.2009.186593">[More Information]</a>

Hamer, M., Stamatakis, E., Kivimaki, M., Kengne, A., Batty, D. (2010). Psychological Distress, Glycated Hemoglobin, and Mortality in Adults With and Without Diabetes. *Psychosomatic Medicine*, 72(9), 882-886. <a href="http://dx.doi.org/10.1097/PSY.0b013e3181f6696e">[More Information]</a>

Hamer, M., Batty, G., Stamatakis, E., Kivimaki, M. (2010). Response to Knowing Hypertension Awareness and Psychological Distress in Primary Prevention. *Hypertension*, 56, e174-e174. <a href="http://dx.doi.org/10.1161/HYPERTENSIONAHA.110.161968">[More Information]</a>

Hamer, M., Stamatakis, E., Kivimaki, M., Lowe, G., Batty, G. (2010). Secondhand Smoke Exposure and Protective Effects. *Journal of the American College of Cardiology*, 56(23), 1962-1963. <a href="http://dx.doi.org/10.1016/j.jacc.2010.09.012">[More Information]</a>

Weiler, R., Stamatakis, E., Blair, S. (2010). Should health policy focus on increasing physical activity rather than treating obesity? Yes. *BMJ: British Medical Journal*, 340(7757), 1170-1171. <a href="http://dx.doi.org/10.1136/bmj.c2603">[More Information]</a>

Goris, J., Petersen, S., Stamatakis, E., Veerman, L. (2010). Television food advertising and the prevalence of childhood overweight and obesity: a multi-country comparison. *Public Health Nutrition*, 13(7), 1003-1012. <a href="http://dx.doi.org/10.1017/S1368980009992850">[More Information]</a>

Hamer, M., Stamatakis, E., Mishra, G. (2010). Television- and Screen-Based Activity and Mental Well-Being in Adults. *American Journal of Preventive Medicine*, 38(4), 375-380. <a href="http://dx.doi.org/10.1016/j.amepre.2009.12.030">[More

Information]</a>

O'Donovan, G., Blazeovich, A., Boreham, C., Cooper, A., Crank, H., Ekelund, U., Fox, K., Gately, P., Giles-Corti, B., Gill, J., et al (2010). The ABC of Physical Activity for Health: A consensus statement from the British Association of Sport and Exercise Sciences. *Journal of Sports Sciences*, 28(6), 573-591. <a href="http://dx.doi.org/10.1080/02640411003671212">[More Information]</a>

Hamer, M., Batty, G., Stamatakis, E., Kivimaki, M. (2010). The combined influence of hypertension and common mental disorder on all-cause and cardiovascular disease mortality. *Journal of Hypertension*, 28(12), 2401-2406. <a href="http://dx.doi.org/10.1097/HJH.0b013e32833e9d7c">[More Information]</a>

Stamatakis, E., Zaninotto, P., Falaschetti, E., Mindell, J., Head, J. (2010). Time trends in childhood and adolescent obesity in England from 1995 to 2007 and projections of prevalence to 2015. *Journal of Epidemiology and Community Health*, 64(2), 167-174. <a href="http://dx.doi.org/10.1136/jech.2009.098723">[More Information]</a>

## 2009

Stamatakis, E., Hamer, M., Primatesta, P. (2009). Cardiovascular medication, physical activity and mortality: cross-sectional population study with ongoing mortality follow-up. *Heart*, 95(6), 448-453. <a href="http://dx.doi.org/10.1136/hrt.2008.152041">[More Information]</a>

Hamer, M., Stamatakis, E., Steptoe, A. (2009). Does-response relationship between physical activity and mental health: the Scottish Health Survey. *British Journal of Sports Medicine*, 43(14), 1111-1114. <a href="http://dx.doi.org/10.1136/bjism.2008.046243">[More Information]</a>

Molloy, G., Stamatakis, E., Randall, G., Hamer, M. (2009). Marital status, gender and cardiovascular mortality: Behavioural, psychological distress and metabolic explanations. *Physiology and Behavior*, 69(2), 223-228. <a href="http://dx.doi.org/10.1016/j.socscimed.2009.05.010">[More Information]</a>

Stamatakis, E., Hirani, V., Rennie, K. (2009). Moderate-to-vigorous physical activity and sedentary behaviours in relation to body mass index-defined and waist circumference-defined obesity. *British Journal of Nutrition*, 101(5), 765-773. <a href="http://dx.doi.org/10.1017/S0007114508035939">[More Information]</a>

Hamer, M., Stamatakis, E. (2009). Physical activity and mortality in men and women with diagnosed cardiovascular disease. *European Journal of Preventive Cardiology*, 16(2), 156-160. <a href="http://dx.doi.org/10.1097/HJR.0b013e32831f1b77">[More Information]</a>

Hamer, M., Stamatakis, E. (2009). Physical Activity and Risk of Cardiovascular Disease Events: Inflammatory and Metabolic Mechanisms. *Medicine and Science in Sports and Exercise*, 41(6), 1206-1211. <a href="http://dx.doi.org/10.1249/MSS.0b013e3181971247">[More Information]</a>

Stamatakis, E., Hamer, M., Lawlor, D. (2009). Physical activity, mortality and cardiovascular disease: is domestic physical activity beneficial? The Scottish Health Survey -- 1995, 1998, and 2003. *American Journal of Epidemiology*, 169(10), 1191-1200. <a



<http://dx.doi.org/10.1093/aje/kwp042>>[More Information]</a>

Hamer, M., Stamatakis, E., Mishra, G. (2009). Psychological Distress, Television Viewing, and Physical Activity in Children Aged 4 to 12 Years. *Pediatrics*, 123(5), 1263-1268. <a href="http://dx.doi.org/10.1542/peds.2008-1523">[More Information]</a>

Stamatakis, E., Hillsdon, M., Mishra, G., Hamer, M., Marmot, M. (2009). Television viewing and other screen-based entertainment in relation to multiple socioeconomic status indicators and area deprivation: the Scottish Health Survey 2003. *Journal of Epidemiology and Community Health*, 63(9), 734-740. <a href="http://dx.doi.org/10.1136/jech.2008.085902">[More Information]</a>

Hamer, M., Stamatakis, E., Saxton, J. (2009). The impact of physical activity on all-cause mortality in men and women after a cancer diagnosis. *Cancer Causes and Control*, 20(2), 225-231. <a href="http://dx.doi.org/10.1007/s10552-008-9237-3">[More Information]</a>

Hamer, M., Chida, Y., Stamatakis, E. (2009). The role of conventional and novel mechanisms in explaining increased risk of cardiovascular events in offspring with positive parental history. *Journal of Hypertension*, 7(10), 1966-1971. <a href="http://dx.doi.org/10.1097/HJH.0b013e32832f0d6f">[More Information]</a>

Zaninotto, P., Head, J., Stamatakis, E., Wardle, H., Mindell, J. (2009). Trends in obesity among adults in England from 1993 to 2004 by age and social class and projections of prevalence to 2012. *Journal of Epidemiology and Community Health*, 63(2), 140-146. <a href="http://dx.doi.org/10.1136/jech.2008.077305">[More Information]</a>

Hamer, M., Chida, Y., Stamatakis, E. (2009). Utility of C-reactive Protein for Cardiovascular Risk Stratification across Three Age Groups in Subjects without Existing Cardiovascular Diseases. *American Journal of Cardiology*, 104(4), 538-542. <a href="http://dx.doi.org/10.1016/j.amjcard.2009.04.020">[More Information]</a>

## 2008

Hamer, M., Stamatakis, E. (2008). Inflammation as an intermediate pathway in the association between psychosocial stress and obesity. *Physiology and Behavior*, 94(4), 536-539. <a href="http://dx.doi.org/10.1016/j.physbeh.2008.03.010">[More Information]</a>

Hamer, M., Stamatakis, E. (2008). Physical Activity and Cardiovascular Disease: Directions for Future Research. *The Open Sports Sciences Journal*, 1, 1-2.

Hamer, M., Stamatakis, E., Steptoe, A. (2008). Psychiatric hospital admissions, behavioural risk factors, and all cause mortality: The Scottish Health Survey. *Archives of Internal Medicine*, 168(22), 2474-2479. <a href="http://dx.doi.org/10.1001/archinte.168.22.2474">[More Information]</a>

Hamer, M., Molloy, G., Stamatakis, E. (2008). Psychological distress as a risk factor for CVD events: Pathophysiological and behavioral mechanisms. *Journal of the American College of Cardiology*, 52(25), 2156-2162. <a href="http://dx.doi.org/10.1016/j.jacc.2008.08.057">[More Information]</a>

Stamatakis, E., Chaudhury, M. (2008). Temporal trends in adults' sports participation patterns in England between 1997 and 2006: the Health Survey for England. *British Journal of Sports Medicine*, 42(11), 601-608. <a href="http://dx.doi.org/10.1136/bjsm.2008.048082">[More Information]</a>

<http://dx.doi.org/10.1136/bjsm.2008.048082>>[More Information]</a>

Hamer, M., Stamatakis, E. (2008). The accumulative effects of modifiable risk factors on inflammation and haemostasis. *Brain, Behavior, and Immunity*, 22(7), 1041-1043. <a href="http://dx.doi.org/10.1016/j.bbi.2008.03.003">[More Information]</a>