

## 2019

Takamure, N., McKenzie, D., Bilek, M., Kondyurin, A. (2019). Chemical toughening of glass by potassium diffusion: How non-bridging oxygen and a surface calcium barrier limit the process. *Journal of the Ceramic Society of Japan*, 127(2), 98-104. <a href="http://dx.doi.org/10.2109/jcersj2.18154">[More Information]</a>

Kondyurin, A. (2019). Energetic Materials and Processes. *ACS Applied Energy Materials*, , 1-1.

Cheng, X., Fei, J., Kondyurin, A., Fu, K., Ye, L., Bilek, M., Bao, S. (2019). Enhanced biocompatibility of polyurethane-type shape memory polymers modified by plasma immersion ion implantation treatment and collagen coating: An in vivo study. *Materials Science and Engineering C*, 99, 863-874. <a href="http://dx.doi.org/10.1016/j.msec.2019.02.032">[More Information]</a>

Struzzi, C., Scardamaglia, M., Casanova-Chafer, J., Calavia, R., Colomer, J., Kondyurin, A., Bilek, M., Britun, N., Snyders, R., Llobe, E., et al (2019). Exploiting sensor geometry for enhanced gas sensing properties of fluorinated carbon nanotubes under humid environment. *Sensors and Actuators B: Chemical*, , 945-952. <a href="http://dx.doi.org/10.1016/j.snb.2018.10.159">[More Information]</a>

Kondyurin, A. (2019). Ion Beam-Implanted and Plasma-Treated Materials. *ACI Materials Journal*, (1996-1944), 1-1.

Yeo, G., Kosobrodova, E., Kondyurin, A., McKenzie, D., Bilek, M., Weiss, A. (2019). Plasma-Activated Substrate with a Tropoelastin Anchor for the Maintenance and Delivery of Multipotent Adult Progenitor Cells. *Macromolecular Bioscience*, 19(3), 1-13. <a href="http://dx.doi.org/10.1002/mabi.201800233">[More Information]</a>

Chudinov, V., KONDYURINA, I., Terpugov, V., Kondyurin, A. (2019). Weakened foreign body response to medical polyurethane treated by plasma immersion ion implantation. *Nuclear Instruments and Methods in Physics Research B*, 440, 163-174. <a href="http://dx.doi.org/10.1016/j.nimb.2018.12.026">[More Information]</a>

## 2018

Kondyurin, A., Eliseeva, A., Svistkov, A. (2018). Bound ("Glassy") Rubber as a Free Radical Cross-linked Rubber Layer on a Carbon Black. *Materials*, 11(10), 1-20. <a href="http://dx.doi.org/10.3390/ma11101992">[More Information]</a>

Kondyurina, I., Chudinov, V., Terpugov, V., Kondyurin, A. (2018). Chemical Linking of Albumin to the Surface of Ion Beam-Modified Polyurethane Implants. *Biomedical Engineering*, 52(4), 243-246. <a href="http://dx.doi.org/10.1007/s10527-018-9822-z">[More Information]</a>

Pestrenin, V., Pestrenina, I., Rusakov, S., Kondyurin, A. (2018). Curing of large prepreg shell in solar synchronous Low Earth Orbit: Precession flight regimes. *Acta Astronautica*, 151, 342-347. <a href="http://dx.doi.org/10.1016/j.actaastro.2018.06.029">[More Information]</a>

Kosobrodova, E., Kondyurin, A., Chrzanowski, W., Theodoropoulos, C., Morganti, E., Hutmacher, D., Bilek, M. (2018). Effect of plasma immersion ion implantation on polycaprolactone with various molecular weights and crystallinity. *Journal of Materials Science: Materials in Medicine*, 29(1), 1-18. <a href="http://dx.doi.org/10.1007/s10856-017-6009-1">[More Information]</a>

Kondyurin, A. (2018). EPDM rubber modified by nitrogen plasma immersion ion implantation. *Materials*, 11(5), 1-16. <a href="http://dx.doi.org/10.3390/ma11050657">[More Information]</a>

Kosobrodova, E., Gan, W., Kondyurin, A., Thorn, P., Bilek, M. (2018). Improved Multiprotein Microcontact Printing on Plasma Immersion Ion Implanted Polystyrene. *ACS Applied Materials and Interfaces*, 10(1), 227-237. <a href="http://dx.doi.org/10.1021/acsami.7b15545">[More Information]</a>

Kondyurin, A., Lau, K., Tang, F., Akhavan, B., Chrzanowski, W., Lord, M., Rnjak-Kovacina, J., Bilek, M. (2018). Plasma Ion Implantation of Silk Biomaterials Enabling Direct Covalent Immobilization of Bioactive Agents for Enhanced Cellular Responses. *ACS Applied Materials and Interfaces*, 10(21), 17605-17616. <a href="http://dx.doi.org/10.1021/acsami.8b03182">[More Information]</a>

Bax, D., Yin, Y., Kondyurin, A., Diwan, A., Bhargav, D., Weiss, A., Bilek, M., McKenzie, D. (2018). Plasma processing of PDMS based spinal implants for covalent protein immobilization, cell attachment and spreading. *Journal of Materials Science: Materials in Medicine*, 29(12), 1-15. <a href="http://dx.doi.org/10.1007/s10856-018-6181-y">[More Information]</a>

Chudinov, V., Kondyurina, I., Shardakov, I., Svistkov, A., Osorgina, I., Kondyurin, A. (2018). Polyurethane Modified with Plasma-Ion Implantation for Medical Applications. *Biophysics*, 63(3), 330-339. <a href="http://dx.doi.org/10.1134/S0006350918030053">[More Information]</a>

## 2017

Yeo, G., Kondyurin, A., Kosobrodova, E., Weiss, A., Bilek, M. (2017). A sterilizable, biocompatible, tropoelastin surface coating immobilized by energetic ion activation. *Journal of the Royal Society Interface*, 14(127), 20160837. <a href="http://dx.doi.org/10.1098/rsif.2016.0837">[More Information]</a>

Bahramian, B., Chrzanowski, W., Kondyurin, A., Thomas, N., Deghani, F. (2017). Fabrication of Antimicrobial Poly(propylene carbonate) Film by Plasma Surface Modification. *Industrial and Engineering Chemistry Research*, 56(44), 12578-12587. <a href="http://dx.doi.org/10.1021/acs.iecr.7b01185">[More Information]</a>

Gilev, V., Kondyurin, A., Rusakov, S. (2017). Investigation of epoxy matrix viscosity in the initial stage of its formation. *20th Winter School on Continuum Mechanics*, Bristol, UK: Institute

of Physics Publishing. <a href="http://dx.doi.org/10.1088/1757-899X/208/1/012014">[More Information]</a>

Khanal, D., Hau, H., Kondyurin, A., Fu, D., Ramzan, I., Chrzanowski, W. (2017). Nanotoxicity of nanodiamond in two and three dimensional liver models. *International Journal of Nanotechnology*, 14(1-6), 133-154. <a href="http://dx.doi.org/10.1504/IJNT.2017.082436">[More Information]</a>

Cheng, X., Kondyurin, A., Bao, B., Bilek, M., Ye, L. (2017). Plasma immersion ion implantation of polyurethane shape memory polymer: Surface properties and protein immobilization. *Applied Surface Science*, 416, 686-695. <a href="http://dx.doi.org/10.1016/j.apsusc.2017.04.179">[More Information]</a>

Kondyurina, I., Wise, S., Ngo, A., Filipe, E., Kondyurin, A., Weiss, A., Bao, B., Bilek, M. (2017). Plasma mediated protein immobilisation enhances the vascular compatibility of polyurethane with tissue matched mechanical properties. *Biomedical Materials*, 12(4), 1-14. <a href="http://dx.doi.org/10.1088/1748-605X/aa6eb6">[More Information]</a>

Kondyurin, A., Tsoutas, K., Latour, Q., Higgins, M., Moulton, S., McKenzie, D., Bilek, M. (2017). Structural Analysis and Protein Functionalization of Electroconductive Polypyrrole Films Modified by Plasma Immersion Ion Implantation. *ACS Biomaterials Science and Engineering*, 3(10), 2247-2258. <a href="http://dx.doi.org/10.1021/acsbiomaterials.7b00369">[More Information]</a>

## 2016

Khanal, D., Kondyurin, A., Hau, H., Knowles, J., Levinson, O., Ramzan, I., Fu, D., Marcott, C., Chrzanowski, W. (2016). Biospectroscopy of Nanodiamond-Induced Alterations in Conformation of Intra- and Extracellular Proteins: A Nanoscale IR Study. *Analytical Chemistry*, 88(15), 7530-7538. <a href="http://dx.doi.org/10.1021/acs.analchem.6b00665">[More Information]</a>

Demin, A., Kondyurin, A., Terpugov, V. (2016). Computer and stratospheric flight simulation of space experiment on curing of epoxy composite. *Materials Physics and Mechanics*, 26(1), 73-76.

Tran, C., Craggs, M., Smith, L., Stanley, K., Kondyurin, A., Bilek, M., McKenzie, D. (2016). Covalent linker-free immobilization of conjugatable oligonucleotides on polypropylene surfaces. *RSC Advances*, 6(86), 83328-83336. <a href="http://dx.doi.org/10.1039/c6ra16034d">[More Information]</a>

Iziumov, R., Beliaev, A., Kondyurina, I., Shardakov, I., Kondyurin, A., Bilek, M., McKenzie, D. (2016). Experimental investigation of plasma-immersion ion implantation treatment for biocompatible polyurethane implants production. *3rd International Conference on Competitive Materials and Technology Processes (IC-CMTP 2014)*, Miskolc-Lillafured: Institute of Physics Publishing. <a href="http://dx.doi.org/10.1088/1757-899X/123/1/012003">[More Information]</a>

Kondyurin, A., Bilek, M., Kondyurina, I., Vogel, R., De Groh, K. (2016). First Stratospheric Flight of Preimpregnated Uncured Epoxy Matrix. *Journal of Spacecraft and Rockets*, 53(6), 1019-1027. <a href="http://dx.doi.org/10.2514/1.A33478">[More Information]</a>

Beliaev, A., Svistkov, A., Iziumov, R., Osorgina, I., Kondyurin, A., Bilek, M., McKenzie, D. (2016). Modelling of the mechanical behavior of a polyurethane finger interphalangeal joint endoprosthesis after surface modification by ion

implantation. *3rd International Conference on Competitive Materials and Technology Processes (IC-CMTP 2014)*, Miskolc-Lillafured: Institute of Physics Publishing. <a href="http://dx.doi.org/10.1088/1757-899X/123/1/012001">[More Information]</a>

Pestrenin, V., Pestrenina, I., Rusakov, S., Kondyurin, A., Korepanova, A. (2016). Packaging and deployment of large shell structures by internal pressure loading. *PNRPU Mechanics Bulletin*, 4, 303-316. <a href="http://dx.doi.org/10.15593/perm.mech/2016.4.18">[More Information]</a>

Kosobrodova, E., Kondyurin, A., Chrzanowski, W., McKenzie, D., Bilek, M. (2016). Plasma immersion ion implantation of a two-phase blend of polysulfone and polyvinylpyrrolidone. *Materials and Design*, 97, 381-391. <a href="http://dx.doi.org/10.1016/j.matdes.2016.02.124">[More Information]</a>

Wise, S., Liu, H., Kondyurin, A., Byrom, M., Bannon, P., Edwards, G., Weiss, A., Bao, B., Bilek, M. (2016). Plasma Ion Activated Expanded Polytetrafluoroethylene Vascular Grafts with a Covalently Immobilized Recombinant Human Tropoelastin Coating Reducing Neointimal Hyperplasia. *ACS Biomaterials Science and Engineering*, 2(8), 1286-1297. <a href="http://dx.doi.org/10.1021/acsbiomaterials.6b00208">[More Information]</a>

McKenzie, D., Bilek, M., Tran, C., Kosobrodova, E., Kondyurin, A., Wakelin, E. (2016). Plasma surface functionalisation for bio applications. *13th Asia-Pacific Conference on Plasma Science and Technology (APCPST 2016)*, Shanghai, China: IOP Publishing.

Yeo, G., Santos, M., Kondyurin, A., Liskova, J., Weiss, A., Bilek, M. (2016). Plasma-Activated Tropoelastin Functionalization of Zirconium for Improved Bone Cell Response. *ACS Biomaterials Science and Engineering*, 2(4), 662-676. <a href="http://dx.doi.org/10.1021/acsbiomaterials.6b00049">[More Information]</a>

## 2015

Wakelin, E., Kondyurin, A., Wise, S., McKenzie, D., Davies, M., Bilek, M. (2015). Bio-Activation of Polyether Ether Ketone Using Plasma Immersion Ion Implantation: A Kinetic Model. *Plasma Processes and Polymers*, 12(2), 180-193. <a href="http://dx.doi.org/10.1002/ppap.201400149">[More Information]</a>

Wakelin, E., Yeo, G., Kondyurin, A., Davies, M., McKenzie, D., Weiss, A., Bilek, M. (2015). Bio-functionalisation of polyether ether ketone using plasma immersion ion implantation. *SPIE Micro+Nano Materials, Devices, and Applications Symposium*, Bellingham: Society of Photo-Optical Instrumentation Engineers (SPIE). <a href="http://dx.doi.org/10.1117/12.2202506">[More Information]</a>

Pestrenin, V., Pestrenina, I., Rusakov, S., Kondyurin, A. (2015). Deployment of Large-Size Shell Constructions by Internal Pressure. *Mechanics of Composite Materials*, 51(5), 629-636. <a href="http://dx.doi.org/10.1007/s11029-015-9532-5">[More Information]</a>

Bilek, M., Kondyurin, A., Dekker, S., Steel, B., Wilhelm, R., Heller, R., McKenzie, D., Weiss, A., James, M., Moller, W. (2015). Depth-Resolved Structural and Compositional Characterization of Ion-Implanted Polystyrene that Enables Direct Covalent Immobilization of Biomolecules. *The Journal of Physical Chemistry C*, 119(29), 16793-16803. <a href="http://dx.doi.org/10.1021/acs.jpcc.5b05164">[More Information]</a>

Ibrahim, J., Boxman, R., Nosworthy, N., Falconer, I., Chu, P., Bilek, M., Kondyurin, A., Ganesan, R., McKenzie, D. (2015). Graded metal carbon protein binding films prepared by hybrid cathodic arc - Glow discharge plasma assisted chemical vapor deposition. *Surface & Coatings Technology*, 265, 222-234. <a href="http://dx.doi.org/10.1016/j.surfcoat.2014.11.025">[More Information]</a>

Levchenko, I., Mai-Prochnow, A., Yick, S., Bilek, M., Kondyurin, A., Han, Z., Fang, J., Cvelbar, U., Mariotti, D., Ostrikov, K. (2015). Hybrid Carbon-Based Nanostructured Platforms for the Advanced Bioreactors. *Journal of Nanoscience and Nanotechnology*, 15(12), 10074-10090. <a href="http://dx.doi.org/10.1166/jnn.2015.11686">[More Information]</a>

Wise, S., Michael, P., Waterhouse, A., Santos, M., Filipe, E., Hung, J., Kondyurin, A., Bilek, M., Ng, M. (2015). Immobilization of bioactive plasmin reduces the thrombogenicity of metal surfaces. *Colloids And Surfaces B: Biointerfaces*, 136, 944-954. <a href="http://dx.doi.org/10.1016/j.colsurfb.2015.10.035">[More Information]</a>

Kondyurin, A., Bilek, M. (2015). *Ion Beam Treatment of Polymers: Application Aspects from Medicine to Space*. Oxford, UK: Elsevier. <a href="http://dx.doi.org/10.1016/C2012-0-06085-1">[More Information]</a>

Wong, D., Yeoh, W., De Silva, K., Kondyurin, A., Bao, P., Li, W., Xu, X., Peleckis, G., Dou, S., Ringer, S., Zheng, R. (2015). Microscopic unravelling of nano-carbon doping in MgB<sub>2</sub> superconductors fabricated by diffusion method. *Journal of Alloys and Compounds*, 644, 900-905. <a href="http://dx.doi.org/10.1016/j.jallcom.2015.05.082">[More Information]</a>

Chrzanowski, W., Lee, J., Kondyurin, A., Lord, M., Jang, J., Kim, H., Bilek, M. (2015). Nano-Bio-Chemical Braille for Cells: The Regulation of Stem Cell Responses using Bi-Functional Surfaces. *Advanced Functional Materials*, 25(2), 193-205. <a href="http://dx.doi.org/10.1002/adfm.201401696">[More Information]</a>

Kosobrodova, E., Jones, R., Kondyurin, A., Chrzanowski, W., Pigram, P., McKenzie, D., Bilek, M. (2015). Orientation and conformation of anti-CD34 antibody immobilised on untreated and plasma treated polycarbonate. *Acta Biomaterialia*, 19, 128-137. <a href="http://dx.doi.org/10.1016/j.actbio.2015.02.027">[More Information]</a>

Ganesan, R., Murdoch, B., Treverrow, B., Ross, A., Falconer, I., Kondyurin, A., McCulloch, D., Partridge, J., McKenzie, D., Bilek, M. (2015). The role of pulse length in target poisoning during reactive HiPIMS: application to amorphous HfO<sub>2</sub>. *Plasma Sources Science and Technology*, 24(3), 1-9. <a href="http://dx.doi.org/10.1088/0963-0252/24/3/035015">[More Information]</a>

## 2014

Kondyurina, I., Shardakov, I., Nechitailo, G., Terpugov, V., Kondyurin, A. (2014). Cell growing on ion implanted polytetrafluorethylene. *Applied Surface Science*, 314, 670-678. <a href="http://dx.doi.org/10.1016/j.apsusc.2014.07.057">[More Information]</a>

Kosobrodova, E., Mohamed, A., Su, Y., Kondyurin, A., Dos Remedios, C., McKenzie, D., Bilek, M. (2014). Cluster of differentiation antibody microarrays on plasma immersion ion implanted polycarbonate. *Materials Science and Engineering C*,

35(1), 434-440. <a href="http://dx.doi.org/10.1016/j.msec.2013.11.034">[More Information]</a>

Hajian, H., Wise, S., Bax, D., Kondyurin, A., Waterhouse, A., Dunn, L., Kielty, C., Yu, Y., Weiss, A., Bilek, M., Bannon, P., et al (2014). Immobilisation of a fibrillin-1 fragment enhances the biocompatibility of PTFE. *Colloids And Surfaces B: Biointerfaces*, 116, 544-552. <a href="http://dx.doi.org/10.1016/j.colsurfb.2014.01.042">[More Information]</a>

Tran, C., Kondyurin, A., Chrzanowski, W., Bilek, M., McKenzie, D. (2014). Increasing binding density of yeast cells by control of surface charge with allylamine grafting to ion modified polymer surfaces. *Colloids And Surfaces B: Biointerfaces*, 122, 537-544. <a href="http://dx.doi.org/10.1016/j.colsurfb.2014.07.026">[More Information]</a>

Nosworthy, N., Kondyurin, A., Bilek, M., McKenzie, D. (2014). Ion implantation treatment of beads for covalent binding of molecules: Application to bioethanol production using thermophilic beta-glucosidase. *Enzyme and Microbial Technology*, 54(1), 20-24. <a href="http://dx.doi.org/10.1016/j.enzmictec.2013.09.012">[More Information]</a>

Kosobrodova, E., Kondyurin, A., Chrzanowski, W., McCulloch, D., McKenzie, D., Bilek, M. (2014). Optical properties and oxidation of carbonized and cross-linked structures formed in polycarbonate by plasma immersion ion implantation. *Nuclear Instruments and Methods in Physics Research B*, 329, 52-63. <a href="http://dx.doi.org/10.1016/j.nimb.2014.03.010">[More Information]</a>

Bax, D., Kondyurin, A., Waterhouse, A., McKenzie, D., Weiss, A., Bilek, M. (2014). Surface plasma modification and tropoelastin coating of a polyurethane co-polymer for enhanced cell attachment and reduced thrombogenicity. *Biomaterials*, 35(25), 6797-6809. <a href="http://dx.doi.org/10.1016/j.biomaterials.2014.04.082">[More Information]</a>

## 2013

Bilek, M., McKenzie, D., Nosworthy, N., Kondyurin, A. (2013). Activated Polymers Binding Biological Molecules (Australia). *Patent No. 2007225021*.

Zhao, J., Rider, A., Ishaq, M., Kumar, S., Kondyurin, A., Bilek, M., Levchenko, I., Ostrikov, K. (2013). Carbon nanostructures for hard tissue engineering. *RSC Advances*, 3(28), 11058-11072. <a href="http://dx.doi.org/10.1039/c2ra23306a">[More Information]</a>

Tran, C., Nosworthy, N., Kondyurin, A., McKenzie, D., Bilek, M. (2013). CelB and B-glucosidase immobilization for carboxymethyl cellulose hydrolysis. *RSC Advances*, 3(45), 23604-23611. <a href="http://dx.doi.org/10.1039/c3ra43666g">[More Information]</a>

Kondyurin, A., Levchenko, I., Han, Z., Yick, S., Mai-Prochnow, A., Fang, J., Ostrikov, K., Bilek, M. (2013). Hybrid graphite film-carbon nanotube platform for enzyme immobilization and protection. *Carbon*, 65, 287-295. <a href="http://dx.doi.org/10.1016/j.carbon.2013.08.028">[More Information]</a>

Tran, C., Kondyurin, A., Chrzanowski, W., Bilek, M., McKenzie, D. (2013). Influence of pH on yeast immobilization on polystyrene surfaces modified by energetic ion bombardment. *Colloids And Surfaces B: Biointerfaces*,

104(April), 145-152. <a href="http://dx.doi.org/10.1016/j.colsurfb.2012.11.029">[More Information]</a>

Hirsh, S., Bilek, M., Bax, D., Kondyurin, A., Kosobrodova, E., Tsoutas, K., Tran, C., Waterhouse, A., Yin, Y., Nosworthy, N., McKenzie, D., Dos Remedios, C., Weiss, A., et al (2013). Ion Implanted, Radical-Rich Surfaces For The Rapid Covalent Immobilization Of Active Biomolecules. *AIP Conference Proceedings*, 1525, 364-369. <a href="http://dx.doi.org/10.1063/1.4802352">[More Information]</a>

Kosobrodova, E., Kondyurin, A., McKenzie, D., Bilek, M. (2013). Kinetics of post-treatment structural transformations of nitrogen plasma ion immersion implanted polystyrene. *Nuclear Instruments and Methods in Physics Research B*, 304, 57-66. <a href="http://dx.doi.org/10.1016/j.nimb.2013.03.038">[More Information]</a>

Wang, G., Lu, Z., Zhao, X., Kondyurin, A., Zreiqat, H. (2013). Ordered HAp nanoarchitecture formed on HAp-TCP bioceramics by "nanocarving" and mineralization deposition and its potential use for guiding cell behaviors. *Journal of Materials Chemistry B*, 1(19), 2455-2462. <a href="http://dx.doi.org/10.1039/c3tb20164c">[More Information]</a>

Kondyurin, A., Kondyurina, I., Bilek, M. (2013). Radiation damage of polyethylene exposed in the stratosphere at an altitude of 40 km. *Polymer Degradation and Stability*, 98(8), 1526-1536. <a href="http://dx.doi.org/10.1016/j.polymdegradstab.2013.04.008">[More Information]</a>

Hiob, M., Wise, S., Kondyurin, A., Waterhouse, A., Bilek, M., Ng, M., Weiss, A. (2013). The use of plasma-activated covalent attachment of early domains of tropoelastin to enhance vascular compatibility of surfaces. *Biomaterials*, 34(31), 7584-7591. <a href="http://dx.doi.org/10.1016/j.biomaterials.2013.06.036">[More Information]</a>

Kondyurin, A., Kondyurina, I., Bilek, M. (2013). With reference to article: "Impact of the first-generation drug-eluting stent implantation on periprocedural myocardial injury in patients with stable angina pectoris". Dewetting problem. *Journal of Cardiology*, 62(4), 265-266. <a href="http://dx.doi.org/10.1016/j.jcc.2013.04.011">[More Information]</a>

## 2012

Wang, G., Lu, Z., Xie, K., Lu, W., Roohaniesfahani, S., Kondyurin, A., Zreiqat, H. (2012). A facile method to in situ formation of hydroxyapatite single crystal architecture for enhanced osteoblast adhesion. *Journal of Materials Chemistry*, 22(36), 19081-19087. <a href="http://dx.doi.org/10.1039/c2jm34367c">[More Information]</a>

Chrzanowski, W., Kondyurin, A., Lee, J., Lord, M., Bilek, M., Kim, H. (2012). Biointerface: protein enhanced stem cells binding to implant surface. *Journal of Materials Science: Materials in Medicine*, 23(9), 2203-2215. <a href="http://dx.doi.org/10.1007/s10856-012-4687-2">[More Information]</a>

Bax, D., Tipa, R., Kondyurin, A., Higgins, M., Tsoutas, K., Gelmi, A., Wallace, G., McKenzie, D., Weiss, A., Bilek, M. (2012). Cell patterning via linker-free protein functionalization of an organic conducting polymer (polypyrrole) electrode. *Acta Biomaterialia*, 8(7), 2538-2548. <a href="http://dx.doi.org/10.1016/j.actbio.2012.03.023">[More Information]</a>

Kondyurin, A., Komar, L., Svistkov, A. (2012). Combinatory model of curing process in epoxy composite. *Composites Part B*, 43(2), 616-620. <a href="http://dx.doi.org/10.1016/j.compositesb.2011.11.019">[More Information]</a>

Kosobrodova, E., Kondyurin, A., Fisher, K., Moeller, W., McKenzie, D., Bilek, M. (2012). Free radical kinetics in a plasma immersion ion implanted polystyrene: Theory and experiment. *Nuclear Instruments and Methods in Physics Research B*, 280(2012), 26-35. <a href="http://dx.doi.org/10.1016/j.nimb.2012.02.028">[More Information]</a>

Tran, C., Kondyurin, A., Hirsh, S., McKenzie, D., Bilek, M. (2012). Ion-implanted polytetrafluoroethylene enhances *Saccharomyces cerevisiae* biofilm formation for improved immobilization. *Journal of the Royal Society Interface*, 9(76), 2923-2935. <a href="http://dx.doi.org/10.1098/rsif.2012.0347">[More Information]</a>

Kondyurin, A., Naseri, P., Tilley, J., Nosworthy, N., Bilek, M., McKenzie, D. (2012). Mechanisms for Covalent Immobilization of Horseradish Peroxidase on Ion-Beam-Treated Polyethylene. *Scientifica*, 2012, 1-28. <a href="http://dx.doi.org/10.6064/2012/126170">[More Information]</a>

Wise, S., Waterhouse, A., Kondyurin, A., Bilek, M., Weiss, A. (2012). Plasma-based biofunctionalization of vascular implants. *Nanomedicine*, 7(12), 1907-1916. <a href="http://dx.doi.org/10.2217/nmm.12.161">[More Information]</a>

## 2011

Kondyurin, A. (2011). Direct Curing of Polymer Construction Material in Simulated Earth's Moon Surface Environment. *Journal of Spacecraft and Rockets*, 48(2), 378-384. <a href="http://dx.doi.org/10.2514/1.A32001">[More Information]</a>

Kondyurin, A., Nosworthy, N., Bilek, M. (2011). Effect of Low Molecular Weight Additives on Immobilization Strength, Activity, and Conformation of Protein Immobilized on PVC and UHMWPE. *Langmuir*, 27(10), 6138-6148. <a href="http://dx.doi.org/10.1021/la200376f">[More Information]</a>

Muller, D., Ivanov, D., Vidal, L., Simon, L., Kondyurin, A., Luchnikov, V. (2011). Electrically conductive hexagonally ordered nanoporous membranes produced by ion-beam induced carbonization of block-copolymer precursors. *Nanotechnology*, 22(30), 1-7. <a href="http://dx.doi.org/10.1088/0957-4484/22/30/305603">[More Information]</a>

Kondyurin, A., Bilek, M. (2011). Etching and structure changes in PMMA coating under argon plasma immersion ion implantation. *Nuclear Instruments and Methods in Physics Research B*, 269(12), 1361-1369. <a href="http://dx.doi.org/10.1016/j.nimb.2011.04.001">[More Information]</a>

Bilek, M., Bax, D., Kondyurin, A., Yin, Y., Nosworthy, N., Fisher, K., Waterhouse, A., Weiss, A., Dos Remedios, C., McKenzie, D. (2011). Free radical functionalization of surfaces to prevent adverse responses to biomedical devices. *Proceedings of the National Academy of Sciences of the United States of America*, 108(35), 14405-14410. <a href="http://dx.doi.org/10.1073/pnas.1103277108">[More Information]</a>

Hirsh, S., Nosworthy, N., Kondyurin, A., Dos Remedios, C., McKenzie, D., Bilek, M. (2011). Linker-free covalent

thermophilic  $\beta$ -glucosidase functionalized polymeric surfaces. *Journal of Materials Chemistry*, 21, 17832-17841. <a href="http://dx.doi.org/10.1039/c1jm13376d">[More Information]</a>

Kondyurin, A., Komar, L., Svistkov, A. (2011). Modeling of the kinetics of the curing reaction of the epoxy-binder-based composite material. *International Journal of Nanomechanics Science and Technology*, 2(2), 167-183. <a href="http://dx.doi.org/10.1615/NanomechanicsSciTechnolIntJ.v2.i2.60">[More Information]</a>

Kondyurin, A., Nosworthy, N., Bilek, M., Jones, R., Pigram, P. (2011). Surface Attachment of Horseradish Peroxidase to Nylon Modified by Plasma-Immersion Ion Implantation. *Journal of Applied Polymer Science*, 120(5), 2891-2903. <a href="http://dx.doi.org/10.1002/app.33355">[More Information]</a>

Bilek, M., McKenzie, D., Bax, D., Kondyurin, A., Yin, Y., Nosworthy, N., Hirsh, S., Fisher, K., Weiss, A. (2011). Universal biomolecule binding interlayers created by energetic ion bombardment. *2011 Materials Research Society (MRS) Spring Meeting*, San Francisco: Cambridge University Press. <a href="http://dx.doi.org/10.1557/opl.2011.1382">[More Information]</a>

## 2010

Hirsh, S., Bilek, M., Nosworthy, N., Kondyurin, A., Dos Remedios, C., McKenzie, D. (2010). A Comparison of Covalent Immobilization and Physical Adsorption of a Cellulase Enzyme Mixture. *Langmuir*, 26(17), 14380-14388. <a href="http://dx.doi.org/10.1021/la1019845">[More Information]</a>

Kondyurin, A., Bilek, M. (2010). Etching and structure transformations in uncured epoxy resin under rf-plasma and plasma immersion ion implantation. *Nuclear Instruments and Methods in Physics Research B*, 268(10), 1568-1580. <a href="http://dx.doi.org/10.1016/j.nimb.2010.03.014">[More Information]</a>

Holst, J., Watson, S., Lord, M., Eamegdool, S., Bax, D., Nivison-Smith, L., Kondyurin, A., Ma, L., Oberhauser, A., Weiss, A., Rasko, J. (2010). Substrate elasticity provides mechanical signals for the expansion of hemopoietic stem and progenitor cells. *Nature Biotechnology*, 28(10), 1123-1128. <a href="http://dx.doi.org/10.1038/nbt.1687">[More Information]</a>

## 2009

Yin, Y., Bilek, M., McKenzie, D., Nosworthy, N., Kondyurin, A., Youssef, H., Byrom, M., Yang, W. (2009). Acetylene plasma polymerized surfaces for covalent immobilization of dense bioactive protein monolayers. *Surface & Coatings Technology*, 203(10-11), 1310-1316. <a href="http://dx.doi.org/10.1016/j.surfcoat.2008.10.035">[More Information]</a>

Kondyurin, A., Naseri, P., Fisher, K., McKenzie, D., Bilek, M. (2009). Mechanisms for surface energy changes observed in plasma immersion ion implanted polyethylene: The roles of free radicals and oxygen-containing groups. *Polymer Degradation and Stability*, 94(4), 638-646. <a href="http://dx.doi.org/10.1016/j.polymdegradstab.2009.01.004">[More Information]</a>

Yin, Y., Nosworthy, N., Gong, B., Bax, D., Kondyurin, A., McKenzie, D., Bilek, M. (2009). Plasma Polymer Surfaces Compatible with a CMOS Process for Direct Covalent Enzyme Immobilization. *Plasma Processes and Polymers*, 6(1), 68-75. <a href="http://dx.doi.org/10.1002/ppap.200800108">[More Information]</a>

## 2008

Kondyurin, A., Gan, B., Bilek, M., McKenzie, D., Mizuno, K., Wuhler, R. (2008). Argon plasma immersion ion implantation of polystyrene films. *Nuclear Instruments and Methods in Physics Research B*, 266(7), 1074-1084. <a href="http://dx.doi.org/10.1016/j.nimb.2008.02.063">[More Information]</a>

Kondyurin, A., Nosworthy, N., Bilek, M. (2008). Attachment of horseradish peroxidase to polytetrafluorethylene (teflon) after plasma immersion ion implantation. *Acta Biomaterialia*, 4, 1218-1225. <a href="http://dx.doi.org/10.1016/j.actbio.2008.04.017">[More Information]</a>

Kondyurin, A., Pecheva, E., Pramatarova, L. (2008). Calcium phosphate formation on plasma immersion ion implanted low density polyethylene and polytetrafluorethylene surfaces. *Journal of Materials Science: Materials in Medicine*, 19(3), 1145-1153. <a href="http://dx.doi.org/10.1007/s10856-007-3231-2">[More Information]</a>

Kondyurin, A., Polonskyi, O., Nosworthy, N., Matousek, J., Hildek, P., Biederman, H., Bilek, M. (2008). Covalent Attachment and Bioactivity of Horseradish Peroxidase on Plasma-Polymerized Hexane Coatings. *Plasma Processes and Polymers*, 5(8), 727-736. <a href="http://dx.doi.org/10.1002/ppap.200800010">[More Information]</a>

Volodin, P., Kondyurin, A. (2008). Dewetting of thin polymer film on rough substrate: I. Theory. *Journal of Physics D: Applied Physics*, 41(6), 065306-1-065306-11. <a href="http://dx.doi.org/10.1088/0022-3727/41/6/065306">[More Information]</a>

Volodin, P., Kondyurin, A. (2008). Dewetting of thin polymer film on rough substrate: II. Experiment. *Journal of Physics D: Applied Physics*, 41(6), 065307-1-065307-8. <a href="http://dx.doi.org/10.1088/0022-3727/41/6/065307">[More Information]</a>

Kondyurin, A., Bilek, M. (2008). *Ion Beam Treatment of Polymers: Application Aspects from Medicine to Space*. Oxford, UK: Elsevier. <a href="http://dx.doi.org/10.1016/b978-0-08-044692-9.x5001-8">[More Information]</a>

Kondyurin, A., Bilek, M., Janke, A., Stamm, M., Luchnikov, V. (2008). Nanostructured carbonized thin films produced by plasma immersion ion implantation of block-copolymer assemblies. *Plasma Processes and Polymers*, 5(2), 155-160. <a href="http://dx.doi.org/10.1002/ppap.200700111">[More Information]</a>

Rosen, J., Persson, P., Ionescu, M., Kondyurin, A., McKenzie, D., Bilek, M. (2008). Oxygen incorporation in Ti<sub>2</sub>AlC thin films. *Applied Physics Letters*, 92(6), 064102-1-064102-3. <a href="http://dx.doi.org/10.1063/1.2838456">[More Information]</a>

Kondyurin, A. (2008). Preface. *Advances in Space Research*, 34(7).

Mizuno, K., Gan, B., Kondyurin, A., Bilek, M., McKenzie, D. (2008). Reducing water permeability while maintaining transparency of PET: A Plasma Immersion Ion Implantation Study. *Plasma Processes and Polymers*, 5(9), 834-839. <a href="http://dx.doi.org/10.1002/ppap.200800002">[More Information]</a>

## 2007

Gan, B., Kondyurin, A., Bilek, M. (2007). Comparison of protein surface attachment on untreated and plasma immersion

ion implantation treated polystyrene: Protein islands and carpet. *Langmuir*, 23(5), 2741-2746. <a href="http://dx.doi.org/10.1021/la062722v">[More Information]</a>

Kondyurin, A., Lauke, B., Vogel, R., Nechitailo, G. (2007). Kinetics of photocuring of matrix of composite material under simulated conditions of free space. *Plasticheskie Massy*, 11, 50-55.

Luchnikov, V., Kondyurin, A., Formanek, P., Lichte, H., Stamm, M. (2007). Moire Patterns in Superimposed Nanoporous Thin Films Derived from Block-Copolymer Assemblies. *Nano Letters*, 7(12), 3628-3632. <a href="http://dx.doi.org/10.1021/nl071844k">[More Information]</a>

Kondyurin, A., MAITZ, M. (2007). *Patent No. 2007/022174, 2007/098330, RU 2223793*. Russia.

Nosworthy, N., Ho, J., Kondyurin, A., McKenzie, D., Bilek, M. (2007). The attachment of catalase and poly-L-lysine to plasma immersion ion implantation-treated polyethylene. *Acta Biomaterialia*, 3(5), 695-704. <a href="http://dx.doi.org/10.1016/j.actbio.2007.02.005">[More Information]</a>

## 2006

Gan, B., Bilek, M., Kondyurin, A., Mizuno, K., McKenzie, D. (2006). Etching and structural changes in nitrogen plasma immersion ion implanted polystyrene films. *Nuclear Instruments and Methods in Physics Research B*, 247(2), 254-260. <a href="http://dx.doi.org/10.1016/j.nimb.2006.01.063">[More Information]</a>

Kondyurin, A., Gan, B., Bilek, M., Mizuno, K., McKenzie, D. (2006). Etching and structural changes of polystyrene films during plasma immersion ion implantation from argon plasma. *Nuclear Instruments and Methods in Physics Research B*, 251(2), 413-418. <a href="http://dx.doi.org/10.1016/j.nimb.2006.06.027">[More Information]</a>

Kondyurin, A., Lauke, B., Vogel, R. (2006). Photopolymerisation of composite material in simulated free space environment at low Earth orbital flight. *European Polymer Journal*, 42(10), 2703-2714. <a href="http://dx.doi.org/10.1016/j.eurpolymj.2006.04.018">[More Information]</a>

Kondyurin, A., Volodin, P., Weber, J. (2006). Plasma immersion ion implantation of Pebax polymer. *Nuclear Instruments and Methods in Physics Research B*, 251(2), 407-412. <a href="http://dx.doi.org/10.1016/j.nimb.2006.06.026">[More Information]</a>

KONDYURINA, I., Kondyurin, A., Lauke, B., Figiel, Ī., Vogel, R., Reuter, U. (2006). Polymerisation of composite materials in space environment for development of a Moon base. *Advances in Space Research*, 37(1), 109-115. <a href="http://dx.doi.org/10.1016/j.asr.2005.05.031">[More Information]</a>

## 2005

Kondyurin, A., Romanova, V., BEGISHEV, V., KONDYURINA, I., GUENZEL, R., MAITZ, M. (2005). Crosslinked Polyurethane Coating on Vascular Stents for Enhanced X-ray Contrast. *Journal of Bioactive and Compatible Polymers*, 20(1), 77-93. <a href="http://dx.doi.org/10.1177/0883911505049896">[More Information]</a>

## 2004

Kondyurin, A., Lauke, B., KONDYURINA, I., Orba, E. (2004). Creation of biological module for self-regulating ecological system by the way of polymerization of composite materials in free space. *Advances in Space Research*, 34, 1585-1591. <a href="http://dx.doi.org/10.1016/j.asr.2004.01.019">[More Information]</a>

Kondyurin, A., Lauke, B. (2004). Curing of liquid epoxy resin in plasma discharge. *European Polymer Journal*, 40, 1915-1923. <a href="http://dx.doi.org/10.1016/j.eurpolymj.2004.04.023">[More Information]</a>

Kondyurin, A., MAITZ, M., Romanova, V., BEGISHEV, V., KONDYURINA, I., GUENZEL, R. (2004). Drug release from polyurethane coating modified by plasma immersion ion implantation. *Journal of Biomaterials Science. Polymer Edition*, 15(2), 145-159. <a href="http://dx.doi.org/10.1163/156856204322793548">[More Information]</a>

Pecheva, E., Pramatarova, L., MAITZ, M., Pham, M., Kondyurin, A. (2004). Extracellular matrix used in an in-vivo model system for Hydroxyapatite formation. *Annals of Transplantation*, 9(1A (Suppl.)), 58-60.

Kanaki, K., Dohrmann, F., Enghardt, W., Garabatos, C., Grosse, E., Hutsch, J., Kampfer, B., Kondyurin, A., Kotte, R., MÄ¼ntz, C., et al (2004). HADES Tracking System: First In-Beam Experience. *IEEE Transactions on Nuclear Science*, 51(3), 939-942. <a href="http://dx.doi.org/10.1109/TNS.2004.829444">[More Information]</a>

Pramatarova, L., Pecheva, E., Petrov, T., Kondyurin, A., Pramatarova, R., Minkovski, N. (2004). Ion beam and laser processing for hydroxyapatite formation. *Vacuum*, 76, 339-342. <a href="http://dx.doi.org/10.1016/j.vacuum.2004.07.025">[More Information]</a>

Pramatarova, L., Pecheva, E., MAITZ, M., Pham, M., Kondyurin, A. (2004). Ion beam patterning of solid surfaces for hydroxyapatite deposition. *Vacuum*, 76, 335-338. <a href="http://dx.doi.org/10.1016/j.vacuum.2004.07.027">[More Information]</a>

Pecheva, E., Pramatarova, L., MAITZ, M., Pham, M., Kondyurin, A. (2004). Kinetics of hydroxyapatite deposition on solid substrates modified by sequential implantation of Ca and P ions Part I. FTIR and Raman spectroscopy study. *Applied Surface Science*, 235, 176-181. <a href="http://dx.doi.org/10.1016/j.apsusc.2004.05.174">[More Information]</a>

Pecheva, E., Pramatarova, L., MAITZ, M., Pham, M., Kondyurin, A. (2004). Kinetics of hydroxyapatite deposition on solid substrates modified by sequential implantation of Ca and P ions Part II: Morphological, composition and structure study. *Applied Surface Science*, 235, 170-175. <a href="http://dx.doi.org/10.1016/j.apsusc.2004.05.178">[More Information]</a>

Kondyurin, A., Lauke, B., Richter, E. (2004). Polymerization Processes of Epoxy Matrix Composites under Simulated Free Space Conditions. *High Performance Polymers*, 16, 163-175. <a href="http://dx.doi.org/10.1177/0954008304044101">[More Information]</a>

## 2003

Khaibullin, R., Rameev, B., Popok, V., Zheglov, E., Kondyurin, A., Zhikharev, V., Aktas, B. (2003). An influence of the viscosity of polymer substrate on ion beam synthesis of iron

granular films. *Nuclear Instruments and Methods in Physics Research B*, 206(May 2003), 1115-1119. <a href="http://dx.doi.org/10.1016/S0168-583X(03)00934-0">[More Information]</a>

Kondyurin, A., Khaybullin, R., Gavriilo, N., Popok, V. (2003). Pulse and continuous ion beam treatment of polyethylene. *Vacuum*, 68(4), 341-347. <a href="http://dx.doi.org/10.1016/S0042-207X(02)00507-9">[More Information]</a>

## 2002

Kondyurin, A., Imankulova, S. (2002). Adhesion of quinone adhesive to rubbers. *Journal of Adhesion*, 78, 431-441.

Romanova, V., BEGISHEV, V., Karmanov, V., Kondyurin, A., MAITZ, M. (2002). Fourier transform Raman and Fourier transform infrared spectra of cross-linked polyurethaneurea films synthesized from solutions. *Journal of Raman Spectroscopy*, 33, 769-777.

Kondyurin, A., Karmanov, V., Guenzel, R. (2002). Plasma immersion ion implantation of polyethylene. *Vacuum*, 64, 105-111.