

Publications for David Reilly

2019

Waddington, D., Boele, T., Rej, E., McCamey, D., King, N., Gaebel, T., Reilly, D. (2019). Phase-Encoded Hyperpolarized Nanodiamond for Magnetic Resonance Imaging. *Scientific Reports*, 9(1), 5950. [More Information]

2018

Croot, X., Pauka, S., Watson, J., Gardner, G., Fallahi, S., Manfra, M., Reilly, D. (2018). Device Architecture for Coupling Spin Qubits via an Intermediate Quantum State. *Physical Review Applied*, 10(4), 044058-1-044058-7. [More Information]

2017

Rej, E., Gaebel, T., Waddington, D., Reilly, D. (2017). Hyperpolarized nanodiamond surfaces. *Journal of the American Chemical Society*, 139(1), 193-199. [More Information]

Waddington, D., Sarracanie, M., Zhang, H., Salameh, N., Glenn, D., Rej, E., Gaebel, T., Boele, T., Walsworth, R., Reilly, D., et al (2017). Nanodiamond-enhanced MRI via in situ hyperpolarization. *Nature Communications*, 8, 1-8. [More Information]

Mahoney, A., Colless, J., Pauka, S., Hornibrook, J., Watson, J., Gardner, G., Manfra, M., Doherty, A., Reilly, D. (2017). On-chip microwave quantum hall circulator. *Physical Review X*, 7(1), 011007-1-011007-9. [More Information]

Mahoney, A., Colless, J., Peeters, L., Pauka, S., Fox, E., Kou, X., Pan, L., Wang, K., Goldhaber-Gordon, D., Reilly, D. (2017). Zero-field edge plasmons in a magnetic topological insulator. *Nature Communications*, 8(1), 1-7. [More Information]

2016

Conway Lamb, I., Colless, J., Hornibrook, J., Pauka, S., Waddy, S., Frechtling, M., Reilly, D. (2016). A FPGA-based instrumentation platform for use at deep cryogenic temperatures. *Review of Scientific Instruments*, 87(1), 1-7. [More Information]

Tuckerman, D., Hamilton, M., Reilly, D., Bai, R., Hernandez, G., Hornibrook, J., Sellers, J., Ellis, C. (2016). Flexible superconducting Nb transmission lines on thin film polyimide for quantum computing applications. *Superconductor Science and Technology*, 29(8), 1-12. [More Information]

2015

Hornibrook, J., Colless, J., Lamb, I., Pauka, S., Lu, H., Gossard, A., Watson, J., Gardner, G., Fallahi, S., Manfra, M., Reilly, D. (2015). Cryogenic control architecture for large-scale quantum

computing. *Physical Review Applied*, 3(2), 1-9. [More Information]

Rej, E., Gaebel, T., Boele, T., Waddington, D., Reilly, D. (2015). Hyperpolarized nanodiamond with long spin-relaxation times. *Nature Communications*, 6, 1-7. [More Information]

2014

Hornibrook, J., Colless, J., Mahoney, A., Croot, X., Blanvillain, S., Lu, H., Gossard, A., Reilly, D. (2014). Frequency multiplexing for readout of spin qubits. *Applied Physics Letters*, 104(10), 1-4. [More Information]

Colless, J., Reilly, D. (2014). Modular cryogenic interconnects for multi-qubit devices. *Review of Scientific Instruments*, 85(11), 1-5. [More Information]

Colless, J., Croot, X., Stace, T., Doherty, A., Barrett, S., Lu, H., Gossard, A., Reilly, D. (2014). Raman phonon emission in a driven double quantum dot. *Nature Communications*, 5, 1-6. [More Information]

Getts, D., Terry, R., Getts, M., Deffrasnes, C., M¹/₄ller, M., Van Vreden, C., Ashhurst, T., Chami, B., McCarthy, D., Wu, H., Ma, J., Witting, P., Campbell, I., Reilly, D., White, M., Cordwell, S., Chadban, S., Bao, B., King, N., et al (2014). Therapeutic inflammatory monocyte modulation using immune-modifying microparticles. *Science Translational Medicine*, 6(219), 1-14. [More Information]

2013

Colless, J., Mahoney, A., Hornibrook, J., Doherty, A., Lu, H., Gossard, A., Reilly, D. (2013). Dispersive readout of a few-electron double quantum dot with fast rf gate sensors. *Physical Review Letters*, 110(4), 1-5. [More Information]

Stace, T., Doherty, A., Reilly, D. (2013). Dynamical steady states in driven quantum systems. *Physical Review Letters*, 111(18), 1-5. [More Information]

Cano, J., Doherty, A., Nayak, C., Reilly, D. (2013). Microwave absorption by a mesoscopic quantum Hall droplet. *Physical Review B*, 88(16), 1-12. [More Information]

Reilly, D. (2013). Quantum dots: And then there were three. *Nature Nanotechnology*, 8(6), 395-396. [More Information]

Hornibrook, J., Mitchell, E., Reilly, D. (2013). Suppressing

dissipative paths in superconducting coplanar waveguide resonators. *IEEE Transactions on Applied Superconductivity*, 23(3), 1-4. [More Information]

2012

Colless, J., Reilly, D. (2012). Cryogenic high-frequency readout and control platform for spin qubits. *Review of Scientific Instruments*, 83(2), 1-7. [More Information]

Blanvillain, S., Colless, J., Reilly, D., Lu, H., Gossard, A. (2012). Suppressing on-chip electromagnetic crosstalk for spin qubit devices. *Journal of Applied Physics*, 112(6), 1-6. [More Information]

2011

Say, J., Van Vreden, C., Reilly, D., Brown, L., Rabeau, J., King, N. (2011). Luminescent nanodiamonds for biomedical applications. *Biophysical Reviews*, 3(4), 171-184. [More Information]

Biercuk, M., Reilly, D. (2011). Quantum computing: Solid-state spins survive. *Nature Nanotechnology*, 6(1), 9-11. [More Information]

Biercuk, M., Reilly, D. (2011). Solid-state spins survive: Quantum-control pulse sequences can suppress errors and significantly extend the lifetimes of spin-based quantum bits in solid-state devices. *Nature Nanotechnology*, 6(1), 9-11. [More Information]

2010

Reilly, D. (2010). Electrons spin in the field. *Nature*, 468(7327), 1045-1046. [More Information]

Reilly, D., Taylor, J., Petta, J., Marcus, C., Hanson, M., Gossard, A. (2010). Exchange Control of Nuclear Spin Diffusion in a Double Quantum Dot. *Physical Review Letters*, 104(23), 236802-1-236802-4. [More Information]

Bartlett, S., Biercuk, M., Doherty, A., Reilly, D. (2010). The Revolution is coming. *Australian Physics*, 47(3), 86-88.

2009

Barthel, C., Reilly, D., Marcus, C., Hanson, M., Gossard, A. (2009). Rapid Single-Shot Measurement of a Singlet-Triplet Qubit. *Physical Review Letters*, 103(16), 160503-1-160503-4. [More Information]

2008

Reilly, D., Taylor, J., Laird, E., Petta, J., Marcus, C., Hanson, M., Gossard, A. (2008). Measurement of Temporal Correlations of the Overhauser Field in a Double Quantum Dot. *Physical Review Letters*, 101(23), 236803-1-236803-4. [More Information]

Reilly, D., Taylor, J., Petta, J., Marcus, C., Hanson, M.,

Gossard, A. (2008). Suppressing Spin Qubit Dephasing by Nuclear State Preparation. *Science*, 321(5890), 817-821. [More Information]

2007

Hu, Y., Churchill, H., Reilly, D., Xiang, J., Lieber, C., Marcus, C. (2007). A Ge/Si heterostructure nanowire-based double quantum dot with integrated charge sensor. *Nature Nanotechnology*, 2(October 2007), 622-625. [More Information]

Reilly, D., Marcus, C., Hanson, M., Gossard, A. (2007). Fast single-charge sensing with an rf quantum point contact. *Applied Physics Letters*, 91, 162101-1-162101-3. [More Information]

2006

Biercuk, M., Reilly, D., Buehler, T., Chan, V., Chow, J., Clark, R., Marcus, C. (2006). Charge sensing in carbon-nanotube quantum dots on microsecond timescales. *Physical Review B*, 73(20), 201402-1-201402-4. [More Information]

Buehler, T., Chan, V., Ferguson, A., Dzurak, A., Hudson, F., Reilly, D., Hamilton, A., Clark, R., Jamieson, D., Yang, C., et al (2006). Controlled single electron transfer between Si:P dots. *Applied Physics Letters*, 88(19), 192101-1-192101-3. [More Information]

Chan, V., Buehler, T., Ferguson, A., McCamey, D., Reilly, D., Dzurak, A., Clark, R., Yang, C., Jamieson, D. (2006). Ion implanted Si:P double dot with gate tunable interdot coupling. *Journal of Applied Physics*, 100(10), 106104-1-106104-3. [More Information]

Reilly, D., Zhang, Y., DiCarlo, L. (2006). Phenomenology of the 0.7 conductance feature. *Physica E: Low-Dimensional Systems and Nanostructures*, 34(1-2), 27-30. [More Information]

DiCarlo, L., Zhang, Y., McClure, D., Reilly, D., Marcus, C., Pfeiffer, L., West, K. (2006). Shot-Noise Signatures of 0.7 Structure and Spin in a Quantum Point Contact. *Physical Review Letters*, 97(3), 036810-1-036810-4. [More Information]

2005

Reilly, D., Buehler, T. (2005). Direct measurement of the intrinsic RC roll-off in a radio frequency single electron transistor operated as a microwave mixer. *Applied Physics Letters*, 87, 163122-1-163122-3. [More Information]

Brenner, R., Buehler, T., Reilly, D. (2005). Double-island single-electron transistor operated at radio-frequency for sensitive and fast charge detection. *MICROELECTRONIC ENGINEERING*, 78-79, 218-223. [More Information]

Reilly, D. (2005). Phenomenological model for the 0.7 conductance feature in quantum wires. *Physical Review B*, 72, 033309-1-033309-4. [More Information]

<http://dx.doi.org/10.1103/PhysRevB.72.033309>>[More Information]

Brenner, R., Buehler, T., Reilly, D. (2005). Radio-frequency operation of a double-island single-electron transistor. *Journal of Applied Physics*, 97, 034501-1-034501-5. [More Information]

Mitic, M., Andresen, S., Yang, C., Hopf, T., Chan, V., Gauja, E., Hudson, F., Buehler, T., Brenner, R., Ferguson, A., Reilly, D., et al (2005). Single atom Si nanoelectronics using controlled single-ion implantation. *MICROELECTRONIC ENGINEERING*, 78-79, 279-286. [More Information]

Buehler, T., Reilly, D., Starrett, R., Greentree, A., Hamilton, A., Dzurak, A., Clark, R. (2005). Single-shot readout with the radio-frequency single-electron transistor in the presence of charge noise. *Applied Physics Letters*, 86, 143117-1-143117-3. [More Information]

2004

Hollenberg, C., Dzurak, A., Wellard, C., Hamilton, A., Reilly, D., Milburn, G., Clark, R. (2004). Charge-based quantum computing using single donors in semiconductors. *Physical Review B*, 69(11), 113301-1-113301-4. [More Information]

Buehler, T., Reilly, D., Starrett, R., Court, N., Hamilton, A., Dzurak, A., Clark, R. (2004). Development and operation of the twin radio frequency single electron transistor for cross-correlated charge detection. *Journal of Applied Physics*, 96(8), 4508-4513. [More Information]

Buehler, T., Reilly, D., Starrett, R., Chan, V., Hamilton, A., Dzurak, A., Clark, R. (2004). Observing sub-microsecond telegraph noise with the radio frequency single electron transistor. *Journal of Applied Physics*, 96(11), 6827-6830. [More Information]

2003

Buehler, T., Reilly, D., Brenner, R., Hamilton, A., Dzurak, A., Clark, R. (2003). Correlated charge detection for readout of a solid-state quantum computer. *Applied Physics Letters*, 82(4), 577-579. [More Information]

Clark, R., Brenner, R., Buehler, T., Chan, V., Curson, N., Dzurak, A., Gauja, E., Goan, H., Greentree, A., Hallam, T., Reilly, D., et al (2003). Progress in silicon-based quantum computing. *Philosophical Transactions of the Royal Society A*, 361, 1451-1471. [More Information]

Buehler, T., Reilly, D., Starrett, R., Hamilton, A., Brenner, R., Kenyon, S., Court, N., Dzurak, A., Clark, R. (2003). Single electron devices for simulating read-out in a solid state quantum computer. *Surface Science*, 532-535, 1199-1203. [More Information]

Buehler, T., Reilly, D., Starrett, R., Kenyon, S., Hamilton, A., Dzurak, A., Clark, R. (2003). The twin radio frequency single electron transistor for correlated charge detection on microsecond time-scales. *MICROELECTRONIC*

ENGINEERING, 67-68, 775-781. [More Information]

2002

Buehler, T., McKinnon, R., Lumpkin, N., Brenner, R., Reilly, D., Macks, L., Hamilton, A., Dzurak, A., Clark, R. (2002). A self-aligned fabrication process for silicon quantum computer devices. *Nanotechnology*, 13, 686-690.

Reilly, D., Buehler, T., O'Brien, J., Hamilton, A., Dzurak, A., Clark, R., Kane, B., Pfeiffer, L., West, K. (2002). Density-Dependent Spin Polarization in Ultra-Low-Disorder Quantum Wires. *Physical Review Letters*, 89(24), 246801-1-246801-4. [More Information]

O'Brien, J., Hamilton, A., Clark, R., Mielke, C., Smith, J., Cooley, J., Rickel, D., Starrett, R., Reilly, D., Lumpkin, N., et al (2002). Magnetic susceptibility of the normal-superconducting transition in high-purity single-crystal α -uranium. *Physical Review B*, 66, 064523-1-064523-5. [More Information]

Buehler, T., Brenner, R., Reilly, D., Hamilton, A., Dzurak, A., Clark, R. (2002). Single-electron transistor architectures for charge motion detection in solid-state quantum computer devices. *Smart Materials and Structures*, 11, 749-755.